

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 7, 1905.

The number of births registered in Eight of the Principal Towns during the week ending 7th January 1905 was 955, and the number of deaths 690. These births are equivalent to an annual birth-rate of 28·5 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 20·6 per thousand.

The death-rates for the three preceding weeks were 21·6, 21·2, and 22·6. The death-rate for this week is thus 1·0 less than that for the week immediately preceding, and 1·2 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Glasgow, 22·8, and lowest in Leith, 15·4. In Perth it was 21·3; in Paisley, 20·7; in Aberdeen, 19·6; in Edinburgh, 19·5; in Dundee, 16·8; and in Greenock, 16·3.

Deaths from the principal epidemic diseases numbered 79; this is 1 more than in the preceding week, and is equivalent to a death-rate from these causes of 2·4 per thousand. These deaths include 14 from measles, 3 from scarlet fever, 4 from diphtheria, 37 from whooping-cough, 7 from enteric fever, 1 from typhus fever, and 13 from diarrhoeas. Deaths from measles are 6 fewer than in the previous week, from scarlet fever 1 more, from diphtheria 2 more, from whooping-cough 3 fewer, from enteric fever 6 more, from typhus fever of the same number, and from diarrhoeas 1 more. The death-rate from these causes was highest in Aberdeen, 4·7, and lowest in Dundee, 1·0.

Deaths from pneumonia, bronchitis, and pleurisy numbered 180; this is 2 fewer than in the preceding week, and 30 fewer than in the corresponding week of 1904.

Deaths of children of under one year old numbered 140; this is 27 fewer than in the preceding week, and 35 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 190; this is 21 more than in the previous week, and 5 more than in the corresponding week of 1904.

The mean temperature was 43°·6, being 3°·6 above that for the week immediately preceding, and 4°·7 above that for the corresponding week of 1904. The mean rainfall was 0·32 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 7, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Jan. 7, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·83	955	690	1018	54·7	29·6	43·6	0·32
GLASGOW, . . .	12,681	809,986	63·874	9·35	498	354	502	53·2	35·5	45·0	0·35
EDINBURGH, . .	11,416	336,577	29·483	13·77	153	126	123	50·4	34·1	43·1	0·05
DUNDEE, . . .	4,162	164,269	39·469	11·90	98	53	174	54·7	31·7	42·1	0·14
ABERDEEN, . . .	6,795	167,537	24·656	15·06	75	63	66	51·2	29·6	41·0	0·27
PAISLEY, . . .	3,538	85,604	24·196	15·20	35	34	67	52·0	36·5	45·2	0·29
LEITH,	2,044	81,477	39·862	11·84	42	24	28	52·5	36·3	45·5	0·14
GREENOCK, . .	1,440	70,253	48·787	10·70	42	22	37	51·2	34·5	43·8	1·31
PERTH,	2,122	34,214	16·123	18·62	12	14	21	54·0	32·0	43·3	0·05
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1111	768	937	48·4	29·0	38·9	1·05

Week ending Saturday, JANUARY 7, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 7, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	20·6	2·4	690	140	190	0	14	3	4	37	8	13	2	180	40	166
GLASGOW, .	22·8	2·5	354	65	76	0	3	0	0	26	4	6	1	105	19	97
EDINBURGH,	19·5	1·9	126	24	47	0	2	0	3	2	1	4	0	28	6	28
DUNDEE, . .	16·8	1·0	53	16	21	0	0	0	0	1	0	2	0	9	7	5
ABERDEEN, .	19·6	4·7	63	17	15	0	7	3	1	2	*1	1	0	14	1	20
PAISLEY, . .	20·7	1·2	34	8	15	0	0	0	0	2	0	0	0	13	1	3
LEITH, . . .	15·4	2·6	24	5	4	0	2	0	0	1	1	0	0	5	4	7
GREENOCK, .	16·3	2·2	22	5	6	0	0	0	0	2	1	0	1	5	2	3
PERTH, . . .	21·3	1·5	14	0	6	0	0	0	0	1	0	0	0	1	0	3

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 9, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	23·2	1·6	768	175	185	3	13	1	3	15	3	15	3	210	38	148
GLASGOW, .	24·8	2·1	379	79	89	3	12	1	2	3	1	10	1	103	21	86
EDINBURGH,	20·4	0·3	130	21	41	0	0	0	0	0	1	1	0	37	4	26
DUNDEE, . .	23·9	1·0	75	22	16	0	0	0	0	3	0	0	1	19	6	9
ABERDEEN, .	21·3	1·9	67	22	14	0	0	0	0	4	0	2	1	18	2	15
PAISLEY, . .	19·9	1·9	32	6	9	0	0	0	0	2	0	1	0	9	1	2
LEITH, . . .	17·5	1·3	27	2	5	0	0	0	0	2	0	0	0	4	3	4
GREENOCK, .	20·9	2·2	28	8	7	0	0	0	1	1	1	0	0	8	1	2
PERTH, . . .	46·2	3·1	30	15	4	0	1	0	0	0	0	1	0	12	0	4

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2.

WEEK ENDING SATURDAY, JANUARY 14, 1905.

The number of births registered in Eight of the Principal Towns during the week ending 14th January 1905 was 981, and the number of deaths 723. These births are equivalent to an annual birth-rate of 29·3 per thousand of the estimated population of these towns, and these deaths to a death-rate of 21·6 per thousand.

The death-rates for the three preceding weeks were 20·6, 21·6, and 21·2. The death-rate for this week is thus 1·0 more than that for the immediately preceding week, and 0·5 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Aberdeen, 27·7, and lowest in Paisley, 13·4. In Glasgow it was 23·9; in Leith, 19·8; in Perth, 19·8; in Dundee, 18·7; in Edinburgh, 18·1; and in Greenock, 15·6.

Deaths from the principal epidemic diseases numbered 85; this is 6 more than in the previous week, and is equivalent to an annual death-rate from these causes of 2·5 per thousand. These deaths include 12 from measles, 3 from scarlet fever, 5 from diphtheria, 45 from whooping-cough, 4 from enteric fever, and 16 from diarrhoeas. Deaths from measles are 2 fewer than in the previous week, from scarlet fever of the same number, from diphtheria 1 more, from whooping-cough 8 more, and from diarrhoeas 3 more. The death-rate from these causes was for the week highest in Glasgow, 3·8, and Aberdeen, 3·1, and lowest in Paisley and Leith, 0. The high rate in Glasgow was due to the prevalence of whooping-cough; that in Aberdeen to the prevalence of measles.

Deaths from pneumonia, bronchitis, and pleurisy numbered 182; this is 2 more than in the previous week, but 14 fewer than in the corresponding week of 1904.

Deaths of children of under one year old numbered 141; this is 1 more than in the previous week, but 12 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 202; this is 12 more than in the previous week, but 27 more than in the corresponding week of 1904.

The mean temperature was 39°·5, being 4°·1 below that for the previous week, but 1°·7 above that for the corresponding week of 1904. The mean rainfall was 0·61 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 14, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Jan. 14, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	981	723	243	51·8	25·0	39·5	0·61
GLASGOW, . . .	12,681	809,986	63·874	9·35	506	371	167	51·0	31·5	40·8	0·97
EDINBURGH, .	11,416	336,577	29·483	13·77	165	117	35	49·7	28·8	39·3	0·61
DUNDEE, . . .	4,162	164,269	39·469	11·90	75	59	3	49·4	28·4	38·4	0·13
ABERDEEN, . .	6,795	167,537	24·656	15·06	88	89	23	50·2	29·6	39·1	0·04
PAISLEY, . . .	3,538	85,604	24·196	15·20	49	22	1	49·9	32·0	41·0	0·87
LEITH,	2,044	81,477	39·862	11·84	38	31	7	51·8	32·0	39·7	0·55
GREENOCK, . .	1,440	70,253	48·787	10·70	40	21	6	50·0	29·5	40·5	1·42
PERTH,	2,122	34,214	16·123	18·62	20	13	1	50·0	25·0	37·5	0·26
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	888	668	179	47·3	27·4	37·8	1·30

Week ending Saturday, JANUARY 14, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 14, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21.6	2.5	723	141	202	0	12	3	5	45	4	16	1	182	18	177	21
GLASGOW, .	23.9	3.8	371	67	84	0	4	0	2	38	4	11	1	96	11	92	10
EDINBURGH,	18.1	1.4	117	22	46	0	1	1	2	4	0	1	0	19	3	45	6
DUNDEE, . .	18.7	1.3	59	11	19	0	0	0	1	0	0	3	0	17	0	12	1
ABERDEEN, .	27.7	3.1	89	27	20	0	7	2	0	0	0	1	0	25	3	15	3
PAISLEY, . .	13.4	0.0	22	1	7	0	0	0	0	0	0	0	0	6	0	2	0
LEITH, . . .	19.8	0.0	31	5	12	0	0	0	0	0	0	0	0	9	0	5	1
GREENOCK, .	15.6	0.7	21	5	10	0	0	0	0	1	0	0	0	7	0	2	0
PERTH, . . .	19.8	3.0	13	3	4	0	0	0	0	2	0	0	0	3	1	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 16, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	20.2	1.9	668	153	175	5	23	1	3	15	3	13	2	196	21	137	21
GLASGOW, .	20.2	2.0	309	66	65	4	19	0	0	2	2	4	1	100	6	63	12
EDINBURGH,	16.8	1.4	107	23	38	0	0	0	1	2	0	6	0	21	4	30	7
DUNDEE, . .	24.3	1.9	76	23	20	0	1	0	0	2	1	2	0	29	4	17	0
ABERDEEN, .	20.7	2.5	65	15	15	0	0	1	0	6	0	1	0	12	4	5	1
PAISLEY, . .	21.7	2.5	35	10	10	0	2	0	2	0	0	0	0	15	1	8	0
LEITH, . . .	18.1	1.9	28	3	10	1	0	0	0	2	0	0	0	3	1	6	1
GREENOCK, .	22.4	1.5	30	10	11	0	1	0	0	1	0	0	1	10	1	3	0
PERTH, . . .	27.7	0.0	18	3	6	0	0	0	0	0	0	0	0	6	0	5	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 3.

WEEK ENDING SATURDAY, JANUARY 21, 1905.

Births registered in Eight of the Principal Towns during the week ending 21st January 1905 numbered 903, and deaths 674. These births are equivalent to an annual birth-rate of 26·9 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 20·1 per thousand.

The death-rates for the three preceding weeks were 21·6, 20·6, and 21·6. The rate for this week is thus 1·5 less than that for the previous week, and 1·2 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 24·5, and lowest in Perth, 10·7. In Aberdeen it was 22·1; in Glasgow, 22·0; in Dundee, 18·4; in Leith, 17·9; in Paisley, 17·1; and in Edinburgh, 16·7.

Deaths from the principal epidemic diseases numbered 72; this is 13 fewer than in the previous week, and is equivalent to an annual death-rate from these causes of 2·1 per thousand. These deaths include 1 from small-pox, 15 from measles, 3 from diphtheria, 33 from hooping-cough, 2 from enteric fever, 1 from typhus fever, and 17 from diarrhoeas. Deaths from measles are 3 more than in the previous week, from diphtheria 2 fewer, from hooping-cough 12 fewer, from enteric fever 2 fewer, and from diarrhoeas 1 more. There were no deaths from small-pox or typhus fever in the previous week. There were no deaths from scarlet fever this week, while there were 3 in the previous week. The death-rate from these causes was for the week highest in Aberdeen, 3·7, and lowest in Paisley, 0. The high rate in Aberdeen continues to be due to measles.

Deaths from pneumonia, bronchitis, and pleurisy numbered 155; this is 27 fewer than in the previous week, and 10 fewer than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 144; this is 3 more than in the previous week, but 8 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 181; this is 21 fewer than in the previous week, and 1 fewer than in the corresponding week of 1904.

The mean temperature was 35°·8, being 3°·7 below that for the previous week, and 6°·5 below that for the corresponding week of 1904. The mean rainfall was 0·23 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 21, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending Jan. 21, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	903	674	133	45·4	22·0	35·8	0·23
GLASGOW, . . .	12,681	809,986	63·874	9·35	449	341	68	45·2	28·0	37·0	0·27
EDINBURGH, .	11,416	336,577	29·483	13·77	142	108	19	44·7	25·6	35·7	0·03
DUNDEE, . . .	4,162	164,269	39·469	11·90	90	58	8	40·0	27·2	35·2	0·07
ABERDEEN, . .	6,795	167,537	24·656	15·06	87	71	17	42·4	25·0	37·0	0·22
PAISLEY, . . .	3,538	85,604	24·196	15·20	48	28	9	45·4	28·1	37·3	0·39
LEITH,	2,044	81,477	39·862	11·84	41	28	6	41·7	28·1	34·9	0·05
GREENOCK, . .	1,440	70,253	48·787	10·70	30	33	3	42·2	25·0	35·8	0·75
PERTH,	2,122	34,214	16·123	18·62	16	7	3	40·0	22·0	33·3	0·08
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1017	655	124	52·6	28·0	42·3	0·09

Week ending Saturday, JANUARY 21, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 21, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·1	2·1	674	144	181	1	15	0	3	33	*3	17	1	155	25	167	16	3
GLASGOW, .	22·0	2·8	341	71	76	1	4	0	0	27	0	12	0	88	13	89	9	2
EDINBURGH,	16·7	0·5	108	18	46	0	1	0	0	1	0	1	0	19	5	36	2	0
DUNDEE, . .	18·4	1·9	58	14	17	0	0	0	1	1	1	3	0	12	3	11	1	0
ABERDEEN, .	22·1	3·7	71	19	18	0	7	0	1	3	*1	0	0	13	0	13	0	0
PAISLEY, . .	17·1	0·0	28	9	7	0	0	0	0	0	0	0	0	8	2	8	3	0
LEITH, . . .	17·9	2·6	28	6	11	0	3	0	0	0	0	1	0	6	1	7	0	0
GREENOCK, .	24·5	1·5	33	5	4	0	0	0	1	0	1	0	1	9	1	2	1	1
PERTH, . . .	10·7	1·5	7	2	2	0	0	0	0	1	0	0	0	0	0	1	0	0

* Includes 1 from Typhus Fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 23, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	19·8	1·6	655	152	182	2	19	1	3	11	4	14	2	165	28	146	27	1		
GLASGOW, .	20·7	1·8	316	64	67	2	13	0	3	2	3	5	1	85	17	81	14	1		
EDINBURGH,	17·4	1·3	111	27	36	0	0	0	0	4	0	4	1	18	0	26	7	0		
DUNDEE, . .	25·2	2·6	79	19	27	0	5	0	0	1	0	2	0	27	1	13	1	0		
ABERDEEN, .	21·6	1·3	68	28	18	0	0	0	0	1	0	3	0	19	4	9	2	0		
PAISLEY, . .	14·9	0·6	24	2	12	0	1	0	0	0	0	0	0	9	2	4	2	0		
LEITH, . . .	15·6	1·9	24	6	9	0	0	0	0	2	1	0	0	1	2	7	0	0		
GREENOCK, .	12·0	0·0	16	3	7	0	0	0	0	0	0	0	0	3	1	2	1	0		
PERTH, . . .	26·2	3·1	17	3	6	0	0	1	0	1	0	0	0	3	1	4	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 4 WEEK ENDING SATURDAY, JANUARY 28, 1905.

During the week ending 28th January 1905, the births registered in Eight of the Principal Towns amounted to 954, and the deaths to 681. The births represent an annual birth-rate of 28·4 per thousand of the estimated population of these towns, and the deaths an annual rate of mortality of 20·3 per thousand.

The death-rates for the three preceding weeks were 20·1, 21·6, and 20·6. The rate for this week is thus 0·2 above that for the previous week, but 0·5 less than the mean rate for the three preceding weeks.

The death-rate for the week was highest in Aberdeen, 26·5, and lowest in Paisley, 15·8. In Greenock it was 23·8; in Edinburgh, 21·2; in Glasgow, 19·9; in Perth, 19·8; in Leith, 17·3; and in Dundee, 16·5.

Deaths from the principal epidemic diseases numbered 79; this is 7 more than in the previous week, and is equivalent to an annual death-rate from these causes of 2·4 per thousand. These deaths include 6 from measles, 5 from scarlet fever, 9 from diphtheria, 44 from whooping-cough, 9 from diarrhoea, and 6 from fever, of which 3 were due to typhus and 3 to enteric fever. Deaths from measles are 9 fewer than in the previous week, from scarlet fever 5 more, from diphtheria 6 more, from whooping-cough 11 more, from diarrhoea 8 fewer, from typhus 2 more, and from enteric 1 more. The death-rate from these causes was for the week lowest in Dundee, 0·3, and highest in Greenock, 6·7, the high rate there being due to the prevalence of whooping-cough.

Deaths from pneumonia, bronchitis, and pleurisy numbered 161, being 6 more than in the previous week, and 36 more than in the corresponding week of 1904.

Deaths of infants under one year old numbered 144; this is the same as the number for the previous week, and 16 more than that for the corresponding week of last year. Deaths of persons aged over sixty years, 172 in number, were 9 fewer than in the previous week, but 20 more than in the corresponding week of 1904.

The mean temperature was 39°·0, being 3°·2 above that for the week immediately preceding, but 2°·0 below that for the corresponding week of 1904. The mean rainfall was 0·11 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 28, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Jan. 28, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	954	681	152	54·0	25·5	39·0	0·11
GLASGOW,	12,681	809,986	63·874	9·35	485	309	77	51·2	26·8	39·7	0·11
EDINBURGH, . . .	11,416	336,577	29·483	13·77	153	137	32	48·8	27·8	38·3	0·01
DUNDEE,	4,162	164,269	39·469	11·90	80	52	9	52·3	27·9	38·4	0·06
ABERDEEN, . . .	6,795	167,537	24·656	15·06	84	85	14	54·0	28·0	38·4	0·06
PAISLEY,	3,538	85,604	24·196	15·20	49	26	6
LEITH,	2,044	81,477	39·862	11·84	55	27	9	50·7	30·3	41·4	0·07
GREENOCK, . . .	1,440	70,253	48·787	10·70	36	32	3	49·8	28·5	38·4	0·46
PERTH,	2,122	34,214	16·123	18·62	12	13	2	52·0	25·5	38·2	0·02
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	901	608	148	51·7	27·5	41·0	0·57

Week ending Saturday, JANUARY 28, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 28, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Un- certified Causes.
In Eight Towns,	20.3	2.4	681	144	172	0	6	5	9	44	6	9	2	161	28	178	25	3
GLASGOW, .	19.9	2.4	309	60	63	0	1	1	4	25	*2	5	1	83	16	92	8	2
EDINBURGH,	21.2	1.9	137	27	36	0	1	2	3	3	0	3	0	27	6	39	14	0
DUNDEE, . .	16.5	0.3	52	11	18	0	0	0	1	0	0	0	0	10	1	8	1	1
ABERDEEN, .	26.5	3.7	85	25	26	0	3	2	1	3	+2	1	0	22	0	20	0	0
PAISLEY, . .	15.8	1.8	26	7	8	0	0	0	0	3	0	0	0	3	1	4	0	0
LEITH, . . .	17.3	0.6	27	8	9	0	1	0	0	0	0	0	0	5	1	6	1	0
GREENOCK, .	23.8	6.7	32	5	9	0	0	0	0	7	2	0	0	8	2	8	1	0
PERTH, . . .	19.8	4.6	13	1	3	0	0	0	0	3	0	0	1	3	1	1	0	0

* One Typhus. † Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 30, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.4	1.9	608	128	152	3	12	6	7	16	1	17	3	125	28	153	20	2
GLASGOW, .	17.8	1.8	272	55	60	3	6	3	5	1	1	8	3	49	16	76	10	1
EDINBURGH,	16.8	0.9	107	23	38	0	0	1	1	3	0	1	0	23	3	28	6	0
DUNDEE, . .	31.3	4.1	98	21	29	0	3	0	0	3	0	7	0	25	5	25	1	0
ABERDEEN, .	14.3	1.3	45	12	11	0	0	0	0	4	0	0	0	10	0	8	0	0
PAISLEY, . .	18.6	2.5	30	2	6	0	2	0	1	1	0	0	0	4	0	8	2	1
LEITH, . . .	18.8	3.2	29	7	3	0	0	1	0	3	0	1	0	8	3	5	1	0
GREENOCK, .	11.2	1.5	15	3	2	0	0	1	0	1	0	0	0	2	0	1	0	0
PERTH, . . .	18.5	1.5	12	5	3	0	1	0	0	0	0	0	0	4	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 4, 1905.

During the week ending 4th February 1905, there were registered in Eight of the Principal Towns 889 births and 668 deaths. These births are equivalent to an annual birth-rate of 26·5 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 19·9 per thousand.

The death-rates for the three preceding weeks were 20·3, 20·1, and 21·6. The rate for this week is thus 0·4 less than that for the immediately preceding week, and 0·8 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 32·0, and lowest in Greenock, 14·1. In Dundee it was 24·5; in Edinburgh, 22·3; in Glasgow, 19·0; in Aberdeen, 18·4; in Leith, 17·3; and in Paisley, 15·8.

Deaths from the principal epidemic diseases numbered 85; this is 6 more than in the preceding week, and equivalent to an annual death-rate from these causes of 2·5 per thousand. These 85 deaths include 6 from measles, 1 from scarlet fever, 9 from diphtheria, 46 from hooping-cough, 2 from enteric fever, 2 from typhus fever, and 19 from diarrhoeas. Compared to the returns of the previous week, deaths from measles and diphtheria are of the same number, from scarlet fever 4 fewer, from hooping-cough 2 more, from enteric fever and typhus fever each 1 fewer, and from diarrhoeas 10 more. The death-rate from these causes was for the week highest in Perth, 4·6, and Glasgow, 3·5, and lowest in Leith, 0·6.

Deaths from pneumonia, bronchitis, and pleurisy numbered 145; this is 16 fewer than in the previous week, but 17 more than in the corresponding week of 1904.

Deaths of infants of under one year numbered 142; this is 2 fewer than in the previous week, but 18 more than in the corresponding week of 1904. Deaths of persons of over sixty numbered 191; this is 19 more than in the previous week, and 26 more than in the corresponding week of 1904.

The mean temperature was 41°·9, being 2°·9 above that for the week immediately preceding, and 5°·1 above that for the corresponding week of 1904. The mean rainfall was 0·49 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 4, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Feb. 4, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	889	668	205	55·0	26·0	41·9	0·49
GLASGOW, . . .	12,681	809,986	63·874	9·35	422	295	94	51·4	33·2	43·3	0·66
EDINBURGH, .	11,416	336,577	29·483	13·77	135	144	42	49·5	31·8	40·9	0·16
DUNDEE, . . .	4,162	164,269	39·469	11·90	96	77	9	51·1	28·7	41·0	0·24
ABERDEEN, . .	6,795	167,537	24·656	15·06	101	59	27	55·0	26·6	40·3	0·29
PAISLEY, . . .	3,538	85,604	24·196	15·20	43	26	9	50·1	34·0	43·3	0·60
LEITH,	2,044	81,477	39·862	11·84	55	27	13	51·7	34·0	43·0	0·17
GREENOCK, . .	1,440	70,253	48·787	10·70	31	19	3	50·2	32·5	41·9	1·53
PERTH,	2,122	34,214	16·123	18·62	6	21	8	51·0	26·0	41·6	0·26
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	856	611	182	48·6	27·8	36·8	1·25

Week ending Saturday, FEBRUARY 4, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 4, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.9	2.5	668	142	191	0	6	1	9	46	4	19	1	145	22	165	35
GLASGOW, .	19.0	3.5	295	77	57	0	5	0	6	31	1	12	0	62	9	90	11
EDINBURGH,	22.3	1.7	144	24	54	0	1	0	2	4	1	3	0	29	3	39	17
DUNDEE, . .	24.5	1.0	77	14	27	0	0	0	0	1	*1	1	0	18	3	16	0
ABERDEEN, .	18.4	1.6	59	15	18	0	0	0	0	2	*1	2	0	16	3	13	2
PAISLEY, . .	15.8	2.4	26	2	10	0	0	1	0	2	0	1	0	5	2	2	2
LEITH, . . .	17.3	0.6	27	5	8	0	0	0	0	1	0	0	1	5	2	3	1
GREENOCK, .	14.1	2.2	19	4	6	0	0	0	1	2	0	0	0	4	0	2	2
PERTH, . . .	32.0	4.6	21	1	11	0	0	0	0	3	0	0	0	6	0	0	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 6, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.5	1.3	611	124	165	3	7	3	3	15	2	11	1	128	24	125	17
GLASGOW, .	17.5	1.2	267	52	73	2	6	2	3	2	0	3	0	68	6	53	7
EDINBURGH,	16.0	0.6	102	16	27	0	0	0	0	1	0	3	1	15	7	26	6
DUNDEE, . .	23.3	1.0	73	13	20	0	0	0	0	1	1	1	0	19	2	14	1
ABERDEEN, .	22.3	4.1	70	22	17	0	0	0	0	9	0	4	0	13	0	11	0
PAISLEY, . .	18.0	1.2	29	4	9	0	1	0	0	0	1	0	0	3	3	3	1
LEITH, . . .	17.5	1.3	27	7	7	0	0	0	0	2	0	0	0	2	2	9	0
GREENOCK, .	20.9	1.5	28	4	8	1	0	1	0	0	0	0	0	5	3	6	2
PERTH, . . .	23.1	0.0	15	6	4	0	0	0	0	0	0	0	0	3	1	3	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 11, 1905.

During the week ending 11th February 1905, there were registered in Eight of the Principal Towns the births of 921 children, and the deaths of 612 persons. These births are equivalent to an annual birth-rate of 27·5 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 18·2 per thousand.

The death-rates for the three preceding weeks were 19·9, 20·3, and 20·1. The death-rate for this week is thus 1·7 less than that for the immediately preceding week, and 1·9 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Aberdeen, 22·7, and lowest in Paisley, 13·4. In Perth it was 21·3; in Glasgow, 18·6; in Edinburgh, 18·1; in Greenock, 17·1; in Dundee, 16·5; and in Leith, 14·7.

Deaths from the principal epidemic diseases numbered 49; this is 36 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·5 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 3 from diphtheria, 23 from whooping-cough, 5 from enteric fever, and 9 from diarrhoeas. Deaths from measles are 1 more than in the previous week, from scarlet fever 1 more, from diphtheria 6 fewer, from whooping-cough 23 fewer, from enteric fever 3 more, and from diarrhoeas 10 fewer. The death-rate from these causes ranged from 2·2 per thousand in Glasgow to 0 in Paisley and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 130; this is 15 fewer than in the previous week, but 4 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 131; this is 11 fewer than in the previous week, and 16 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 162; this is 29 fewer than in the previous week, but 10 more than in the corresponding week of 1904.

The mean temperature was 41°·8, being 0°·1 below that for the week immediately preceding, but 4°·8 above that for the corresponding week of 1904. The mean rainfall was 0·17 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 11, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Feb. 11, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	921	612	175	57·0	27·2	41·8	0·17
GLASGOW, . . .	12,681	809,986	63·874	9·35	450	288	72	52·2	32·0	42·3	0·16
EDINBURGH, . .	11,416	336,577	29·483	13·77	169	117	36	51·1	28·6	41·7	0·00
DUNDEE, . . .	4,162	164,269	39·469	11·90	78	52	15	50·8	27·2	40·6	0·00
ABERDEEN, . .	6,795	167,537	24·656	15·06	95	73	23	57·0	28·4	41·3	0·26
PAISLEY, . . .	3,538	85,604	24·196	15·20	49	22	7	51·0	32·0	42·7	0·21
LEITH,	2,044	81,477	39·862	11·84	38	23	7	52·7	28·4	42·1	0·00
GREENOCK, . .	1,440	70,253	48·787	10·70	30	23	11	51·0	32·0	42·8	0·76
PERTH,	2,122	34,214	16·123	18·62	12	14	4	50·0	27·5	40·5	0·00
Corresponding Week of 1904.—Eight Towns.	44,198	1,726,236	39·057	11·96	942	636	175	48·8	25·5	37·0	0·88

Week ending Saturday, FEBRUARY 11, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 11, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.2	1.5	612	131	162	0	7	2	3	23	5	9	0	130	23	133	19	0
GLASGOW, .	18.6	2.2	288	70	56	0	7	0	2	17	4	4	0	54	10	66	10	0
EDINBURGH,	18.1	0.8	117	22	34	0	0	1	0	3	1	0	0	23	7	30	7	0
DUNDEE, . .	16.5	0.6	52	10	17	0	0	0	1	1	0	0	0	12	2	9	1	0
ABERDEEN, .	22.7	1.6	73	13	28	0	0	1	0	1	0	3	0	21	2	15	0	0
PAISLEY, . .	13.4	0.0	22	5	6	0	0	0	0	0	0	0	0	7	0	6	1	0
LEITH, . . .	14.7	1.3	23	3	7	0	0	0	0	0	0	2	0	5	1	2	0	0
GREENOCK, .	17.1	0.7	23	3	10	0	0	0	0	1	0	0	0	3	1	4	0	0
PERTH, . . .	21.3	0.0	14	5	4	0	0	0	0	0	0	0	0	5	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 13, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.2	2.2	636	147	152	1	21	2	3	24	1	20	0	126	15	157	21	5
GLASGOW, .	19.9	2.0	305	74	67	1	11	2	1	6	1	9	0	71	5	80	13	1
EDINBURGH,	15.9	0.5	101	18	34	0	0	0	0	1	0	2	0	12	3	33	2	0
DUNDEE, . .	24.6	3.2	77	19	11	0	5	0	1	2	0	2	0	19	3	16	2	0
ABERDEEN, .	21.6	4.1	68	20	18	0	0	0	0	9	0	4	0	13	0	13	0	0
PAISLEY, . .	23.0	4.3	37	7	8	0	4	0	0	3	0	0	0	5	1	5	2	0
LEITH, . . .	14.3	1.9	22	5	6	0	0	0	0	2	0	1	0	2	0	5	1	1
GREENOCK, .	16.5	3.0	22	3	8	0	1	0	0	1	0	2	0	4	2	4	1	2
PERTH, . . .	6.2	1.5	4	1	0	0	0	0	1	0	0	0	0	0	1	1	0	1

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 18, 1905.

During the week ending 18th February 1905, there were registered in Eight of the Principal Towns the births of 880 children, and the deaths of 633 persons. These births are equivalent to an annual birth-rate of 26·2 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 18·9 per thousand.

The death-rates for the three preceding weeks were 18·2, 19·9, and 20·3. The death-rate for this week is thus 0·7 more than that for the immediately preceding week, but 0·6 less than the mean of the death-rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 24·4, and lowest in Leith, 12·8. In Dundee it was 22·2; in Aberdeen, 21·2; in Glasgow, 19·6; in Paisley, 16·5; and in Edinburgh and Greenock, 16·3.

Deaths from the principal epidemic diseases numbered 52; this is 3 more than in the previous week, and equivalent to an annual death-rate from these causes of 1·6 per thousand. These deaths include 4 from measles, 3 from diphtheria, 25 from hooping-cough, 4 from enteric fever, 3 from typhus fever, and 13 from diarrhoeas. There were no deaths from small-pox or from scarlet fever. The three deaths from typhus fever were registered in Aberdeen. Compared to the returns of the previous week, deaths from measles are 3 fewer, from diphtheria of the same number, from hooping-cough 2 more, from enteric fever 1 fewer, from typhus fever 3 more, and from diarrhoeas 4 more. The death-rate from these causes was highest in Glasgow, 2·1, and lowest in Greenock, 0.

Deaths from pneumonia, bronchitis, and pleurisy numbered 118; this is 12 fewer than in the previous week, and 47 fewer than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 141; this is 10 more than in the previous week, but 10 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 153; this is 9 fewer than in the previous week, and 39 fewer than in the corresponding week of 1904.

The mean temperature was 42°·7, being 0°·9 above that for the week immediately preceding, and 6°·0 above that for the corresponding week of 1904. The mean rainfall was 0·68 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 18, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending Feb. 18, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	880	633	172	55·3	24·4	42·7	0·68
GLASGOW, . . .	12,681	809,986	63·874	9·35	435	305	97	52·8	24·4	44·0	0·80
EDINBURGH, .	11,416	336,577	29·483	13·77	128	105	32	53·3	24·6	42·1	0·55
DUNDEE, . . .	4,162	164,269	39·469	11·90	74	70	13	51·2	25·1	41·4	0·22
ABERDEEN, . .	6,795	167,537	24·656	15·06	93	68	12	55·0	25·0	41·1	0·26
PAISLEY, . . .	3,538	85,604	24·196	15·20	47	27	6	53·2	26·7	44·3	0·98
LEITH,	2,044	81,477	39·862	11·84	39	20	5	55·3	29·8	45·4	0·48
GREENOCK, . .	1,440	70,253	48·787	10·70	47	22	6	50·0	25·5	41·7	2·04
PERTH,	2,122	34,214	16·123	18·62	17	16	1	52·5	25·0	41·4	0·14
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	963	733	217	49·8	24·0	36·7	0·63

Week ending Saturday, FEBRUARY 18, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 18, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	18.9	1.6	633	141	153	0	4	0	3	25	7	13	1	118	20	140	16	0		
GLASGOW, .	19.6	2.1	305	71	55	0	3	0	0	20	3	6	0	65	12	76	4	0		
EDINBURGH,	16.3	0.9	105	15	36	0	0	0	1	4	0	1	0	8	2	27	6	0		
DUNDEE, . .	22.2	1.3	70	18	17	0	0	0	1	1	0	2	0	15	3	10	0	0		
ABERDEEN, .	21.2	1.6	68	24	16	0	1	0	0	0	*3	1	1	17	0	10	2	0		
PAISLEY, . .	16.5	0.6	27	1	15	0	0	0	0	0	1	0	0	5	0	3	2	0		
LEITH, . . .	12.8	1.9	20	4	2	0	0	0	0	0	0	3	0	0	1	6	0	0		
GREENOCK, .	16.3	0.0	22	5	4	0	0	0	0	0	0	0	0	4	2	5	2	0		
PERTH, . . .	24.4	1.5	16	3	8	0	0	0	1	0	0	0	0	4	0	3	0	0		

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 20, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from :												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.2	2.3	733	151	192	5	19	0	6	26	1	18	2	165	20	183	21	4
GLASGOW, .	23.5	2.2	360	77	82	2	8	0	4	4	1	15	1	104	12	84	12	4
EDINBURGH,	18.1	0.6	115	15	42	0	0	0	0	3	0	1	0	13	4	45	6	0
DUNDEE, . .	25.8	3.5	81	18	18	0	5	0	0	5	0	1	0	20	1	19	0	0
ABERDEEN, .	21.0	2.9	66	14	20	0	0	0	2	6	0	1	0	15	1	9	0	0
PAISLEY, . .	21.1	3.7	34	7	9	0	4	0	0	2	0	0	0	5	0	9	3	0
LEITH, . . .	19.4	3.9	30	10	10	0	0	0	0	6	0	0	0	3	1	5	0	0
GREENOCK, .	24.7	3.7	33	7	6	3	2	0	0	0	0	0	1	4	1	10	0	0
PERTH, . . .	21.5	0.0	14	3	5	0	0	0	0	0	0	0	0	1	0	2	0	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 25, 1905.

During the week ending 25th February 1905, there were registered in Eight of the Principal Towns the births of 872 children, and the deaths of 615 persons. These births are equivalent to an annual birth-rate of 26·0 per thousand of the estimated population, and these deaths to a death-rate of 18·3 per thousand.

The death-rates for the three preceding weeks were 18·9, 18·2, and 19·9. The death-rate for this week is thus 0·6 less than that for the immediately preceding week, and 0·7 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 25·9, and lowest in Paisley, 13·4. In Dundee it was 23·8; in Leith, 21·8; in Aberdeen, 19·9; in Greenock, 18·6; in Glasgow, 17·8; and in Edinburgh, 15·8.

Deaths from the principal epidemic diseases numbered 63; this is 11 more than in the previous week, and is equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 6 from diphtheria, 27 from whooping-cough, 4 from enteric fever, 4 from typhus fever, and 13 from diarrhoeas. The deaths from enteric fever were all in Glasgow, and those from typhus fever were in Aberdeen. Compared to the returns of the previous week, deaths from measles are 3 more, from scarlet fever 2 more, from diphtheria 3 more, from whooping-cough 2 more, from enteric fever of the same number, from typhus fever 1 more, and from diarrhoeas of the same number. The death-rate from these causes for the week was highest in Aberdeen, 3·1, and lowest in Perth, 0.

Deaths from pneumonia, bronchitis, and pleurisy numbered 115; this is 3 fewer than in the previous week, and 49 fewer than in the corresponding week of 1904.

Deaths of children of under one year old numbered 116; this is 25 fewer than in the previous week, and 42 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 159; this is 6 more than in the previous week, but 23 fewer than in the corresponding week of 1904.

The mean temperature was 35°·9, being 6°·8 below that for the week immediately preceding, and 2°·4 below that for the corresponding week of 1904. The mean rainfall was 0·42 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 25, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Feb. 25, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	872	615	203	50·5	21·6	35·9	0·42
GLASGOW, . . .	12,681	809,986	63·874	9·35	450	276	103	45·8	27·8	36·7	0·49
EDINBURGH, .	11,416	336,577	29·483	13·77	116	102	38	41·7	29·2	35·3	0·09
DUNDEE, . . .	4,162	164,269	39·469	11·90	75	75	17	42·9	28·5	35·6	0·19
ABERDEEN, . .	6,795	167,537	24·656	15·06	100	64	20	44·2	21·6	36·3	0·51
PAISLEY, . . .	3,538	85,604	24·196	15·20	32	22	4	48·0	29·0	36·7	0·89
LEITH,	2,044	81,477	39·862	11·84	39	34	7	42·8	30·0	37·0	0·13
GREENOCK, . .	1,440	70,253	48·787	10·70	44	25	5	50·5	28·5	35·7	0·95
PERTH,	2,122	34,214	16·123	18·62	16	17	9	44·0	25·0	34·2	0·14
Corresponding Week of 1904—Eight Towns.	44,198	1,726,236	39·057	11·96	895	720	187	52·8	28·0	38·3	0·93

Week ending Saturday, FEBRUARY 25, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 25, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of				Deaths from									
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.3	1.9	615	116	159	0	7	2	6	27	8	13	1	115	25	151	21
GLASGOW, .	17.8	2.0	276	53	51	0	4	2	0	16	4	5	1	53	11	76	9
EDINBURGH,	15.8	1.7	102	16	37	0	2	0	3	5	0	1	0	20	3	22	6
DUNDEE, . .	23.8	1.0	75	11	21	0	0	0	2	1	0	0	0	17	4	21	1
ABERDEEN, .	19.9	3.1	64	15	17	0	1	0	0	1	*4	4	0	11	2	12	3
PAISLEY, . .	13.4	1.8	22	5	8	0	0	0	0	2	0	1	0	2	0	2	1
LEITH, . . .	21.8	1.3	34	6	11	0	0	0	0	1	0	1	0	5	4	8	0
GREENOCK, .	18.6	2.2	25	7	4	0	0	0	1	1	0	1	0	4	0	3	0
PERTH, . . .	25.9	0.0	17	3	10	0	0	0	0	0	0	0	0	3	1	7	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 27, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of				Deaths from									
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.8	2.4	720	158	182	*7	27	3	5	21	6	11	1	164	19	153	33
GLASGOW, .	22.5	2.4	344	83	65	2	19	2	1	5	3	5	1	101	6	77	23
EDINBURGH,	20.4	0.9	130	19	50	*1	0	0	1	3	0	1	0	15	4	41	7
DUNDEE, . .	23.9	3.8	75	15	21	0	4	0	2	3	1	2	0	17	3	13	1
ABERDEEN, .	20.3	2.9	64	17	16	0	0	0	0	6	1	2	0	12	2	9	1
PAISLEY, . .	24.8	3.1	40	8	10	0	4	0	0	0	1	0	0	8	0	4	1
LEITH, . . .	13.0	3.9	20	8	3	0	0	0	1	4	0	1	0	5	1	2	0
GREENOCK, .	26.2	3.7	35	7	10	4	0	1	0	0	0	0	0	6	3	6	0
PERTH, . . .	18.5	0.0	12	1	7	0	0	0	0	0	0	0	0	0	0	1	0

* One death from Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 9.

WEEK ENDING SATURDAY, MARCH 4, 1905.

During the week ending 4th March 1905, there were registered in Eight of the Principal Towns the births of 965 children, and the deaths of 582 persons. The births are equivalent to an annual birth-rate of 28·8 per thousand of the estimated population, and the deaths to an annual mortality-rate of 17·4 per thousand.

The death-rates for the three preceding weeks were 18·3, 18·9, and 18·2. The rate for this week is thus 0·9 less than that for the immediately preceding week, and 1·1 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 20·1 per thousand, and lowest in Leith, 10·2 per thousand. In Aberdeen, it was 19·0; in Glasgow and in Perth, 18·3; in Dundee, 18·1; in Paisley, 16·5; and in Edinburgh, 15·2.

The principal epidemic diseases accounted for 60 deaths, which is 3 less than in the previous week, and is equivalent to an annual death-rate from these causes of 1·8 per thousand. These deaths include 8 from measles, 2 from scarlet fever, 3 from diphtheria, 27 from whooping-cough, 1 from typhus (in Glasgow), 3 from enteric fever, and 16 from the diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 1 more, from scarlet fever and whooping-cough of the same number, from diphtheria 3 fewer, from typhus 3 fewer, from enteric fever 1 fewer, and from diarrhoeas 3 more. The death-rate from these diseases was highest Paisley, 2·4, and lowest in Leith, 0·6.

From pneumonia, bronchitis, and pleurisy there resulted 114 deaths, being 1 fewer than in the previous week, and 40 fewer than in the corresponding week of 1904.

Deaths of children under one year old numbered 122; this is 6 more than in the previous week, but 25 fewer than in the corresponding week of 1904. Deaths of persons of over sixty years, 169 in number, were 10 more than in the previous week, but 11 fewer than in the corresponding week of last year.

The mean temperature was 39°·7, being 3°·8 above that for the week immediately preceding, and 5°·5 above that for the corresponding week of 1904. The mean rainfall was 0·82 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 4, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Mar. 4, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	965	582	240	53·0	26·0	39·7	0·82
GLASGOW, . . .	12,681	809,986	63·874	9·35	479	284	132	50·5	31·8	41·3	0·53
EDINBURGH, . .	11,416	336,577	29·483	13·77	162	98	45	49·7	33·1	38·9	0·66
DUNDEE,	4,162	164,269	39·469	11·90	82	57	14	49·6	27·4	38·4	0·39
ABERDEEN, . . .	6,795	167,537	24·656	15·06	97	61	15	51·0	28·0	38·6	0·92
PAISLEY,	3,538	85,604	24·196	15·20	43	27	14	51·0	31·9	41·4	0·92
LEITH,	2,044	81,477	39·862	11·84	45	16	7	50·6	34·1	41·1	0·66
GREENOCK, . . .	1,440	70,253	48·787	10·70	39	27	10	46·5	31·0	39·1	1·86
PERTH,	2,122	34,214	16·123	18·62	18	12	3	53·0	26·0	39·1	0·64
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	921	703	242	43·4	22·0	34·2	0·14

Week ending Saturday, MARCH 4, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 4, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl-demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu-monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·4	1·8	582	122	169	0	8	2	3	27	4	16	0	114	22	148	23	3
GLASGOW, .	18·3	2·3	284	65	68	0	5	1	2	18	*1	8	0	59	12	76	15	3
EDINBURGH,	15·2	1·4	98	19	32	0	2	1	1	1	0	4	0	16	5	29	6	0
DUNDEE, . .	18·1	1·3	57	11	19	0	1	0	0	2	1	0	0	11	1	15	0	0
ABERDEEN, .	19·0	0·9	61	14	27	0	0	0	0	0	0	3	0	18	1	13	0	0
PAISLEY, . .	16·5	2·4	27	6	7	0	0	0	0	3	0	1	0	2	1	4	0	0
LEITH, . . .	10·2	0·6	16	3	5	0	0	0	0	1	0	0	0	3	0	3	0	0
GREENOCK, .	20·1	2·2	27	2	7	0	0	0	0	1	2	0	0	3	2	5	2	0
PERTH, . . .	18·3	1·5	12	2	4	0	0	0	0	1	0	0	0	2	0	3	0	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 5, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl-demic Diseases.		Deaths of		Deaths from												
				Infants under: One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·2	2·7	703	147	180	3	22	2	5	36	2	19	1	154	20	152	24	1
GLASGOW, .	22·5	2·1	344	69	82	1	10	1	2	6	1	11	1	85	10	73	13	0
EDINBURGH,	16·8	1·6	107	17	31	0	0	0	1	6	0	3	0	17	4	36	3	0
DUNDEE, . .	24·6	4·5	77	19	18	0	7	0	1	5	0	1	0	23	1	12	0	0
ABERDEEN, .	23·2	4·5	73	18	24	0	0	0	0	11	0	3	0	11	2	8	2	1
PAISLEY, . .	24·2	5·6	39	12	11	0	4	0	1	3	0	1	0	6	1	8	2	0
LEITH, . . .	17·5	2·6	27	9	5	0	0	0	0	4	0	0	0	5	0	5	2	0
GREENOCK, .	19·4	4·5	26	3	4	2	1	1	0	1	1	0	0	4	2	7	2	0
PERTH, . . .	15·4	0·0	10	0	5	0	0	0	0	0	0	0	0	3	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 11, 1905.

During the week ending 11th March 1905, there were registered in Eight of the Principal Towns the births of 913 children, and the deaths of 625 persons. The births represent an annual birth-rate of 27·2 per thousand of the estimated population, and the deaths a mortality-rate of 18·6 per thousand.

The death-rates for the three preceding weeks were 17·4, 18·3, and 18·9. The rate for this week is thus 1·2 above that for the immediately preceding week, and 0·4 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Perth, 24·4 per thousand, and lowest in Edinburgh, 14·4 per thousand. In Greenock it was 23·8; in Leith, 23·7; in Dundee, 21·9; in Aberdeen, 21·8; in Paisley, 19·5; and in Glasgow, 17·8.

The principal epidemic diseases accounted for 58 deaths; this is 2 less than the number for the previous week, and is equal to an annual rate from these causes of 1·7 per thousand. Of these deaths 6 were due to measles, 2 to diphtheria, 31 to whooping-cough, 17 to diarrhoea, and 1 each to scarlet fever and enteric fever. Compared with the returns for the previous week, deaths from measles are 2 fewer, from scarlet fever and diphtheria each 1 fewer, from whooping-cough 4 more, from enteric 2 fewer, and from diarrhoea 1 more. The death-rate from these diseases was highest in Perth, 3·0, and lowest in Aberdeen and Paisley, 0·6.

Deaths from pneumonia, bronchitis, and pleurisy numbered 152, and were 38 more than in the previous week, but 3 fewer than in the corresponding week of 1904.

Deaths of children under one year of age numbered 121; this is 1 less than the number for the previous week, and 25 less than that for the corresponding week of 1904. Deaths of persons of over sixty years numbered 182, and were 13 more than in the previous week, but 14 fewer than in the corresponding week of last year.

The mean temperature was 40°·6, being 0°·9 above that for the week immediately preceding, and 3°·8 above that for the corresponding week of 1904. The mean rainfall was 1·05 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 11, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Mar. 11, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	913	625	221	51·3	30·0	40·6	1·05
GLASGOW, . . .	12,681	809,986	63·874	9·35	437	276	121	51·2	33·4	41·8	0·92
EDINBURGH, . .	11,416	336,577	29·483	13·77	136	93	37	48·7	33·7	41·0	0·61
DUNDEE, . . .	4,162	164,269	39·469	11·90	95	69	12	46·6	31·7	39·2	0·86
ABERDEEN, . .	6,795	167,537	24·656	15·06	99	70	22	47·0	31·0	38·1	1·41
PAISLEY, . . .	3,538	85,604	24·196	15·20	46	32	7	51·3	34·5	42·1	1·52
LEITH,	2,044	81,477	39·862	11·84	45	37	8	50·8	35·9	42·1	0·59
GREENOCK, . .	1,440	70,253	48·787	10·70	40	32	10	49·0	32·5	40·9	1·94
PERTH,	2,122	34,214	16·123	18·62	15	16	4	50·0	30·0	40·0	0·54
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,235	39·057	11·96	993	710	179	53·0	24·2	36·8	0·39

Week ending Saturday, MARCH 11, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 11, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	18.6	1.7	625	121	182	0	6	1	2	31	1	17	1	152	26	155
GLASGOW, .	17.8	2.6	276	57	58	0	6	1	1	22	0	10	1	71	10	72
EDINBURGH,	14.4	0.8	93	14	34	0	0	0	0	2	0	3	0	23	3	27
DUNDEE, . .	21.9	1.0	69	16	24	0	0	0	1	1	0	1	0	17	3	23
ABERDEEN, .	21.8	0.6	70	10	29	0	0	0	0	0	0	2	0	13	1	16
PAISLEY, . .	19.5	0.6	32	7	6	0	0	0	0	1	0	0	0	7	3	9
LEITH, . . .	23.7	1.3	37	7	13	0	0	0	0	1	0	1	0	10	3	4
GREENOCK, .	23.8	2.2	32	8	9	0	0	0	0	2	1	0	0	7	2	3
PERTH, . . .	24.4	3.0	16	2	9	0	0	0	0	2	0	0	0	4	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 12, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	21.5	2.1	710	146	196	*6	20	4	4	21	1	13	1	155	23	175
GLASGOW, .	23.5	1.7	359	71	84	*3	10	1	3	3	1	5	1	86	8	92
EDINBURGH,	19.5	0.5	124	24	43	0	0	0	0	1	0	2	0	23	7	39
DUNDEE, . .	21.4	3.5	67	17	15	0	4	0	1	3	0	3	0	17	1	18
ABERDEEN, .	18.8	3.5	59	11	20	0	0	1	0	8	0	2	0	11	2	9
PAISLEY, . .	31.6	6.8	51	10	18	0	6	2	0	3	0	0	0	11	2	7
LEITH, . . .	16.2	2.6	25	9	7	0	0	0	0	3	0	1	0	4	0	5
GREENOCK, .	11.2	2.2	15	2	4	3	0	0	0	0	0	0	0	2	3	4
PERTH, . . .	15.4	0.0	10	2	5	0	0	0	0	0	0	0	0	1	0	1

* One Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11.

WEEK ENDING SATURDAY, MARCH 18, 1905.

During the week ending 18th March 1905, there were registered in Eight of the Principal Towns 1000 births and 610 deaths. The births are equivalent to an annual birth-rate of 29·8 per thousand of the estimated population, and the deaths to an annual mortality-rate of 18·2 per thousand.

The death-rates for the three preceding weeks were 18·6, 17·4, and 18·3. The rate for this week is thus 0·4 less than that for the week immediately preceding, but 0·1 more than the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 22·3 per thousand, and lowest in Leith, 11·5 per thousand. In Aberdeen it was 19·6; in Glasgow, 19·2; in Perth, 18·3; in Dundee, 18·1; in Edinburgh, 17·4; and in Paisley, 12·2.

The principal epidemic diseases caused 52 deaths, which is 6 less than the number for the previous week, and represents an annual death-rate from these causes of 1·6 per thousand. Of these deaths 10 were ascribed to measles, 1 to scarlet fever, 8 to diphtheria, 17 to hooping-cough, 2 to enteric fever, 1 to typhus (in Aberdeen), and 13 to diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 4 more, from scarlet fever of the same number, from diphtheria 6 more, from hooping-cough 14 fewer, from enteric 1 more, and from diarrhoeas 4 more.

Deaths from pneumonia, bronchitis, and pleurisy amounted to 137; this is 15 fewer than in the previous week, and 47 fewer than in the corresponding week of 1904.

Deaths of infants under one year of age numbered 125, and were 4 above the number for the previous week, but 31 below that for the corresponding week of last year. Deaths of persons over sixty years numbered 163, which is 19 fewer than in the previous week, and 49 fewer than in the corresponding week of 1904.

The mean temperature was 43°·2, being 2°·6 above that for the week immediately preceding, and 2°·1 above that for the corresponding week of 1904. The mean rainfall was 0·99 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 18, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Mar. 18, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1000	610	190	58·0	30·0	43·2	0·99
GLASGOW, . . .	12,681	809,986	63·874	9·35	498	298	102	53·8	35·8	44·3	1·03
EDINBURGH, .	11,416	336,577	29·483	13·77	145	112	28	51·9	34·9	42·6	0·36
DUNDEE, . . .	4,162	164,269	39·469	11·90	70	57	9	50·8	32·2	42·4	0·44
ABERDEEN, . .	6,795	167,537	24·656	15·06	107	63	23	50·7	30·0	42·4	0·57
PAISLEY, . . .	3,538	85,604	24·196	15·20	60	20	9	52·3	36·1	44·3	1·37
LEITH,	2,044	81,477	39·862	11·84	50	18	4	52·7	37·8	44·8	0·43
GREENOCK, . .	1,440	70,253	48·787	10·70	51	30	11	49·5	34·0	41·9	2·57
PERTH,	2,122	34,214	16·123	18·62	19	12	4	58·0	30·0	42·7	1·14
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	958	762	154	58·4	22·5	41·1	0·28

Week ending Saturday, MARCH 18, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 18, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.2	1.6	610	125	163	0	10	1	8	17	3	13	3	137	22	165	14
GLASGOW, .	19.2	1.8	298	65	70	0	7	0	2	13	1	5	2	76	16	80	5
EDINBURGH,	17.4	1.7	112	21	34	0	3	0	4	1	0	3	0	15	3	39	6
DUNDEE, . .	18.1	1.3	57	12	16	0	0	0	0	0	0	4	0	16	1	11	0
ABERDEEN, .	19.6	0.6	63	12	22	0	0	0	0	1	*1	0	1	12	0	18	1
PAISLEY, . .	12.2	1.8	20	5	2	0	0	1	2	0	0	0	0	3	0	8	2
LEITH, . . .	11.5	0.0	18	2	6	0	0	0	0	0	0	0	0	6	0	4	0
GREENOCK, .	22.3	2.2	30	7	10	0	0	0	0	2	1	0	0	8	0	3	0
PERTH, . . .	18.3	1.5	12	1	3	0	0	0	0	0	0	1	0	1	2	2	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 19, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.0	2.6	762	156	212	7	23	2	3	24	8	18	1	184	27	177	30
GLASGOW, .	24.4	2.7	373	85	87	4	15	0	1	6	6	9	0	105	9	84	16
EDINBURGH,	18.5	0.8	118	19	44	0	1	0	0	2	0	2	0	23	3	35	6
DUNDEE, . .	28.1	6.1	88	21	18	0	4	0	0	8	1	6	0	21	4	17	0
ABERDEEN, .	21.0	2.2	66	18	24	0	1	1	0	5	0	0	1	13	4	15	3
PAISLEY, . .	21.7	1.2	35	4	9	0	1	0	0	1	0	0	0	9	2	8	2
LEITH, . . .	20.1	1.3	31	6	9	0	0	0	0	2	0	0	0	3	2	2	1
GREENOCK, .	26.9	6.0	36	2	15	3	1	1	1	0	1	1	0	7	1	14	1
PERTH, . . .	23.1	1.5	15	1	6	0	0	0	1	0	0	0	0	3	2	2	1

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 25, 1905.

During the week ending 25th March 1905, there were registered in Eight of the Principal Towns the births of 1043 children, and the deaths of 615 persons. The births are equivalent to an annual birth-rate of 31·1 per thousand of the estimated population, and the deaths to an annual death-rate of 18·3 per thousand.

The death-rates for the three preceding weeks were 18·2, 18·6, and 17·4. The rate for this week is thus 0·1 above that for the immediately preceding week, and 0·2 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 26·0, and lowest in Leith, 15·4. In Glasgow it was 17·2; in Edinburgh, 18·0; in Perth, 18·3; in Dundee, 19·1; in Paisley, 19·5; and in Aberdeen, 21·5.

The principal epidemic diseases accounted for 59 deaths, which is 7 more than in the previous week, and is equivalent to an annual death-rate of 1·8 per thousand of the population. Of these deaths 6 were ascribed to measles, 10 to diphtheria, 33 to whooping-cough, 8 to diarrhoeal diseases, and 1 each to scarlet fever and enteric fever. Compared with the numbers for the previous week, deaths from measles are 4 fewer, from scarlet fever of the same number, from diphtheria 2 more, from whooping-cough 16 more, from enteric fever 1 fewer, and from diarrhoeas 5 fewer.

Deaths from pneumonia, bronchitis, and pleurisy numbered 133; this is 4 below the number for the previous week, and 30 below the number for the corresponding week of 1904.

Deaths of infants under one year of age numbered 121, which is 4 below the number for the previous week, and 21 below that for the corresponding week of 1904. Deaths of persons aged over sixty years amounted to 175, and were 12 more than the number for the previous week, but 18 less than that for the corresponding week of last year.

The mean temperature was 44°·3, being 1°·1 above that for the week immediately preceding, and 2°·5 above that for the corresponding week of 1904. The mean rainfall was 1·07 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 25, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Mar. 25, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1043	615	118	64·6	29·5	44·3	1·07
GLASGOW, . . .	12,681	809,986	63·874	9·35	552	267	59	63·8	35·0	46·2	0·61
EDINBURGH, .	11,416	336,577	29·483	13·77	169	116	28	61·1	35·7	45·7	1·11
DUNDEE, . . .	4,162	164,269	39·469	11·90	87	60	3	52·8	32·4	42·9	1·64
ABERDEEN, . .	6,795	167,537	24·656	15·06	100	69	15	52·0	30·6	41·3	1·23
PAISLEY, . . .	3,538	85,604	24·196	15·20	44	32	1
LEITH,	2,044	81,477	39·862	11·84	37	24	7	64·6	34·9	46·0	1·04
GREENOCK, . .	1,440	70,253	48·787	10·70	39	35	3	59·0	34·5	45·0	0·86
PERTH,	2,122	34,214	16·123	18·62	15	12	2	54·0	29·5	42·9	1·02
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1003	737	169	57·0	26·0	41·8	0·57

WEEKLY RETURN OF BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, APRIL 1, 1905.

During the week ending 1st April 1905, there were registered in Eight of the Principal Towns 1014 births and 568 deaths. The births are equivalent to an annual rate of 30·2 per thousand of the estimated population, and the deaths to an annual rate of 16·9 per thousand.

The death-rates for the three preceding weeks were 18·3, 18·2, and 18·6. The rate for this week is thus 1·4 below that for the week immediately preceding, and 1·5 below the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 18·6, and lowest in Perth, 10·7. In Paisley it was 16·5; in Glasgow, 16·6; in Aberdeen, 16·8; in Dundee, 17·2; in Edinburgh, 17·8; and in Leith, 17·9.

The principal epidemic diseases caused 43 deaths, which is 16 less than in the previous week; the equivalent annual rate is 1·3 per thousand of the population. Of these deaths 5 each were due to measles and diphtheria, 1 to scarlet fever, 20 to hooping-cough, 4 to enteric fever, and 8 to diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 1 fewer, from diphtheria 5 fewer, from hooping-cough 13 fewer, from enteric fever 3 more, and from scarlet fever and diarrhoea of the same number.

Pneumonia, bronchitis, and pleurisy caused 104 deaths, being 29 less than in the previous week, and 51 less than in the corresponding week of 1904.

Deaths of infants under one year of age numbered 116, which is 5 less than in the previous week, and 10 less than in the corresponding week of last year. Deaths of persons over sixty years numbered 143; this is 32 fewer than in the previous week, and 25 fewer than in the corresponding week of 1904.

The mean temperature was 44°·2, being 0°·1 below that for the week immediately preceding, but 3°·4 above that for the corresponding week of 1904. The mean rainfall was 0·73 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 1, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending April 1, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1014	568	181	55·0	31·0	44·2	0·73
GLASGOW, . . .	12,681	809,986	63·874	9·35	518	258	92	54·2	36·2	45·3	0·68
EDINBURGH, .	11,416	336,577	29·483	13·77	153	115	39	50·7	34·8	43·6	0·38
DUNDEE, . . .	4,162	164,269	39·469	11·90	92	54	6	51·4	34·2	43·1	0·23
ABERDEEN, . .	6,795	167,537	24·656	15·06	101	54	25	55·0	31·0	42·9	0·29
PAISLEY, . . .	3,538	85,604	24·196	15·20	48	27	7	53·5	37·9	45·9	0·94
LEITH,	2,044	81,477	39·862	11·84	50	28	5	52·7	39·5	45·2	0·47
GREENOCK, . .	1,440	70,253	48·787	10·70	43	25	4	52·0	35·0	44·0	1·84
PERTH,	2,122	34,214	16·123	18·62	9	7	3	52·5	33·0	43·3	1·01
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	919	681	263	52·0	25·0	40·8	1·14

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, APRIL 1, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 1, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	16.9	1.3	568	116	143	0	5	1	5	20	4	8	1	104	24	142	19	1	
GLASGOW, .	16.6	1.9	258	59	44	0	5	0	3	14	2	5	1	61	12	79	8	0	
EDINBURGH,	17.8	0.5	115	23	38	0	0	0	0	2	0	1	0	16	4	25	5	0	
DUNDEE, . .	17.2	0.3	54	11	16	0	0	0	0	0	1	0	0	13	0	12	0	0	
ABERDEEN, .	16.8	1.6	54	14	13	0	0	1	0	2	0	2	0	8	2	6	1	1	
PAISLEY, . .	16.5	0.6	27	5	6	0	0	0	0	1	0	0	0	1	0	7	2	0	
LEITH, . . .	17.9	0.6	28	2	13	0	0	0	1	0	0	0	0	3	1	5	1	0	
GREENOCK, .	18.6	0.7	25	2	10	0	0	0	0	0	1	0	0	1	5	5	2	0	
PERTH, . .	10.7	3.0	7	0	3	0	0	0	1	1	0	0	0	1	0	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 2, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	20·6	2·2	681	126	168	5	23	5	3	23	4	9	2	155	17	152	31	5	
GLASGOW, .	21·5	2·5	329	49	72	5	12	3	1	8	3	7	1	75	12	85	16	4	
EDINBURGH,	21·1	0·6	134	20	52	0	1	0	0	3	0	0	0	28	1	39	9	0	
DUNDEE, . .	20·1	3·8	63	17	14	0	4	0	1	5	0	2	1	12	0	7	1	0	
ABERDEEN, .	17·5	1·6	55	13	12	0	0	1	1	2	1	0	0	15	2	8	1	1	
PAISLEY, . .	19·9	3·7	32	11	5	0	4	0	0	2	0	0	0	8	0	3	3	0	
LEITH, . . .	13·6	1·9	21	6	4	0	0	1	0	2	0	0	0	3	2	3	1	0	
GREENOCK, .	22·4	1·5	30	4	4	0	1	0	0	1	0	0	0	10	0	5	0	0	
PERTH, . . .	26·2	1·5	17	6	5	0	1	0	0	0	0	0	0	4	0	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 8, 1905.

During the week ending 8th April 1905, there were registered in Eight of the Principal Towns the births of 996 children, and the deaths of 556 persons. The births are equivalent to an annual rate of 29·7 per thousand of the estimated population, and the deaths to an annual mortality rate of 16·6 per thousand.

The death-rates for the three preceding weeks were 16·9, 18·3, and 18·2. The rate for this week is thus 0·3 below that for the week immediately preceding, and 1·2 below the mean rate for the three preceding weeks.

The death-rate for the week was highest in Aberdeen, 21·5; and lowest in Leith, 11·5. In Edinburgh it was 14·0; in Greenock, 14·1; in Dundee, 15·2; in Perth, 16·8; in Glasgow, 17·5; and in Paisley, 17·7.

The principal epidemic diseases caused 73 deaths, which is 30 more than in the previous week, and is equivalent to an annual death-rate from these causes of 2·2 per thousand. Of these deaths 13 were due to measles, 2 to scarlet fever, 5 to diphtheria, 28 to whooping-cough, 2 to typhus (1 in Glasgow and 1 in Aberdeen), 3 to enteric fever, and 20 to diarrhoea. Compared with the numbers for the previous week, deaths from measles are 8 more, from scarlet fever 1 more, from diphtheria of the same number, from whooping-cough 8 more, from enteric fever 1 fewer, and from diarrhoea 12 more.

Pneumonia, bronchitis, and pleurisy accounted for 117 deaths, which is 13 more than in the previous week, but 15 less than in the corresponding week of last year.

Deaths of infants under one year of age numbered 113, which is 3 fewer than in the preceding week, and 11 fewer than in the corresponding week of 1904. Deaths of persons over sixty years amounted to 122; this is 21 fewer than in the previous week, and 64 fewer than in the corresponding week of last year.

The mean temperature was 40°·8, which is 3°·4 below that for the week immediately preceding, and 3°·6 below that for the corresponding week of 1904. The mean rainfall was 0·41 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 8, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending April 8, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	996	556	264	60·0	21·0	40·8	0·41
GLASGOW, . . .	12,681	809,986	63·874	9·35	513	272	128	60·0	26·5	41·8	0·52
EDINBURGH, .	11,416	336,577	29·483	13·77	160	90	51	53·9	25·5	40·3	0·16
DUNDEE, . . .	4,162	164,269	39·469	11·90	90	48	28	57·1	25·8	40·2	0·05
ABERDEEN, . .	6,795	167,537	24·656	15·06	79	69	18	59·0	21·0	41·0	0·48
PAISLEY, . . .	3,538	85,604	24·196	15·20	51	29	10	58·2	28·0	42·2	0·70
LEITH,	2,044	81,477	39·862	11·84	53	18	12	54·7	28·5	41·4	0·21
GREENOCK, . .	1,440	70,253	48·787	10·70	35	19	8	56·0	25·5	40·0	0·98
PERTH,	2,122	34,214	16·123	18·62	15	11	9	57·0	21·5	39·9	0·18
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1002	671	345	59·4	30·5	44·4	1·46

Week ending Saturday, APRIL 8, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 8, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																			
	From All Causes.	From Seven Epidemic Diseases.	Deaths from All Causes.		Deaths of		Deaths from													Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
			Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.								
In Eight Towns,	16.6	2.2	556	113	122	0	13	2	5	28	5	20	2	117	22	133	15	2				
GLASGOW, .	17.5	2.7	272	61	48	0	8	1	2	19	*2	10	2	65	16	70	7	2				
EDINBURGH,	14.0	1.6	90	20	20	0	4	0	2	1	0	3	0	12	2	29	6	0				
DUNDEE, . .	15.2	1.6	48	5	16	0	0	0	1	1	0	3	0	6	1	12	0	0				
ABERDEEN, .	21.5	1.9	69	16	19	0	0	0	0	0	*2	4	0	15	2	8	1	0				
PAISLEY, . .	17.7	1.8	29	6	7	0	0	0	0	3	0	0	0	8	0	4	0	0				
LEITH, . . .	11.5	1.9	18	2	4	0	1	1	0	1	0	0	0	2	1	6	0	0				
GREENOCK, .	14.1	3.0	19	3	3	0	0	0	0	3	1	0	0	7	0	2	1	0				
PERTH, . . .	16.8	0.0	11	0	5	0	0	0	0	0	0	0	0	2	0	2	0	0				

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 9, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.3	1.7	671	124	186	7	14	2	5	19	3	7	6	132	22	169	23	2
GLASGOW, .	20.4	1.7	312	55	75	3	8	2	3	6	1	3	2	67	10	87	9	2
EDINBURGH,	17.9	0.8	114	17	45	0	1	0	1	2	0	1	1	25	3	32	8	0
DUNDEE, . .	23.9	2.2	75	17	14	0	2	0	0	3	1	1	1	14	3	14	1	0
ABERDEEN, .	22.6	2.9	71	15	18	0	0	0	0	7	0	2	0	8	2	14	1	0
PAISLEY, . .	16.1	1.9	26	4	6	0	2	0	1	0	0	0	1	4	2	5	2	0
LEITH, . . .	18.1	1.3	28	5	15	0	0	0	0	1	1	0	0	6	0	7	1	0
GREENOCK, .	21.7	3.7	29	7	6	4	1	0	0	0	0	0	0	5	1	6	1	0
PERTH, . . .	24.6	0.0	16	4	7	0	0	0	0	0	0	0	1	3	1	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15.

WEEK ENDING SATURDAY, APRIL 15, 1905.

During the week ending 15th April 1905, there were registered in Eight of the Principal Towns the births of 1073 children, and the deaths of 603 persons. The births represent an annual birth-rate of 32·0 per thousand of the estimated population of these towns, and the deaths an annual mortality-rate of 18·0 per thousand.

The death-rates for the three preceding weeks were 16·6, 16·9, and 18·3. The rate for this week is thus 1·4 above that for the week immediately preceding, and 0·7 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 24·5, and Perth, 24·4; and lowest in Paisley, 14·0. In Dundee it was 15·9; in Edinburgh and in Leith, 16·0; in Glasgow, 18·6; and in Aberdeen, 19·9.

The deaths from the principal epidemic diseases amounted to 69, which is 4 less than in the previous week, and is equivalent to an annual death-rate from these causes of 2·1 per thousand. Of these deaths 17 were due to measles, 1 to scarlet fever, 6 to diphtheria, 36 to whooping-cough, and 9 to diarrhoea. Compared with the numbers for the previous week, deaths from measles are 4 more, from scarlet fever 1 less, from diphtheria 1 more, from whooping-cough 8 more, and from diarrhoea 11 fewer.

From pneumonia, bronchitis, and pleurisy there resulted 117 deaths, which is the same as the number for the previous week, but 34 less than that for the corresponding week of 1904.

Deaths of children less than one year old numbered 139; this is 26 more than in the previous week, and 5 more than in the corresponding week of 1904. Deaths of persons over sixty years numbered 142, and were 20 more than in the previous week, but 52 less than in the corresponding week of last year.

The mean temperature was 43°·3, being 2°·5 above that for the week immediately preceding, but 2°·9 below that for the corresponding week of 1904. The mean rainfall was 0·58 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 15, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending April 15, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1073	603	241	61·4	25·5	43·3	0·58
GLASGOW, . . .	12,681	809,986	63·874	9·35	537	289	109	61·4	29·0	44·7	0·13
EDINBURGH, . .	11,416	336,577	29·483	13·77	177	103	46	59·7	31·0	43·3	0·16
DUNDEE, . . .	4,162	164,269	39·469	11·90	85	50	45	47·7	27·2	40·8	0·85
ABERDEEN, . .	6,795	167,537	24·656	15·06	96	64	16	51·5	26·0	40·5	1·77
PAISLEY, . . .	3,538	85,604	24·196	15·20	49	23	11	60·0	31·0	46·3	0·22
LEITH,	2,044	81,477	39·862	11·84	53	25	7	59·9	31·6	45·3	0·22
GREENOCK, . .	1,440	70,253	48·787	10·70	51	33	6	56·0	30·2	42·8	0·85
PERTH,	2,122	34,214	16·123	18·62	25	16	1	56·0	25·5	42·6	0·41
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1062	690	265	59·6	32·6	46·2	0·47

Week ending Saturday, APRIL 15, 1905.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 15, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·0	2·1	603	139	142	0	17	1	6	36	0	9	4	117	22	139	18	4
GLASGOW, .	18·6	2·8	289	65	57	0	11	1	2	26	0	3	2	55	12	65	13	4
EDINBURGH,	16·0	1·2	103	21	24	0	2	0	2	4	0	0	1	16	3	37	1	0
DUNDEE, . .	15·9	1·0	50	8	16	0	0	0	0	1	0	2	0	11	1	13	0	0
ABERDEEN, .	19·9	1·6	64	26	16	0	2	0	0	1	0	2	0	16	2	5	3	0
PAISLEY, . .	14·0	2·4	23	5	6	0	1	0	1	1	0	1	0	4	2	5	0	0
LEITH, . . .	16·0	1·9	25	5	10	0	1	0	0	1	0	1	0	7	1	8	0	0
GREENOCK, .	24·5	2·2	33	3	11	0	0	0	1	2	0	0	0	7	0	4	1	0
PERTH, . . .	24·4	0·0	16	6	2	0	0	0	0	0	0	0	1	1	1	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 16, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·9	2·0	690	134	194	3	21	1	1	20	4	15	1	151	28	156	25	1
GLASGOW, .	22·2	2·0	339	66	81	3	12	0	0	7	1	7	1	74	11	75	15	1
EDINBURGH,	18·7	1·4	119	21	47	0	1	0	0	5	0	3	0	29	4	24	8	0
DUNDEE, . .	26·5	3·5	83	18	19	0	3	0	1	4	1	2	0	16	7	20	1	0
ABERDEEN, .	18·1	1·3	57	13	18	0	0	1	0	1	1	1	0	13	3	15	0	0
PAISLEY, . .	22·3	3·1	36	5	9	0	0	0	0	3	1	1	0	5	2	11	0	0
LEITH, . . .	17·5	0·6	27	7	14	0	0	0	0	0	0	1	0	6	0	8	0	0
GREENOCK, .	15·0	3·7	20	2	4	0	5	0	0	0	0	0	0	5	1	1	1	0
PERTH, . . .	13·8	0·0	9	2	2	0	0	0	0	0	0	0	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 16.

WEEK ENDING SATURDAY, APRIL 22, 1905.

During the week ending 22nd April 1905, there were registered in Eight of the Principal Towns the births of 939 children, and the deaths of 597 persons. The births are equivalent to an annual birth-rate of 28·0 per thousand of the estimated population, and the deaths to an annual death-rate of 17·8 per thousand.

The death-rates for the three preceding weeks were 18·0, 16·6, and 16·9. The rate for this week is thus 0·2 below that for the week immediately preceding, but 0·6 above the mean rate for the three preceding weeks.

The highest death-rate for the week occurred in Greenock, 26·0, and the lowest in Leith, 12·2. In Aberdeen it was 15·3; in Paisley, 15·8; in Dundee, 16·2; in Edinburgh, 17·2; in Glasgow, 18·7; and in Perth, 24·4.

The principal epidemic diseases caused 69 deaths, which is the same as the number for the previous week; the equivalent annual death-rate is 2·1 per thousand. Measles and whooping-cough each caused 23 of these deaths, scarlet fever 2, diphtheria 6, enteric fever 3, and diarrhoea 12. Compared with the numbers for the previous week, deaths from measles are 6 more, from scarlet fever 1 more, from diphtheria of the same number, from whooping-cough 13 less, and from enteric fever and diarrhoea each 3 more.

Pneumonia, bronchitis, and pleurisy accounted for 126 deaths, which is 9 more than in the previous week, and 12 more than in the corresponding week of 1904.

Deaths of children under one year of age numbered 107; this is 32 less than in the previous week, and 42 less than in the corresponding week of last year. Deaths of persons over sixty years numbered 163, which is 21 more than in the week immediately preceding, and 7 more than in the corresponding week of 1904.

The mean temperature was 41°·1, being 2°·2 below that for the previous week, and 6°·8 below that for the corresponding week of 1904. The mean rainfall was 0·17 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 22, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending April 22, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	939	597	211	55·1	29·0	41·1	0·17
GLASGOW, . . .	12,681	809,986	63·874	9·35	448	290	98	53·8	29·9	41·9	0·12
EDINBURGH, .	11,416	336,577	29·483	13·77	131	111	52	52·8	32·8	40·3	0·19
DUNDEE, . . .	4,162	164,269	39·469	11·90	105	51	10	52·5	32·2	41·2	0·24
ABERDEEN, . .	6,795	167,537	24·656	15·06	109	49	15	53·0	34·5	43·1	0·11
PAISLEY, . . .	3,538	85,604	24·196	15·20	43	26	13	55·1	32·0	42·8	0·05
LEITH,	2,044	81,477	39·862	11·84	34	19	12	54·7	35·1	37·4	0·32
GREENOCK, . .	1,440	70,253	48·787	10·70	54	35	7	53·0	32·0	41·9	0·08
PERTH,	2,122	34,214	16·123	18·62	15	16	4	54·0	29·0	40·6	0·25
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1017	695	207	66·5	30·0	47·9	0·28

Week ending Saturday, APRIL 22, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 22, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	2·1	597	107	163	0	23	2	6	23	3	12	0	126	23	164	19	2
GLASGOW, .	18·7	2·4	290	58	68	0	17	0	0	15	3	3	0	64	11	83	2	0
EDINBURGH,	17·2	2·2	111	20	39	0	6	0	3	1	0	4	0	23	3	32	8	0
DUNDEE, . .	16·2	2·2	51	13	14	0	0	1	1	3	0	2	0	11	0	15	0	0
ABERDEEN, .	15·3	0·0	49	6	20	0	0	0	0	0	0	0	0	12	3	15	2	0
PAISLEY, . .	15·8	0·0	26	2	5	0	0	0	0	0	0	0	0	4	3	4	3	0
LEITH, . . .	12·2	2·6	19	4	4	0	0	0	0	2	0	2	0	3	2	5	1	0
GREENOCK, .	26·0	3·7	35	4	6	0	0	1	2	2	0	0	0	4	0	4	2	1
PERTH, . . .	24·4	1·5	16	0	7	0	0	0	0	0	0	1	0	5	1	6	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 23, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·0	2·4	695	149	156	3	26	4	1	29	5	11	1	114	28	165	20	1
GLASGOW, .	22·2	2·7	339	69	60	2	19	3	1	7	3	6	1	60	12	84	10	1
EDINBURGH,	17·8	1·7	113	24	30	0	3	1	0	6	0	1	0	17	4	38	6	0
DUNDEE, . .	25·8	3·8	81	13	25	0	3	0	0	5	1	3	0	17	3	21	0	0
ABERDEEN, .	21·9	2·2	69	22	17	0	0	0	0	7	0	0	0	6	2	8	0	0
PAISLEY, . .	19·9	1·9	32	9	8	0	1	0	0	1	0	1	0	6	0	5	4	0
LEITH, . . .	11·0	1·3	17	3	4	0	0	0	0	1	1	0	0	2	2	5	0	0
GREENOCK, .	20·2	2·2	27	4	7	1	0	0	0	2	0	0	0	3	4	1	0	0
PERTH, . . .	26·2	0·0	17	5	5	0	0	0	0	0	0	0	0	3	1	3	0	0

WEEKLY RETURN OF BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 29, 1905.

During the week ending 29th April 1905, there were registered in Eight of the Principal Towns the births of 1105 living children, and the deaths of 632 persons. The births are equivalent to an annual birth-rate of 32·9 per thousand of the estimated population of these towns, and the deaths to an annual death-rate of 18·8 per thousand.

The death-rates for the three preceding weeks were 17·8, 18·0, and 16·6. The death-rate for this week is thus 1·0 more than that for the previous week, and 1·3 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Glasgow, 21·1, and lowest in Leith, 12·8. In Greenock it was 20·8; in Perth, 19·8; in Paisley, 17·7; in Edinburgh, 17·1; in Aberdeen, 16·8; and in Dundee, 15·9.

The principal epidemic diseases caused 59 deaths; this is 10 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·8 per thousand. Of these deaths 27 were due to hooping-cough, 21 to measles, 8 to diarrhœas, and 1 each to scarlet fever, diphtheria, and enteric fever. Deaths from hooping-cough are 4 more than in the preceding week, deaths from measles are 2 fewer, from scarlet fever 1 fewer, from diphtheria 5 fewer, from enteric fever 2 fewer, and from diarrhœas 4 fewer. The highest death-rate from these causes was in Glasgow, 2·6, and the lowest in Perth, 0.

Pneumonia, bronchitis, and pleurisy were the cause of 121 deaths; this is 5 fewer than in the previous week, and the same number as in the corresponding week of last year.

Deaths of children of less than one year old numbered 145; which is 38 more than in the previous week, but 1 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 158; this is 5 fewer than in the previous week, but 13 more than in the corresponding week of last year.

The mean temperature was 45°·5, being 4°·4 above that for the week immediately preceding, but 2°·1 below that for the corresponding week of 1904. The mean rainfall was 0·70 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 29, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending April 29, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1105	632	455	59·1	30·0	45·5	0·70
GLASGOW, . . .	12,681	809,986	63·874	9·35	547	328	244	58·2	32·6	46·0	0·76
EDINBURGH, .	11,416	336,577	29·483	13·77	188	110	101	54·1	32·8	44·5	0·67
DUNDEE, . . .	4,162	164,269	39·469	11·90	91	50	37	56·7	33·3	45·3	0·60
ABERDEEN, . .	6,795	167,537	24·656	15·06	113	54	31	56·0	34·8	44·5	0·31
PAISLEY, . . .	3,538	85,604	24·196	15·20	61	29	11	59·1	34·2	47·3	0·93
LEITH,	2,044	81,477	39·862	11·84	61	20	12	56·2	35·0	46·7	0·60
GREENOCK, . .	1,440	70,253	48·787	10·70	26	28	14	57·0	33·0	44·5	1·28
PERTH,	2,122	34,214	16·123	18·62	18	13	5	56·0	30·0	45·4	0·49
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1045	663	283	63·6	33·0	47·6	0·46

Week ending Saturday, APRIL 29, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 29, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	18·8	1·8	632	145	158	0	21	1	1	27	1	8	0	121	18	140	18
GLASGOW, .	21·1	2·6	328	84	66	0	15	1	1	18	0	6	0	74	12	76	12
EDINBURGH,	17·1	1·4	110	19	34	0	5	0	0	2	1	1	0	15	2	32	2
DUNDEE, . .	15·9	0·6	50	15	16	0	0	0	0	2	0	0	0	6	1	11	0
ABERDEEN, .	16·8	0·3	54	9	15	0	1	0	0	0	0	0	0	5	2	9	1
PAISLEY, . .	17·7	2·4	29	6	5	0	0	0	0	4	0	0	0	6	1	3	3
LEITH, . . .	12·8	0·6	20	3	9	0	0	0	0	0	0	1	0	5	0	1	0
GREENOCK, .	20·8	0·7	28	4	8	0	0	0	0	1	0	0	0	8	0	6	0
PERTH, . . .	19·8	0·0	13	5	5	0	0	0	0	0	0	0	0	2	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 30, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	20·0	2·1	663	146	145	3	19	3	7	22	4	13	0	121	23	161	24
GLASGOW, .	19·7	2·3	302	73	47	3	10	2	5	5	2	8	0	58	11	81	13
EDINBURGH,	19·3	1·4	123	20	36	0	1	0	1	6	0	1	0	14	6	34	10
DUNDEE, . .	24·3	3·2	76	15	19	0	2	0	1	5	0	2	0	19	1	14	1
ABERDEEN, .	21·3	2·9	67	21	17	0	1	1	0	6	0	1	0	14	0	10	0
PAISLEY, . .	22·3	3·1	36	6	11	0	3	0	0	0	1	1	0	10	0	7	0
LEITH, . . .	15·6	0·0	24	5	5	0	0	0	0	0	0	0	0	2	1	5	0
GREENOCK, .	17·2	2·2	23	5	5	0	2	0	0	0	1	0	0	3	2	5	0
PERTH, . . .	18·5	0·0	12	1	5	0	0	0	0	0	0	0	0	1	2	5	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 6, 1905.

During the week ending 6th May 1905, there were registered in Eight of the Principal Towns the births of 1147 living children, and the deaths of 603 persons. These births are equivalent to an annual birth-rate of 34·2 per thousand of the estimated population of these towns, and these deaths to a death-rate of 18·0 per thousand.

The death-rates for the three preceding weeks were 18·8, 17·8, and 18·0. The death-rate for this week is thus 0·8 less than that for the previous week, and 0·2 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 21·3, and lowest in Leith, 13·4. In Glasgow it was 18·9; in Edinburgh, 18·3; in Dundee, 17·2; in Greenock, 17·1; in Aberdeen, 16·5; and in Paisley, 15·8.

The principal epidemic diseases caused 67 deaths; this is equivalent to an annual death-rate from these causes of 2·0 per thousand. Of these deaths 16 were ascribed to measles, 3 to scarlet fever, 4 to diphtheria, 26 to whooping-cough, 2 to enteric fever, 1 to typhus fever, and 15 to diarrhoeas. Deaths from measles are 5 fewer than in the preceding week, deaths from scarlet fever 2 more, from diphtheria 3 more, from whooping-cough 1 fewer, from enteric fever 2 more, from typhus fever 1 more, and from diarrhoeas 7 more.

Pneumonia, bronchitis, and pleurisy were the cause of 130 deaths; this is 9 more than in the previous week, and 30 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 129; this is 16 fewer than in the previous week, but 23 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 155; this is 3 fewer than in the preceding week, but 12 more than in the corresponding week of last year.

The mean temperature was 47°·4, being 1°·9 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1904. The mean rainfall was 0·32 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 6, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending May 6, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1147	603	324	63·0	31·0	47·4	0·32
GLASGOW,	12,681	809,986	63·874	9·35	572	294	165	63·0	31·5	48·5	0·24
EDINBURGH, . . .	11,416	336,577	29·483	13·77	170	118	58	59·5	37·7	46·8	0·33
DUNDEE,	4,162	164,269	39·469	11·90	119	54	35	57·2	34·2	46·1	0·50
ABERDEEN, . . .	6,795	167,537	24·656	15·06	107	53	18	61·0	32·0	46·4	0·56
PAISLEY,	3,538	85,604	24·196	15·20	42	26	20	60·1	35·5	49·3	0·21
LEITH,	2,044	81,477	39·862	11·84	64	21	12	59·8	38·1	48·2	0·28
GREENOCK, . . .	1,440	70,253	48·787	10·70	55	23	10	57·2	37·0	47·3	0·12
PERTH,	2,122	34,214	16·123	18·62	18	14	6	61·0	31·0	46·6	0·32
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	951	594	313	61·2	34·5	46·2	1·26

Week ending Saturday, MAY 6, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 6, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·8	2·0	603	129	155	0	16	3	4	26	*3	15	2	130	15	128	22	1	
GLASGOW, .	18·9	2·8	294	73	56	0	15	2	2	16	*3	5	2	70	7	61	11	1	
EDINBURGH,	18·3	0·9	118	16	38	0	1	1	1	2	0	1	0	22	0	32	8	0	
DUNDEE, . .	17·2	1·9	54	13	19	0	0	0	0	3	0	3	0	9	2	13	0	0	
ABERDEEN, .	16·5	1·2	53	14	16	0	0	0	0	2	0	2	0	12	3	8	2	0	
PAISLEY, . .	15·8	2·4	26	6	7	0	0	0	1	2	0	1	0	6	2	6	1	0	
LEITH, . . .	13·4	1·9	21	3	9	0	0	0	0	0	0	3	0	3	1	2	0	0	
GREENOCK, .	17·1	0·0	23	4	4	0	0	0	0	0	0	0	0	6	0	4	0	0	
PERTH, . . .	21·3	1·5	14	0	6	0	0	0	0	1	0	0	0	2	0	2	0	0	

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 7, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·0	1·9	594	106	143	3	16	4	3	25	4	9	0	100	24	129	24	5	
GLASGOW, .	20·1	2·5	308	54	58	1	12	3	2	13	2	5	0	58	13	67	16	5	
EDINBURGH,	14·8	1·1	94	15	25	0	0	0	0	6	0	1	0	10	5	29	5	0	
DUNDEE, . .	20·4	2·2	64	12	18	0	1	0	1	2	1	2	0	9	1	14	0	0	
ABERDEEN, .	18·1	0·6	57	9	21	0	0	1	0	1	0	0	0	8	3	8	1	0	
PAISLEY, . .	17·4	2·5	28	4	7	1	1	0	0	2	0	0	0	6	0	4	2	0	
LEITH, . . .	12·3	1·3	19	6	6	0	0	0	0	1	0	1	0	4	2	3	0	0	
GREENOCK, .	13·5	2·2	18	6	6	1	2	0	0	0	0	0	0	4	0	4	0	0	
PERTH, . . .	9·2	1·5	6	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 19.

WEEK ENDING SATURDAY, MAY 13, 1905.

During the week ending 13th May 1905, there were registered in Eight of the Principal Towns the births of 1023 living children, and the deaths of 653 persons. These births are equivalent to an annual birth-rate of 30·5 per thousand of the estimated population of these towns, and these deaths to a death-rate of 19·5 per thousand.

The death-rates for the three preceding weeks were 18·0, 18·8, and 17·8. The death-rate for this week is thus 1·5 more than that for the immediately preceding week, and 1·3 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Aberdeen, 22·1, and lowest in Leith, 12·2. In Glasgow it was 21·1; in Paisley, 20·7; in Edinburgh, 18·4; in Dundee, 16·5; in Greenock, 15·6; and in Perth, 15·2.

The principal epidemic diseases were the cause during the week of 83 deaths; this is equivalent to an annual death-rate from these causes of 2·5 per thousand. Of these deaths 32 were due to measles, of whom 26 were in Glasgow, 2 to scarlet fever, 6 to diphtheria, 30 to whooping-cough, 2 to enteric fever, 1 to typhus fever, 1 to plague, and 9 to diarrhoeas. The death from plague was registered in Edinburgh, but was a Leith case which had been removed for treatment in the Leith Infectious Hospital, which hospital is situated in the Edinburgh Registration District. Compared to the returns of the previous week, deaths from measles are 16 more, from scarlet fever 1 fewer, from diphtheria 2 more, from whooping-cough 4 more, from diarrhoeas 6 fewer, and from typhus and enteric fever of the same number. The death-rate from infectious disease for the week was highest in Glasgow, 3·6, and lowest in Perth, 0.

Pneumonia, bronchitis, and pleurisy were the cause of 107 deaths; this is 23 fewer than in the previous week, but 20 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 135; this is 6 more than in the previous week, and 32 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 154; and this is 1 fewer than in the previous week, but 2 more than in the corresponding week of last year.

The mean temperature was 50°·9, being 3°·5 above that for the week immediately preceding, and 4°·5 above that for the corresponding week of 1904. The mean rainfall was 0·13 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 13, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending May 13, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1023	653	103	67·5	34·0	50·9	0·13
GLASGOW, . . .	12,681	809,986	63·874	9·35	507	327	56	64·4	38·5	50·5	0·13
EDINBURGH, . .	11,416	336,577	29·483	13·77	162	119	21	63·7	39·5	50·3	0·03
DUNDEE, . . .	4,162	164,269	39·469	11·90	100	52	4	65·4	38·4	51·6	0·07
ABERDEEN, . .	6,795	167,537	24·656	15·06	100	71	7	65·8	34·0	51·2	0·03
PAISLEY, . . .	3,538	85,604	24·196	15·20	55	34	4	66·8	40·6	51·5	0·27
LEITH,	2,044	81,477	39·862	11·84	47	19	3	65·1	41·9	53·1	0·00
GREENOCK, . .	1,440	70,253	48·787	10·70	35	21	4	56·0	38·9	48·3	0·45
PERTH,	2,122	34,214	16·123	18·62	17	10	4	67·5	35·0	50·5	0·05
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1037	592	70	59·8	31·5	46·4	0·70

Week ending Saturday, MAY 13, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 13, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	2.5	653	135	154	0	32	2	6	30	4	9	1	107	22	170	20	1
GLASGOW, .	21.1	3.6	327	70	58	0	26	2	3	20	*1	4	1	54	14	85	10	1
EDINBURGH,	18.4	2.3	119	17	31	0	5	0	2	4	+2	2	0	52	0	42	7	0
DUNDEE, . .	16.5	0.6	52	7	25	0	0	0	0	0	1	1	0	9	1	8	0	0
ABERDEEN, .	22.1	1.9	71	21	18	0	1	0	1	2	0	2	0	11	0	12	0	0
PAISLEY, . .	20.7	1.2	34	7	11	0	0	0	0	2	0	0	0	4	1	9	1	0
LEITH, . . .	12.2	0.6	19	7	3	0	0	0	0	1	0	0	0	3	1	5	2	0
GREENOCK, .	15.6	0.7	21	4	3	0	0	0	0	1	0	0	0	7	4	5	0	0
PERTH, . . .	15.2	0.0	10	2	5	0	0	0	0	0	0	0	0	3	1	4	0	0

* Typhus. † One Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 14, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.9	2.3	592	103	152	*4	17	4	4	28	4	15	3	87	25	173	21	3
GLASGOW, .	18.4	2.7	282	49	64	*4	9	4	3	11	1	9	3	41	14	76	11	3
EDINBURGH,	17.3	1.3	110	14	35	0	2	0	0	3	2	1	0	18	2	38	7	0
DUNDEE, . .	20.1	2.9	63	11	17	0	1	0	0	4	1	3	0	14	0	28	1	0
ABERDEEN, .	19.1	2.9	60	18	15	0	0	0	0	8	0	1	0	8	5	10	1	0
PAISLEY, . .	16.1	0.6	26	4	7	0	1	0	0	0	0	0	0	2	0	9	0	0
LEITH, . . .	13.0	1.3	20	0	7	0	0	0	0	1	0	1	0	1	3	3	0	0
GREENOCK, .	13.5	3.7	18	6	3	0	4	0	0	1	0	0	0	0	1	3	1	0
PERTH, . . .	20.0	1.5	13	1	4	0	0	0	1	0	0	0	0	3	0	6	0	0

* One Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 20.

WEEK ENDING SATURDAY, MAY 20, 1905.

During the week ending 20th May 1905 there were registered in Eight of the Principal Towns the births of 1059 living children, and the deaths of 560 persons. These births are equivalent to an annual birth-rate of 31·6 per thousand of the estimated population, and these deaths to a death-rate of 16·7 per thousand.

The death-rates for the three preceding weeks were 19·5, 18·0, and 18·8. The death-rate for this week is thus 2·8 less than that for the immediately preceding week, and 2·1 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Glasgow, 19·4, and lowest in Greenock, 8·9. In Dundee it was 17·2; in Aberdeen 15·6; in Edinburgh, 14·6; in Leith, 13·4; in Paisley, 12·8; and in Perth, 10·7.

The principal epidemic diseases were the cause of 76 deaths; this is equivalent to an annual death-rate from these causes of 2·3 per thousand, a rate which is 0·2 less than that for the previous week. These deaths include 26 from measles, 1 from scarlet fever, 3 from diphtheria, 25 from hooping-cough, 2 from enteric fever, and 19 from diarrhoeas. Compared to the returns of the previous week, deaths from measles are 6 fewer, from scarlet fever 1 fewer, from diphtheria 3 fewer, from hooping-cough 5 fewer, from enteric fever of the same number, but from diarrhoeas 10 more. The death-rate from these causes was highest in Glasgow, 3·3, and lowest in Leith, 0. The high rate in Glasgow was due to a prevalence of measles and hooping-cough.

Pneumonia, bronchitis, and pleurisy were the cause of 82 deaths; this is 25 fewer than in the previous week, and 15 fewer than in the corresponding week of last year.

Deaths of children of less than one year numbered 106; this is 29 fewer than in the previous week, and 11 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 132; this is 22 fewer than in the previous week, and 18 fewer than in the corresponding week of last year.

The mean temperature was 52°·4, being 1°·5 above that for the week immediately preceding, and 2°·4 above that for the corresponding week of 1904. There was no rainfall during the week.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 20, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending May 20, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1059	560	75	72·8	34·0	52·4	0·00
GLASGOW, . . .	12,681	809,986	63·874	9·35	505	301	40	72·8	40·0	54·8	0·00
EDINBURGH, . .	11,416	336,577	29·483	13·77	172	94	12	59·2	40·5	49·7	0·00
DUNDEE, . . .	4,162	164,269	39·469	11·90	86	54	5	61·9	38·9	50·4	0·00
ABERDEEN, . .	6,795	167,537	24·656	15·06	123	50	10	61·2	38·4	50·8	0·00
PAISLEY, . . .	3,538	85,604	24·196	15·20	54	21	3	71·4	41·5	56·2	0·00
LEITH,	2,044	81,477	39·862	11·84	58	21	3	60·0	39·2	50·4	0·00
GREENOCK, . .	1,440	70,253	48·787	10·70	46	12	1	69·2	39·8	54·8	0·00
PERTH,	2,122	34,214	16·123	18·62	15	7	1	67·0	34·0	52·4	0·00
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1050	619	95	70·6	34·0	50·0	0·16

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 27, 1905.

During the week ending 27th May 1905 there were registered in Eight of the Principal Towns the births of 932 living children, and the deaths of 606 persons. These births are equivalent to an annual birth-rate of 27·8 per thousand of the estimated population, and these deaths to an annual death-rate of 18·1 per thousand.

The death-rates for the three preceding weeks were 16·7, 19·5, and 18·0. The death-rate for this week is thus 1·4 more than that for the immediately preceding week, but is the same as the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 21·3, and Dundee, 21·0, and lowest in Leith, 15·4. In Glasgow it was 19·0; in Aberdeen, 16·8; in Edinburgh and Greenock, 16·3; and in Paisley, 15·8.

The principal epidemic diseases were the cause of 74 deaths; this is equivalent to an annual death-rate from these causes of 2·2 per thousand, a rate which is 0·1 less than that for the preceding week. These deaths include 30 from measles, 3 from scarlet fever, 7 from diphtheria, 24 from hooping-cough, 2 from enteric fever, 1 from typhus fever, and 7 from diarrhoeas. Compared to the returns of the previous week, deaths from measles are 4 more, from scarlet fever 2 more, from diphtheria 4 more, from hooping-cough 1 fewer, from enteric fever of the same number, and from diarrhoeas 12 fewer. The death-rate from these causes was for the week highest in Greenock, 4·5, and Edinburgh, 3·1, and lowest in Aberdeen, 0·6, and Paisley, 0·6. The high rate in Greenock is largely due to hooping-cough, that in Edinburgh to measles, diphtheria, and hooping-cough.

Pneumonia, bronchitis, and pleurisy were the cause of 107 deaths; this is 25 more than in the previous week, and 22 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 120; this is 14 more than in the previous week, but 5 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 157; this is 25 more than in the previous week, and 12 more than in the corresponding week of 1904.

The mean temperature was 47°·5, being 4°·9 below that for the week immediately preceding, and 2°·9 below that for the corresponding week of 1904. The mean rainfall was 0·78 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 27, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending May 27, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	932	606	101	61·8	29·0	47·5	0·78
GLASGOW, . . .	12,681	809,986	63·874	9·35	461	295	41	61·8	34·1	48·7	0·88
EDINBURGH, . .	11,416	336,577	29·483	13·77	145	105	21	58·9	34·8	46·8	0·13
DUNDEE, . . .	4,162	164,269	39·469	11·90	99	66	9	59·7	33·2	46·6	0·99
ABERDEEN, . . .	6,795	167,537	24·656	15·06	89	54	13	60·2	33·4	46·3	0·67
PAISLEY, . . .	3,538	85,604	24·196	15·20	37	26	8	61·4	37·9	50·6	0·81
LEITH, . . .	2,044	81,477	39·862	11·84	47	24	1	60·7	37·9	50·2	0·30
GREENOCK, . . .	1,440	70,253	48·787	10·70	33	22	7	61·0	34·9	48·7	1·45
PERTH, . . .	2,122	34,214	16·123	18·62	21	14	1	61·0	29·0	42·0	0·99
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	958	582	94	74·5	35·0	50·4	0·77

Week ending Saturday, MAY 27, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 27, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.1	2.2	606	120	157	0	30	3	7	24	3	7	0	107	26	157	21	2
GLASGOW, .	19.0	2.5	295	60	62	0	21	1	2	10	*2	3	0	52	9	75	8	2
EDINBURGH,	16.3	3.1	105	16	33	0	7	0	5	5	1	2	0	22	5	34	8	0
DUNDEE, . .	21.0	1.0	66	13	15	0	0	1	0	1	0	1	0	12	6	20	0	0
ABERDEEN, .	16.8	0.6	54	10	23	0	0	0	0	1	0	1	0	7	1	7	2	0
PAISLEY, . .	15.8	0.6	26	5	8	0	0	0	0	1	0	0	0	8	1	8	1	0
LEITH, . . .	15.4	1.3	24	7	6	0	1	0	0	1	0	0	0	2	2	7	1	0
GREENOCK, .	16.3	4.5	22	3	6	0	1	1	0	4	0	0	0	3	1	4	1	0
PERTH, . . .	21.3	1.5	14	6	4	0	0	0	0	1	0	0	0	1	1	2	0	0

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 28, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.6	1.9	582	125	145	*2	12	2	3	29	0	15	0	85	24	141	20	5
GLASGOW, .	17.1	1.4	262	63	56	*2	2	1	2	9	0	5	0	41	11	66	10	4
EDINBURGH,	20.0	2.2	127	18	35	0	2	1	1	5	0	5	0	16	5	35	7	0
DUNDEE, . .	16.6	4.8	52	14	12	0	3	0	0	9	0	3	0	6	4	13	1	1
ABERDEEN, .	15.3	1.9	48	17	11	0	0	0	0	4	0	2	0	8	1	6	0	0
PAISLEY, . .	14.9	2.5	24	3	7	0	3	0	0	1	0	0	0	3	2	4	0	0
LEITH, . . .	19.4	0.6	30	3	10	0	0	0	0	1	0	0	0	3	1	11	1	0
GREENOCK, .	18.7	1.5	25	6	8	0	2	0	0	0	0	0	0	3	0	1	1	0
PERTH, . . .	21.5	0.0	14	1	6	0	0	0	0	0	0	0	0	5	0	5	0	0

* One Chicken-pox.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, JUNE 3, 1905.

During the week ending 3rd June 1905 there were registered in Eight of the Principal Towns the births of 1047 living children, and the deaths of 567 persons. These births are equivalent to an annual birth-rate of 31·2 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 16·9 per thousand.

The death-rates for the three preceding weeks were 18·1, 16·7, and 19·5. The rate for this week is thus 1·2 less than the rate for the previous week, and the same amount less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Glasgow, 18·3, and lowest in Leith, 10·2. In Greenock it was 17·8; in Dundee, 17·5; in Edinburgh, 17·1; in Paisley, 15·2; and in Aberdeen and Perth, 13·7.

Deaths from the principal epidemic diseases during the week numbered 80; this is equivalent to an annual death-rate from these causes of 2·4 per thousand, a rate which is 0·2 more than that for the previous week. These deaths include 33 from measles, 3 from scarlet fever, 1 from diphtheria, 24 from hooping-cough, 3 from enteric fever, and 16 from diarrhoeas. Compared to the returns of the previous week deaths from measles are 3 more, from diphtheria 6 fewer, from diarrhoeas 9 more, while deaths from scarlet fever, hooping-cough, and enteric fever were of the same number. The death-rates from these causes ranged from 3·1 in Glasgow, where measles and hooping-cough are prevalent, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 88; this is 19 fewer than in the previous week, but 1 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 115; this is 5 fewer than in the previous week, and 6 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 133; this is 24 fewer than in the previous week, and 1 fewer than in the corresponding week of 1904.

The mean temperature was 57°·0, being 9°·5 above that for the week immediately preceding, and 1°·7 above that for the corresponding week of 1904. The mean rainfall was 0·45 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 3, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending June 3, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1047	567	195	69·0	42·0	57·0	0·45
GLASGOW, . . .	12,681	809,986	63·874	9·35	502	284	93	69·0	42·0	57·6	0·50
EDINBURGH, . .	11,416	336,577	29·483	13·77	160	110	41	64·8	46·2	55·8	0·28
DUNDEE, . . .	4,162	164,269	39·469	11·90	102	55	9	66·5	42·8	56·7	0·36
ABERDEEN, . .	6,795	167,537	24·656	15·06	83	44	29	67·0	42·4	56·5	0·60
PAISLEY, . . .	3,538	85,604	24·196	15·20	69	25	5	69·0	46·3	57·5	0·60
LEITH,	2,044	81,477	39·862	11·84	53	16	5	67·6	46·3	57·5	0·40
GREENOCK, . .	1,440	70,253	48·787	10·70	52	24	5
PERTH,	2,122	34,214	16·123	18·62	26	9	8	66·5	42·0	57·1	0·41
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1071	600	289	77·9	40·5	55·3	0·33

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 10, 1905.

During the week ending 10th June 1905 there were registered in Eight of the Principal Towns the births of 1018 living children, and the deaths of 551 persons. These births are equivalent to an annual birth-rate of 30·4 per thousand of the estimated population, and these deaths to an annual death-rate of 16·4 per thousand.

The death-rates for the three preceding weeks were 16·9, 18·1, and 16·7. The death-rate for this week is thus 0·5 less than that for the previous week, and 0·8 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 21·3, and lowest in Leith, 12·8. In Paisley it was 20·1; in Dundee, 17·8; in Greenock, 17·8; in Edinburgh, 16·3; in Glasgow, 16·2; and in Aberdeen, 14·9.

Deaths from the principal epidemic diseases numbered 62; this is 18 fewer than in the previous week, and is equivalent to an annual death-rate from these causes of 1·8 per thousand, a rate 0·6 less than that for the previous week. These deaths include 17 from measles, 1 from scarlet fever, 4 from diphtheria, 23 from hooping-cough, 3 from enteric fever, and 14 from diarrhoeas. Compared to the returns of the previous week, deaths from measles are 16 fewer, from scarlet fever 2 fewer, from diphtheria 3 more, from hooping-cough 1 fewer, from enteric fever of the same number, and from diarrhoeas 2 fewer. The death-rates from these causes for the week ranged from 2·6 in Glasgow, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 89; these are 1 more than in the previous week, and 22 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 105; these are 10 fewer than in the previous week, but 8 more than in the corresponding week of 1904. Deaths of persons of over sixty numbered 123; these are 10 fewer than in the previous week, but 2 more than in the corresponding week of 1904.

The mean temperature was 51°·4, being 5°·6 below that for the week immediately preceding, and 1°·9 below that for the corresponding week of 1904. The mean rainfall was 0·04 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 10, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending June 10, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1018	551	612	67·0	34·0	51·4	0·04
GLASGOW, . . .	12,681	809,986	63·874	9·35	505	251	293	62·9	43·0	52·9	0·00
EDINBURGH, . .	11,416	336,577	29·483	13·77	157	105	123	61·6	43·8	49·4	0·00
DUNDEE, . . .	4,162	164,269	39·469	11·90	101	56	51	64·0	39·9	50·1	0·02
ABERDEEN, . .	6,795	167,537	24·656	15·06	94	48	52	67·0	43·0	51·8	0·24
PAISLEY, . . .	3,538	85,604	24·196	15·20	50	33	37	66·1	42·0	54·1	0·03
LEITH,	2,044	81,477	39·862	11·84	42	20	28	65·2	45·0	51·9	0·00
GREENOCK, . .	1,440	70,253	48·787	10·70	49	24	19	62·0	41·0	52·1	0·00
PERTH,	2,122	34,214	16·123	18·62	20	14	9	62·0	34·0	49·3	0·00
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1034	536	597	82·0	37·5	53·3	0·00

Week ending Saturday, JUNE 10, 1905.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 10, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.4	1.8	551	105	123	0	17	1	4	23	3	14	0	89	22	161	22	3
GLASGOW, .	16.2	2.6	251	47	49	0	14	0	3	16	0	7	0	46	11	74	10	2
EDINBURGH,	16.3	2.0	105	25	26	0	3	1	1	4	1	3	0	13	3	34	5	0
DUNDEE, . .	17.8	1.3	56	7	15	0	0	0	0	1	0	3	0	9	0	12	1	1
ABERDEEN, .	14.9	0.3	48	5	12	0	0	0	0	0	0	1	0	7	2	17	1	0
PAISLEY, . .	20.1	1.2	33	11	6	0	0	0	0	2	0	0	0	7	3	6	5	0
LEITH, . . .	12.8	0.6	20	0	3	0	0	0	0	0	1	0	0	3	2	8	0	0
GREENOCK, .	17.8	0.7	24	7	8	0	0	0	0	0	1	0	0	1	1	5	0	0
PERTH, . . .	21.3	0.0	14	3	4	0	0	0	0	0	0	0	0	3	0	5	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 11, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	16.2	2.2	536	97	121	3	16	3	4	21	2	24	1	67	23	135	24	5		
GLASGOW, .	16.1	2.4	247	40	53	3	8	2	1	9	1	12	1	32	18	76	10	4		
EDINBURGH,	14.3	1.7	91	12	27	0	4	0	1	4	1	1	0	12	2	28	9	0		
DUNDEE, . .	16.6	2.2	52	12	7	0	0	0	2	2	0	3	0	7	0	12	0	0		
ABERDEEN, .	17.8	1.9	56	11	14	0	0	0	0	3	0	3	0	7	2	7	2	1		
PAISLEY, . .	22.3	3.1	36	11	8	0	0	1	0	2	0	2	0	1	1	4	2	0		
LEITH, . . .	13.0	1.9	20	5	4	0	1	0	0	0	0	2	0	3	0	3	0	0		
GREENOCK, .	11.2	3.0	15	3	2	0	3	0	0	1	0	0	0	4	0	1	1	0		
PERTH, . . .	29.2	1.5	19	3	6	0	0	0	0	0	0	1	0	1	0	4	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 17, 1905.

During the week ending 17th June 1905 there were registered in Eight of the Principal Towns the births of 1016 living children, and the deaths of 528 persons. These births are equivalent to an annual birth-rate of 30·3 per thousand of the estimated population, and these deaths to an annual death-rate of 15·7 per thousand.

The death-rates for the three preceding weeks were 16·4, 16·9, and 18·1. The death-rate for this week is thus 0·7 less than that for the previous week, and 1·4 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 24·4, and lowest in Leith, 9·6. In Paisley it was 18·3; in Glasgow, 16·7; in Dundee, 16·2; in Edinburgh, 15·2; in Greenock, 13·4; and in Aberdeen, 12·5.

Deaths from the principal epidemic diseases numbered 74; this is 12 more than in the previous week, and is equivalent to an annual death-rate from these causes of 2·2 per thousand, a rate which is 0·4 per thousand more than that for the previous week. These deaths include 26 from measles, 1 from scarlet fever, 1 from diphtheria, 29 from hooping-cough, 2 from enteric fever, and 15 from diarrhoeas. Compared to the returns of the previous week, the deaths from measles are 9 more, from hooping-cough 6 more, from diarrhoeas 1 more, while these from scarlet fever are of the same number, from diphtheria 3 fewer, and from enteric fever 1 fewer. The death-rate from these causes ranged from 3·7 in Paisley to 0 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 63; this is 26 fewer than in the previous week, and 30 fewer than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 114; this is 9 more than in the previous week, but 7 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 110; this is 13 fewer than in the previous week, and 16 fewer than in the corresponding week of 1904.

The mean temperature was 54°·4, being 3°·0 above that for the week immediately preceding, but 0°·9 below that for the corresponding week of 1904. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 17, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending June 17, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1016	528	511	71·2	35·0	54·4	0·01
GLASGOW,	12,681	809,986	63·874	9·35	491	260	251	71·1	40·0	56·7	0·00
EDINBURGH, . . .	11,416	336,577	29·483	13·77	170	98	103	66·7	42·5	51·7	0·03
DUNDEE,	4,162	164,269	39·469	11·90	87	51	55	68·3	40·1	53·9	0·01
ABERDEEN, . . .	6,795	167,537	24·656	15·06	113	40	48	67·0	37·0	53·7	0·00
PAISLEY,	3,538	85,604	24·196	15·20	44	30	11	71·2	42·1	58·0	0·00
LEITH,	2,044	81,477	39·862	11·84	49	15	18	60·8	44·1	53·1	0·06
GREENOCK, . . .	1,440	70,253	48·787	10·70	46	18	12	68·9	41·0	55·4	0·00
PERTH,	2,122	34,214	16·123	18·62	16	16	13	67·5	35·0	52·7	0·00
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1022	563	490	69·0	37·0	55·3	0·71

Week ending Saturday, JUNE 17, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 17, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.7	2.2	528	114	110	0	26	1	1	29	2	15	0	63	24	146	16	3
GLASGOW, .	16.7	2.8	260	64	42	0	16	0	1	14	2	10	0	35	12	75	6	2
EDINBURGH,	15.2	2.6	98	14	20	0	8	1	0	8	0	0	0	10	4	38	9	0
DUNDEE, . .	16.2	1.0	51	10	13	0	0	0	0	2	0	1	0	7	1	9	0	0
ABERDEEN, .	12.5	0.6	40	11	14	0	0	0	0	0	0	2	0	6	1	10	0	0
PAISLEY, . .	18.3	3.7	30	7	6	0	0	0	0	5	0	1	0	1	1	3	0	0
LEITH, . . .	9.6	0.6	15	3	6	0	0	0	0	0	0	1	0	3	1	3	0	0
GREENOCK, .	13.4	0.0	18	2	4	0	0	0	0	0	0	0	0	1	2	3	1	1
PERTH, . . .	24.4	3.0	16	3	5	0	2	0	0	0	0	0	0	0	2	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 18, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.0	2.0	563	121	126	3	14	2	4	21	2	20	0	93	25	128	25	1
GLASGOW, .	18.0	2.1	275	57	58	3	3	1	2	11	0	12	0	48	14	69	11	1
EDINBURGH,	15.6	1.6	99	26	22	0	4	0	2	2	0	2	0	9	4	31	11	0
DUNDEE, . .	19.1	2.6	60	13	13	0	0	0	0	6	0	2	0	11	2	12	0	0
ABERDEEN, .	18.8	1.3	59	12	19	0	1	0	0	1	0	2	0	11	4	7	1	0
PAISLEY, . .	14.3	3.1	23	2	4	0	1	1	0	1	2	0	0	4	0	2	2	0
LEITH, . . .	9.7	0.0	15	3	4	0	0	0	0	0	0	0	0	5	1	2	0	0
GREENOCK, .	14.2	4.5	19	6	4	0	5	0	0	0	0	1	0	4	0	1	0	0
PERTH, . . .	20.0	1.5	13	2	2	0	0	0	0	0	0	1	0	1	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 24, 1905.

During the week ending 24th June there were registered in Eight of the Principal Towns the births of 1027 living children, and the deaths of 508 persons. These births are equivalent to an annual birth-rate of 30·6 per thousand of the estimated population, and these deaths to an annual death-rate of 15·1 per thousand.

The death-rates for the three preceding weeks were 15·7, 16·4, and 16·9. The death-rate for this week is thus 0·6 less than that for the previous week, and 1·2 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 18·6, and lowest in Leith, 9·6. In Perth it was 16·8; in Glasgow, 16·4; in Paisley, 15·8; in Edinburgh, 15·0; in Dundee, 13·0; and in Aberdeen, 11·8.

Deaths from the principal epidemic diseases numbered 61; this is 13 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·8 per thousand. These deaths include 1 from chicken-pox, 18 from measles, 2 from scarlet fever, 4 from diphtheria, 18 from hooping-cough, 2 from enteric fever, 1 from typhus fever, and 15 from diarrhoeas. Compared to the returns of the previous week, deaths from measles are 8 fewer, from scarlet fever 1 more, from diphtheria 3 more, from hooping-cough 11 fewer, and from enteric and diarrhoeas of the same number. The death-rate from these causes was highest in Perth, 3·0, and lowest in Leith, 0.

Deaths from pneumonia, bronchitis, and pleurisy numbered 74; this is 11 more than in the previous week, and 10 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 98; this is 16 fewer than in the previous week, and 8 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 108; this is 2 fewer than in the previous week, and 2 fewer than in the corresponding week of 1904.

The mean temperature was 59°·7, being 5°·3 above that for the week immediately preceding, and 4°·8 above that for the corresponding week of 1904. The mean rainfall was 0·44 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 24, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending June 24, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1027	508	409	81·4	45·0	59·7	0·44
GLASGOW, . . .	12,681	809,986	63·874	9·35	491	255	201	81·4	48·0	61·2	0·39
EDINBURGH, . .	11,416	336,577	29·483	13·77	170	97	90	72·1	48·1	57·7	0·26
DUNDEE, . . .	4,162	164,269	39·469	11·90	96	41	25	71·3	48·0	59·3	0·40
ABERDEEN, . .	6,795	167,537	24·656	15·06	104	38	37	70·0	50·4	59·7	0·10
PAISLEY, . . .	3,538	85,604	24·196	15·20	44	26	15	80·7	48·6	61·6	0·69
LEITH,	2,044	81,477	39·862	11·84	51	15	14	73·7	50·8	59·2	0·37
GREENOCK, . .	1,440	70,253	48·787	10·70	57	25	15	76·0	47·0	59·0	0·95
PERTH,	2,122	34,214	16·123	18·62	14	11	12	76·0	45·0	60·3	0·40
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1049	526	449	69·0	40·8	54·9	0·57

Week ending Saturday, JUNE 24, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 24, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.1	1.8	508	98	108	*1	18	2	4	18	+3	15	0	74	24	141	22	0
GLASGOW, .	16.4	2.3	255	53	45	*1	12	2	2	11	0	8	0	42	14	65	10	0
EDINBURGH,	15.0	1.7	97	18	17	0	4	0	1	3	0	3	0	14	3	44	7	0
DUNDEE, . .	13.0	1.3	41	5	13	0	0	0	0	3	0	1	0	8	0	9	0	0
ABERDEEN, .	11.8	1.6	38	8	12	0	0	0	1	0	1	3	0	4	1	6	2	0
PAISLEY, . .	15.8	0.6	26	3	4	0	0	0	0	1	0	0	0	2	1	8	0	0
LEITH, . . .	9.6	0.0	15	3	8	0	0	0	0	0	0	0	0	2	1	0	0	0
GREENOCK, .	18.6	1.5	25	7	5	0	0	0	0	0	+2	0	0	1	3	7	3	0
PERTH, . . .	16.8	3.0	11	1	4	0	2	0	0	0	0	0	0	1	1	2	0	0

* Chicken-pox. † One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 25, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.9	2.2	526	106	110	1	12	2	6	27	4	22	0	64	16	142	14	2
GLASGOW, .	15.4	2.1	235	47	39	1	5	1	2	13	1	9	0	34	6	58	8	2
EDINBURGH,	15.1	1.9	96	17	25	0	4	0	2	5	0	1	0	6	3	33	3	0
DUNDEE, . .	21.1	4.1	66	18	15	0	1	0	0	3	2	7	0	10	3	20	0	0
ABERDEEN, .	14.6	1.6	46	10	15	0	1	0	0	2	0	2	0	2	1	14	1	0
PAISLEY, . .	18.0	2.5	29	7	7	0	0	1	0	2	0	1	0	4	1	8	1	0
LEITH, . . .	12.3	1.3	19	2	6	0	0	0	1	1	0	0	0	3	0	3	0	0
GREENOCK, .	18.0	3.0	24	5	2	0	1	0	0	1	0	2	0	3	2	1	1	0
PERTH, . . .	16.9	3.1	11	0	1	0	0	0	1	0	1	0	0	2	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JULY 1, 1905.

During the week ending 1st July 1905 there were registered in Eight of the Principal Towns the births of 1024 living children, and the deaths of 555 persons. These births are equivalent to an annual birth-rate of 30·5 per thousand of the estimated population, and these deaths to an annual death-rate of 16·5 per thousand.

The death-rate for the three preceding weeks was 15·1, 15·7, and 16·4. The rate for this week is thus 1·4 more than that for the previous week, and 0·8 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 19·3, and lowest in Perth, 12·2. In Glasgow it was 18·2; in Paisley, 15·8; in Dundee and Aberdeen, 14·9; in Edinburgh and Leith, 14·7.

Deaths from the principal epidemic diseases numbered 65; this is 4 more than in the previous week, and equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 17 from measles, 1 from diphtheria, 31 from hooping-cough, 2 from enteric fever, and 14 from diarrhoeas. There were no deaths from scarlet fever. Compared to the returns for the previous week, deaths from measles are 1 fewer, from diphtheria 3 fewer, from hooping-cough 13 more, from diarrhoeas 1 fewer, and from enteric fever of the same number. The death-rate from these causes ranged from 3·0 in Greenock and Perth, to 0 in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 68; this is 6 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 96; this is 2 fewer than in the previous week, but 2 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 142; this is 34 more than in the previous week, and is the same number as in the corresponding week of last year.

The mean temperature was 61°·2, being 1°·5 above that for the week immediately preceding, and 5°·2 above that for the corresponding week of 1904. The mean rainfall was 0·29 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 1, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending July 1, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1024	555	387	82·8	44·2	61·2	0·29
GLASGOW,	12,681	809,986	63·874	9·35	477	282	195	82·8	48·5	64·0	0·07
EDINBURGH, . . .	11,416	336,577	29·483	13·77	178	95	82	76·8	47·4	58·3	0·63
DUNDEE,	4,162	164,269	39·469	11·90	97	47	30	76·3	44·2	58·8	0·46
ABERDEEN, . . .	6,795	167,537	24·656	15·06	98	48	39	72·0	45·6	57·8	0·32
PAISLEY,	3,538	85,604	24·196	15·20	44	26	5	82·4	51·0	64·9	0·04
LEITH,	2,044	81,477	39·862	11·84	63	23	15	81·6	49·0	60·1	0·67
GREENOCK, . . .	1,440	70,253	48·787	10·70	47	26	14	79·5	49·0	63·0	0·02
PERTH,	2,122	34,214	16·123	18·62	20	8	7	80·5	47·0	62·3	0·11
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	968	539	487	77·5	37·0	56·0	0·42

Week ending Saturday, JULY 1, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 1, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.5	1.9	555	96	142	0	17	0	1	31	2	14	0	68	30	154	16
GLASGOW, .	18.2	2.6	282	50	57	0	10	0	1	22	0	8	0	34	15	85	8
EDINBURGH,	14.7	1.7	95	17	28	0	5	0	0	5	0	1	0	13	3	26	4
DUNDEE, . .	14.9	1.0	47	7	16	0	0	0	0	1	0	2	0	5	3	11	1
ABERDEEN, .	14.9	0.0	48	11	13	0	0	0	0	0	0	0	0	8	2	13	1
PAISLEY, . .	15.8	1.2	26	3	11	0	0	0	0	1	0	1	0	4	1	5	1
LEITH, . . .	14.7	1.3	23	5	7	0	0	0	0	0	0	2	0	3	4	9	1
GREENOCK, .	19.3	3.0	26	1	10	0	0	0	0	2	2	0	0	1	1	4	0
PERTH, . . .	12.2	3.0	8	2	0	0	2	0	0	0	0	0	0	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 2, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.3	2.3	539	94	142	2	14	4	3	31	3	18	0	80	29	133	26
GLASGOW, .	15.9	2.1	243	48	46	2	4	4	0	14	0	8	0	39	14	56	10
EDINBURGH,	17.1	2.4	109	15	31	0	5	0	0	8	1	1	0	15	5	37	10
DUNDEE, . .	16.3	3.5	51	6	14	0	2	0	1	4	2	2	0	9	3	17	1
ABERDEEN, .	18.4	1.9	58	15	25	0	2	0	0	0	0	4	0	9	2	13	1
PAISLEY, . .	14.9	3.1	24	2	8	0	0	0	0	4	0	1	0	2	2	2	3
LEITH, . . .	13.0	1.3	20	4	8	0	0	0	0	1	0	1	0	1	1	4	0
GREENOCK, .	20.2	2.2	27	4	8	0	1	0	1	0	0	1	0	5	1	2	1
PERTH, . . .	10.8	1.5	7	0	2	0	0	0	1	0	0	0	0	0	1	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 8, 1905.

During the week ending 8th July 1905 there were registered in Eight of the Principal Towns the births of 970 living children, and the deaths of 494 persons. These births are equivalent to an annual birth-rate of 28·9 per thousand of the estimated population, and these deaths to an annual death-rate of 14·7 per thousand.

The death-rates for the three preceding weeks were 16·5, 15·1, and 15·7. The death-rate for this week is thus 1·8 less than that for the previous week, and 1·1 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Paisley, 17·1, and lowest in Perth, 7·6. In Glasgow it was 15·7; in Edinburgh, 15·5; in Dundee, 14·6; in Aberdeen, 13·7; in Greenock, 9·7; and in Leith, 8·9.

Deaths from the principal epidemic diseases numbered 57; this is 8 fewer than in the previous week, and is equivalent to an annual death-rate from these causes of 1·7 per thousand. These deaths include 14 from measles, 1 from scarlet fever, 3 from diphtheria, 26 from whooping-cough, and 13 from diarrhoeas. There were no deaths from enteric fever. Deaths from measles are 3 fewer than in the previous week, from diphtheria 2 fewer, from whooping-cough 5 fewer, from enteric fever 2 fewer, and from diarrhoeas 1 fewer. The death-rate from these causes ranged from 3·0 in Paisley to 0 in Leith and Greenock.

Deaths from pneumonia, pleurisy, and bronchitis numbered 65; this is 3 fewer than in the previous week, and 22 fewer than in the corresponding week of 1904.

Deaths of children of less than one year numbered 91; this is 5 fewer than in the previous week, and 7 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 107; this is 35 fewer than in the previous week, but 1 more than in the corresponding week of 1904.

The mean temperature was 59°·1, being 2°·1 below that for the week immediately preceding, but 2°·9 above that for the corresponding week of 1904. The mean rainfall was 0·31 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 8, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending July 8, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	970	494	454	78·3	39·5	59·1	0·31
GLASGOW, . . .	12,681	809,986	63·874	9·35	475	244	205	76·0	45·4	58·9	0·26
EDINBURGH,* . .	11,416	336,390	29·483	13·77	126	100	93	73·2	46·1	58·1	0·31
DUNDEE, . . .	4,162	164,269	39·469	11·90	103	46	39	78·3	45·8	60·4	0·24
ABERDEEN, . . .	6,795	167,537	24·656	15·06	97	44	48	77·0	44·0	59·7	0·49
PAISLEY, . . .	3,538	85,604	24·196	15·20	52	28	22	77·2	46·1	59·8	0·23
LEITH,*	2,044	81,664	39·862	11·84	59	14	18	73·0	48·4	60·1	0·49
GREENOCK, . . .	1,440	70,253	48·787	10·70	38	13	26	72·0	44·0	57·4	0·44
PERTH,	2,122	34,214	16·123	18·62	20	5	3	78·0	39·5	58·3	0·04
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	991	524	383	69·9	40·0	56·2	0·51

* The buildings and grounds of the Infectious Diseases Hospital for the burgh of Leith, which are situated within the city of Edinburgh, were annexed for registration purposes to the district of North Leith as from 1st July 1905.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 8, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 8, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	14.7	1.7	494	91	107	0	14	1	3	26	0	13	0	65	22	136	22	3		
GLASGOW, .	15.7	2.0	244	44	48	0	9	1	1	14	0	6	0	42	9	70	9	3		
EDINBURGH,	15.5	2.3	100	14	21	0	4	0	0	8	0	3	0	10	7	33	6	0		
DUNDEE, . .	14.6	0.6	46	7	13	0	0	0	0	1	0	1	0	5	3	11	2	0		
ABERDEEN, .	13.7	0.9	44	13	9	0	0	0	0	0	0	3	0	3	2	12	0	0		
PAISLEY, . .	17.1	3.0	28	4	8	0	1	0	1	3	0	0	0	2	0	6	2	0		
LEITH, . . .	8.9	0.0	14	4	3	0	0	0	0	0	0	0	0	1	0	3	0	0		
GREENOCK, .	9.7	0.0	13	5	4	0	0	0	0	0	0	0	0	2	1	1	3	0		
PERTH, . . .	7.6	1.5	5	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 9, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.8	1.9	524	98	106	3	6	2	2	24	7*	20	1	87	23	126	18	1
GLASGOW, .	16.5	2.1	253	54	46	2	2	0	1	13	4*	10	0	39	11	60	6	0
EDINBURGH,	16.2	2.0	103	20	18	1	1	0	1	6	2	2	1	17	5	34	8	0
DUNDEE, . .	17.5	1.9	55	7	11	0	1	0	0	1	1	3	0	10	2	11	0	0
ABERDEEN, .	13.0	2.2	41	8	15	0	0	1	0	4	0	2	0	9	1	6	0	0
PAISLEY, . .	15.5	0.6	25	2	8	0	0	0	0	0	0	1	0	5	0	6	1	0
LEITH, . . .	13.0	1.9	20	3	2	0	2	0	0	0	0	1	0	2	1	4	0	0
GREENOCK, .	14.2	0.7	19	4	4	0	0	0	0	0	0	1	0	4	3	3	3	1
PERTH, . . .	12.3	1.5	8	0	2	0	0	1	0	0	0	0	0	1	0	2	0	0

* Includes one from Typhus Fever.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 15, 1905.

During the week ending 15th July 1905 there were registered in Eight of the Principal Towns the births of 988 living children, and the deaths of 481 persons. These births are equivalent to an annual birth-rate of 29·5 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 14·3 per thousand.

The death-rates for the three preceding weeks were 14·7, 16·5, and 15·1. The death-rate for this week is thus 0·4 less than that for the previous week, and 1·1 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 29·7, and lowest in Leith, 10·2. In Perth it was 22·9; in Paisley, 14·6; in Glasgow, 14·2; in Edinburgh, 13·6; in Dundee, 12·7; and in Aberdeen, 11·5.

Deaths from the principal epidemic diseases numbered 55; this is 2 fewer than in the previous week, and equivalent to a death-rate from these causes of 1·6 per thousand. These deaths include 19 from measles, 1 from diphtheria, 25 from hooping-cough, 3 from enteric fever, and 7 from diarrhoeas. There were no deaths from small-pox or scarlet fever. Compared to the returns of the previous week, deaths from measles were 5 more, from hooping-cough 1 fewer, from enteric fever 3 more, and from diarrhoeas 6 fewer. The death-rate for the week from these causes ranged from 4·6 in Perth to 0 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 63; this is 2 fewer than in the previous week, but 14 more than in the corresponding week of 1904.

Deaths of children of less than one year old numbered 100; this is 9 more than in the previous week, but 9 fewer than in the corresponding week of 1904. Deaths of persons of over sixty numbered 117; this is 10 more than in the previous week, and 7 more than in the corresponding week of 1904.

The mean temperature was 63°·2, being 4°·1 above that for the week immediately preceding, and 3°·1 above that for the corresponding week of 1904. The mean rainfall was 0·52 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 15, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending July 15, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	988	481	399	80·0	48·0	63·2	0·52
GLASGOW, . . .	12,681	809,986	63·874	9·35	458	221	176	78·8	54·4	65·6	0·83
EDINBURGH, .	11,416	336,390	29·483	13·77	159	88	67	75·8	52·2	62·4	0·34
DUNDEE, . . .	4,162	164,269	39·469	11·90	89	40	28	76·6	49·5	62·3	0·36
ABERDEEN, . .	6,795	167,537	24·656	15·06	103	37	54	76·2	48·5	60·1	0·34
PAISLEY, . . .	3,538	85,604	24·196	15·20	55	24	12	77·1	55·1	65·3	0·97
LEITH,	2,044	81,664	39·862	11·84	49	16	17	78·8	55·4	63·5	0·32
GREENOCK, . .	1,440	70,253	48·787	10·70	55	40	25
PERTH,	2,122	34,214	16·123	18·62	20	15	20	80·0	48·0	63·2	0·46
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	980	488	451	79·9	45·0	60·1	0·46

Week ending Saturday, JULY 15, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 15, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.3	1.6	481	100	117	0	19	0	1	25	3	7	2	63	23	140	13	1
GLASGOW, .	14.2	1.8	221	52	38	0	11	0	0	15	0	2	2	31	14	62	4	0
EDINBURGH,	13.6	1.6	88	16	31	0	6	0	0	4	0	0	0	15	3	30	5	0
DUNDEE, . .	12.7	0.6	40	6	13	0	0	0	0	2	0	0	0	5	1	15	1	0
ABERDEEN, .	11.5	1.2	37	9	16	0	0	0	1	2	0	1	0	1	1	13	1	0
PAISLEY, . .	14.6	0.0	24	5	7	0	0	0	0	0	0	0	0	5	0	6	1	0
LEITH, . . .	10.2	2.6	16	5	3	0	0	0	0	1	0	3	0	2	0	4	0	0
GREENOCK, .	29.7	3.0	40	5	5	0	0	0	0	0	3	1	0	3	2	8	0	0
PERTH, . . .	22.9	4.6	15	2	4	0	2	0	0	1	0	0	0	1	2	2	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 16, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.8	1.6	488	109	110	0	6	2	2	21	3	19	0	49	15	132	22	3
GLASGOW, .	15.3	2.0	234	60	35	0	1	1	1	13	1	13	0	18	8	55	10	3
EDINBURGH,	13.4	1.1	85	12	31	0	1	1	0	2	0	3	0	10	1	29	10	0
DUNDEE, . .	17.5	1.6	55	12	15	0	0	0	0	1	2	2	0	11	1	18	0	0
ABERDEEN, .	14.0	0.6	44	13	13	0	1	0	0	1	0	0	0	4	2	11	0	0
PAISLEY, . .	16.1	2.5	26	6	5	0	1	0	0	3	0	0	0	1	0	6	0	0
LEITH, . . .	12.3	1.9	19	4	6	0	1	0	0	1	0	1	0	1	0	5	0	0
GREENOCK, .	15.7	1.5	21	2	3	0	1	0	1	0	0	0	0	2	2	5	2	0
PERTH, . . .	6.2	0.0	4	0	2	0	0	0	0	0	0	0	0	2	1	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 22, 1905.

During the week ending 22nd July 1905 there were registered in Eight of the Principal Towns the births of 1062 living children, and the deaths of 510 persons. These births are equivalent to an annual birth-rate of 31·7 per thousand of the estimated population, and these deaths to an annual death-rate of 15·2 per thousand.

The death-rates for the three preceding weeks were 14·3, 14·7, and 16·5. The death-rate for this week is thus 0·9 more than that for the previous week, and the same as the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 19·8, and lowest in Leith, 9·0. In Paisley it was 16·5; in Glasgow, 16·0; in Edinburgh, 15·8; in Aberdeen, 14·3; in Greenock, 14·1; and in Dundee, 13·0.

Deaths from the principal epidemic diseases numbered 61; this is 6 more than in the previous week, and equivalent to an annual death-rate from these causes of 1·8 per thousand. These deaths include 21 from measles, 1 from scarlet fever, 3 from diphtheria, 12 from hooping-cough, 1 from typhus fever, 1 from enteric fever, and 22 from diarrhoeas. Deaths from measles are 2 more than in the previous week, from diphtheria 2 more, and from diarrhoeas 15 more, while those from hooping-cough are 13 fewer, and enteric fever 2 fewer. The highest death-rate for the week from these causes was in Perth, 3·0, and in Glasgow, 2·5, while the lowest was in Aberdeen, 0·3.

Deaths from pneumonia, bronchitis, and pleurisy numbered 62; this is 1 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 101; this is 1 more than in the previous week, but 7 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 132; this is 15 more than in the previous week, and 12 more than in the corresponding week of last year.

The mean temperature was 61°·8, being 1°·4 below that for the week immediately preceding, but 3°·6 above that for the corresponding week of 1904. The mean rainfall was 0·55 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 22, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending July 22, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	1062	510	582	81·7	39·0	61·8	0·55
GLASGOW, . . .	12,681	809,986	63·874	9·35	518	248	365	74·5	52·2	62·4	0·83
EDINBURGH, .	11,416	336,390	29·483	13·77	174	102	79	75·9	50·4	61·8	0·41
DUNDEE, . . .	4,162	164,269	39·469	11·90	113	41	52	81·7	44·9	62·3	0·43
ABERDEEN, . .	6,795	167,537	24·656	15·06	88	46	42	78·1	46·0	60·1	0·56
PAISLEY, . . .	3,538	85,604	24·196	15·20	62	27	21	74·2	47·1	62·5	0·57
LEITH,	2,044	81,664	39·862	11·84	43	14	12	78·3	48·9	63·8	0·47
GREENOCK, . .	1,440	70,253	48·787	10·70	43	19	5	72·0	48·5	60·3	0·78
PERTH,	2,122	34,214	16·123	18·62	21	13	6	78·0	39·0	61·6	0·37
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	1000	518	596	75·4	41·0	58·2	0·32

Week ending Saturday, JULY 22, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 22, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	15·2	1·8	510	101	132	0	21	1	3	12	2	22	0	62	21	143	13
GLASGOW, .	16·0	2·5	248	54	54	0	14	0	1	7	*1	16	0	29	9	64	6
EDINBURGH,	15·8	1·4	102	17	28	0	4	0	2	1	0	2	0	10	4	38	2
DUNDEE, . .	13·0	1·0	41	10	11	0	0	0	0	1	0	2	0	6	1	14	2
ABERDEEN, .	14·3	0·3	46	7	19	0	0	0	0	0	0	1	0	5	6	12	2
PAISLEY, . .	16·5	1·2	27	5	6	0	0	0	0	2	0	0	0	3	1	4	1
LEITH, . . .	9·0	1·3	14	3	5	0	1	0	0	0	0	1	0	2	0	3	0
GREENOCK, .	14·1	2·2	19	4	6	0	0	1	0	1	1	0	0	5	0	3	0
PERTH, . . .	19·8	3·0	13	1	3	0	2	0	0	0	0	0	0	2	0	5	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 23, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	15·7	2·1	518	108	120	2	12	3	3	22	3	23	1	74	25	131	26
GLASGOW, .	15·9	2·2	243	48	41	2	2	3	1	13	3	10	1	39	11	65	15
EDINBURGH,	14·9	2·0	95	18	32	0	6	0	1	2	0	4	0	11	4	26	5
DUNDEE, . .	17·5	1·9	55	11	15	0	0	0	0	2	0	4	0	9	3	9	1
ABERDEEN, .	13·0	1·6	41	12	13	0	0	0	0	2	0	3	0	4	1	10	1
PAISLEY, . .	21·1	3·1	34	9	5	0	0	0	1	3	0	1	0	2	1	9	2
LEITH, . . .	11·0	1·3	17	4	5	0	1	0	0	0	0	1	0	4	2	5	1
GREENOCK, .	18·7	2·2	25	6	6	0	3	0	0	0	0	0	0	4	3	4	1
PERTH, . . .	12·3	0·0	8	0	3	0	0	0	0	0	0	0	0	1	0	3	0

WEEKLY RETURN OF BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

10. 30. WEEK ENDING SATURDAY, JULY 29, 1905.

During the week ending 29th July 1905 there were registered in Eight of the Principal Towns the births of 933 living children, and the deaths of 513 persons. The births are equivalent to an annual birth-rate of 27·8 per thousand, and the deaths to an annual death-rate of 15·3 per thousand.

The death-rates for the three preceding weeks were 15·2, 14·3, and 14·7. The death-rate for this week is thus 0·1 above that for the week immediately preceding, and 0·6 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Perth, 21·3, and lowest in Leith, 10·9. In Aberdeen the rate was 11·2; in Glasgow, 14·4; in Greenock, 15·6; in Paisley, 15·8; in Edinburgh, 18·0; and in Dundee, 19·1.

Deaths from the principal epidemic diseases numbered 66; this is 5 more than in the previous week, and is equivalent to an annual death-rate from these causes of 2·0 per thousand. These deaths include 8 from measles, 5 from diphtheria, 14 from hooping-cough, and 39 from diarrhoeas. Deaths from measles are 13 fewer than in the previous week, from diphtheria and hooping-cough each 2 more, and from diarrhoeas 17 more. The highest death-rate for the week from these causes was in Perth, 7·6; and the lowest in Aberdeen and Leith, 0·6.

Deaths from pneumonia, bronchitis, and pleurisy numbered 70; being 8 more than in the previous week, and 17 more than in the corresponding week of 1904.

Deaths of children under one year of age numbered 136; this is 35 more than in the previous week, and 33 more than in the corresponding week of 1904. Deaths of persons of over sixty years numbered 110, which is 22 less than in the previous week, but 6 more than in the corresponding week of last year.

The mean temperature was 58°·8, being 3°·0 below that for the week immediately preceding, but 1°·1 above that for the corresponding week of 1904. The mean rainfall was 0·49 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 29, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending July 29, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	933	513	380	76·1	39·0	58·8	0·49
GLASGOW, . . .	12,681	809,986	63·874	9·35	447	223	71	71·3	44·8	59·4	0·50
EDINBURGH, .	11,416	336,390	29·483	13·77	167	116	115	69·1	46·8	58·8	0·33
DUNDEE, . . .	4,162	164,269	39·469	11·90	92	60	122	76·1	44·2	60·4	0·25
ABERDEEN, . .	6,795	167,537	24·656	15·06	83	36	24	71·4	41·8	55·0	0·29
PAISLEY, . . .	3,538	85,604	24·196	15·20	43	26	8	74·8	47·0	60·7	0·71
LEITH,	2,044	81,664	39·862	11·84	46	17	26	72·1	49·1	60·4*	0·29
GREENOCK, . .	1,440	70,253	48·787	10·70	39	21	6	70·5	47·0	58·2	1·26
PERTH,	2,122	34,214	16·123	18·62	16	14	8	72·0	39·0	57·9	0·32
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	907	466	317	73·4	46·0	57·7	0·02

* No readings were stated for Leith for Saturday the 29th.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 29, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 29, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.3	2.0	513	136	110	0	8	0	5	14	0	39	0	70	20	139	13	1
GLASGOW, .	14.4	1.9	223	61	44	0	5	0	1	4	0	20	0	34	9	66	7	1
EDINBURGH,	18.0	1.9	116	28	24	0	0	0	4	2	0	6	0	10	6	37	5	0
DUNDEE, . .	19.1	2.5	60	15	13	0	0	0	0	2	0	6	0	8	2	13	0	0
ABERDEEN, .	11.2	0.6	36	8	12	0	0	0	0	2	0	0	0	9	1	13	0	0
PAISLEY, . .	15.8	3.0	26	12	5	0	0	0	0	0	0	5	0	3	1	3	1	0
LEITH, . . .	10.9	0.6	17	5	4	0	0	0	0	0	0	1	0	1	1	4	0	0
GREENOCK, .	15.6	2.2	21	4	5	0	0	0	0	2	0	1	0	4	0	1	0	0
PERTH, . . .	21.3	7.6	14	3	3	0	3	0	0	2	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 30, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.1	1.8	466	103	104	0	7	2	2	19	4	24	2	53	22	131	13	0
GLASGOW, .	14.9	1.9	228	56	43	0	1	2	0	12	1	13	1	27	7	61	7	0
EDINBURGH,	12.9	1.6	82	16	18	0	4	0	2	3	1	0	1	9	6	27	5	0
DUNDEE, . .	16.6	2.2	52	9	15	0	1	0	0	1	2	3	0	6	4	15	1	0
ABERDEEN, .	10.8	1.0	34	11	9	0	0	0	0	0	0	3	0	4	1	11	0	0
PAISLEY, . .	19.9	2.5	32	5	9	0	0	0	0	2	0	2	0	3	0	7	0	0
LEITH, . . .	11.7	1.9	18	3	7	0	0	0	0	1	0	2	0	1	1	3	0	0
GREENOCK, .	9.0	1.5	12	2	1	0	1	0	0	0	0	1	0	1	2	1	0	0
PERTH, . . .	12.3	0.0	8	1	2	0	0	0	0	0	0	0	0	2	1	6	0	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31.

WEEK ENDING SATURDAY, AUGUST 5, 1905.

During the week ending 5th August 1905 there were registered in Eight of the Principal Towns the births of 925 living children, and the deaths of 496 persons. These births are equivalent to an annual birth-rate of 27·6 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 14·8 per thousand.

The death-rates for the three preceding weeks were 15·3, 15·2, and 14·3. The death-rate for the week was thus 0·5 less than that for the previous week, and 0·1 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Paisley, 18·3, and lowest in Aberdeen, 8·7. In Perth it was 16·8; in Greenock, 16·3; in Edinburgh, 16·0; in Glasgow, 15·7; in Dundee, 13·3; and in Leith, 10·2.

Deaths from the principal epidemic diseases numbered 94; this is 28 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·8 per thousand. These deaths include 15 from measles, 2 from scarlet fever, 2 from diphtheria, 14 from whooping-cough, 2 from enteric fever, and 59 from diarrhoeas. Deaths from each of these causes, except diphtheria, were more than in the previous week, those from diarrhoeas markedly so, and to a great extent account for the comparatively high death-rate from these causes for the week. Of these 59 deaths from diarrhoeas, 36 were in Glasgow. The death-rates from these causes ranged from 3·7 in Greenock to 0·6 in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 48; these are 22 fewer than in the previous week, but 1 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 117; these are 19 fewer than in the previous week, but 3 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 120; these are 10 more than in the previous week, but 1 fewer than in the corresponding week of last year.

The mean temperature was 57°·8, being 1°·0 below that for the week immediately preceding, and 4°·1 below that for the corresponding week of 1904. The mean rainfall was 1·22 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 5, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Aug. 5, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	925	496	231	71·0	40·8	57·8	1·22
GLASGOW, . . .	12,681	809,986	63·874	9·35	447	244	77	67·2	48·5	58·0	1·26
EDINBURGH, .	11,416	336,390	29·483	13·77	149	103	85	67·8	41·4	56·6	0·24
DUNDEE, . . .	4,162	164,269	39·469	11·90	79	42	11	69·0	49·2	58·7	1·38
ABERDEEN, . .	6,795	167,537	24·656	15·06	86	28	24	68·0	40·8	56·4	1·08
PAISLEY, . . .	3,538	85,604	24·196	15·20	55	30	5	68·1	49·9	58·7	1·55
LEITH,	2,044	81,664	39·862	11·84	54	16	13	69·9	50·3	59·8	0·65
GREENOCK, . .	1,440	70,253	48·787	10·70	41	22	9	64·5	44·0	56·5	2·52
PERTH,	2,122	34,214	16·123	18·62	14	11	7	71·0	47·0	58·0	1·07
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	950	483	229	77·2	46·0	61·9	1·25

Week ending Saturday, AUGUST 5, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 5, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.8	2.8	496	117	120	0	15	2	2	14	2	59	0	48	15	136	13	0
GLASGOW, .	15.7	3.4	244	62	46	0	10	0	2	4	1	36	0	24	7	64	4	0
EDINBURGH,	16.0	2.8	103	21	34	0	2	1	0	5	1	9	0	8	3	29	5	0
DUNDEE, . .	13.3	1.6	42	4	12	0	1	0	0	2	0	2	0	4	1	13	0	0
ABERDEEN, .	8.7	0.6	28	6	8	0	0	0	0	1	0	1	0	2	1	10	1	0
PAISLEY, . .	18.3	2.4	30	9	9	0	1	0	0	0	0	3	0	5	1	8	2	0
LEITH, . . .	10.2	3.2	16	6	4	0	0	0	0	1	0	4	0	1	0	4	0	0
GREENOCK, .	16.3	3.7	22	6	4	0	0	1	0	1	0	3	0	1	2	6	1	0
PERTH, . . .	16.8	3.0	11	3	3	0	1	0	0	0	0	1	0	3	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 6, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.6	2.6	483	114	121	0	5	1	2	26	3	48	0	47	16	124	17	3
GLASGOW, .	15.2	3.1	233	69	43	0	1	0	0	15	0	32	0	26	6	52	10	2
EDINBURGH,	13.8	1.7	88	13	28	0	1	1	1	3	1	4	0	8	5	31	2	0
DUNDEE, . .	15.3	1.9	48	8	14	0	0	0	0	2	0	4	0	4	3	12	1	1
ABERDEEN, .	14.6	1.9	46	13	21	0	1	0	1	0	0	4	0	1	0	14	2	0
PAISLEY, . .	11.8	3.7	19	2	4	0	0	0	0	4	1	1	0	2	1	3	2	0
LEITH, . . .	9.1	0.0	14	5	3	0	0	0	0	0	0	0	0	2	1	4	0	0
GREENOCK, .	15.0	3.7	20	2	5	0	2	0	0	1	0	2	0	2	0	3	0	0
PERTH, . . .	23.1	4.6	15	2	3	0	0	0	0	1	1	1	0	2	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 12, 1905.

During the week ending 12th August 1905 there were registered in Eight of the Principal Towns the births of 934 living children, and the deaths of 463 persons. These births are equivalent to an annual birth-rate of 27·8 per thousand of the estimated population of these towns, and these deaths to a death-rate of 13·8 per thousand.

The death-rates for the three preceding weeks were 14·8, 15·3, and 15·2. The death-rate for this week is thus 1·0 less than that for the previous week, and 1·3 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 17·8, and lowest in Dundee, 10·8. In Leith it was 16·6; in Perth, 15·2; in Edinburgh, 14·6; in Glasgow, 14·1; in Paisley, 11·6; and in Aberdeen, 11·5.

The principal epidemic diseases caused 68 deaths; these are 26 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 2·0 per thousand. These deaths include 2 from chicken-pox, 8 from measles, 2 from scarlet fever, 1 from diphtheria, 10 from hooping-cough, 1 from enteric fever, and 44 from diarrhoeas. Deaths from measles are 7 fewer than in the previous week, from scarlet fever of the same number, from diphtheria, 1 fewer, from hooping-cough 4 fewer, from enteric fever 1 fewer, and from diarrhoeas 15 fewer. The death-rate from these causes was for the week highest in Perth, 4·6, and lowest in Dundee and Aberdeen, 0·6.

Deaths from pneumonia, pleurisy, and bronchitis numbered 32; these are 16 fewer than in the previous week, and 6 fewer than in the corresponding week of last year.

Deaths of children of under one year old numbered 136; these are 19 more than in the previous week, but 25 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 109; these are 11 fewer than in the previous week, but 11 more than in the corresponding week of last year.

The mean temperature was 57°·1, being 0°·7 below that for the previous week, but 0°·4 above that for the corresponding week of 1904. The mean rainfall was 0·60 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 12, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Aug. 12, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	934	463	233	69·4	39·5	57·1	0·60
GLASGOW, . . .	12,681	809,986	63·874	9·35	430	219	92	66·8	46·4	57·3	0·61
EDINBURGH, . .	11,416	336,390	29·483	13·77	158	94	78	67·5	47·4	56·5	0·41
DUNDEE, . . .	4,162	164,269	39·469	11·90	91	34	14	69·4	46·3	57·4	0·94
ABERDEEN, . .	6,795	167,537	24·656	15·06	91	37	25	67·2	40·0	56·3	0·49
PAISLEY, . . .	3,538	85,604	24·196	15·20	31	19	9	67·6	47·0	58·1	0·57
LEITH,	2,044	81,664	39·862	11·84	61	26	7	67·8	48·8	58·1	0·51
GREENOCK, . .	1,440	70,253	48·787	10·70	55	24	5
PERTH,	2,122	34,214	16·123	18·62	17	10	3	67·0	39·5	55·7	0·69
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	915	519	207	72·1	41·0	56·7	1·58

* The meteorological readings for Leith are for six days only.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, AUGUST 12, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 12, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	13·8	2·0	463	136	109	2*	8	2	1	10	1	44	1	32	23	137	16
GLASGOW, .	14·1	2·9	219	70	40	0	5	1	0	5	0	34	1	16	10	61	9
EDINBURGH,	14·6	0·8	94	22	24	0	1	0	0	2	0	2	0	4	5	42	4
DUNDEE, . .	10·8	0·6	34	12	7	0	0	0	0	0	0	2	0	2	3	7	0
ABERDEEN, .	11·5	0·6	37	11	10	0	0	0	0	1	0	1	0	3	1	9	1
PAISLEY, . .	11·6	1·8	19	6	3	0	0	0	0	1	1	1	0	2	0	4	0
LEITH, . . .	16·6	2·6	26	11	7	2*	0	0	0	0	0	2	0	2	3	4	0
GREENOCK, .	17·8	3·0	24	2	14	0	0	1	0	1	0	2	0	3	1	6	2
PERTH, . . .	15·2	4·6	10	2	4	0	2	0	1	0	0	0	0	0	0	4	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 13, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15·7	3·3	519	161	98	0	6	2	5	26	2	68	1	38	17	123	13
GLASGOW, .	17·4	4·8	266	97	41	0	2	1	3	17	0	50	0	20	8	51	7
EDINBURGH,	15·2	1·9	97	19	18	0	2	1	1	5	1	2	1	8	3	40	0
DUNDEE, . .	14·7	2·6	46	14	13	0	0	0	0	0	0	8	0	6	0	7	1
ABERDEEN, .	15·6	1·6	49	18	15	0	1	0	0	0	0	4	0	3	4	10	2
PAISLEY, . .	8·1	1·9	13	4	1	0	0	0	0	2	0	1	0	0	0	0	2
LEITH, . . .	14·9	1·9	23	6	5	0	0	0	0	2	0	1	0	1	1	8	0
GREENOCK, .	12·7	3·0	17	2	4	0	1	0	0	0	1	2	0	0	1	3	1
PERTH, . . .	12·3	1·5	8	1	1	0	0	0	1	0	0	0	0	0	0	4	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 19, 1905.

During the week ending 19th August 1905 there were registered in Eight of the Principal Towns the births of 929 living children, and the deaths of 505 persons. These births are equivalent to an annual birth-rate of 27·7 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 15·1 per thousand.

The death-rates for the three preceding weeks were 13·8, 14·8, and 15·3. The death-rate for this week is thus 1·3 more than that for the previous week, and 0·5 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Paisley, 25·6, and lowest in Aberdeen, 10·9. In Leith it was 16·6; in Glasgow, 15·6; in Greenock, 15·6; in Dundee, 14·0; in Perth, 13·7; and in Edinburgh, 13·3.

The principal epidemic diseases were the cause of 74 deaths; these are 6 more than in the previous week, and equivalent to a death-rate from these causes of 2·2 per thousand. These deaths include 8 from measles, 1 from scarlet fever, 16 from hooping-cough, 5 from enteric fever, and 44 from diarrhoeas. Deaths from measles are of the same number as in the previous week, from scarlet fever 1 fewer, from hooping-cough 6 more, from enteric fever 4 more, and from diarrhoeas of the same number. The death-rate from these causes ranged from 4·9 in Paisley to 0 in Greenock.

To pneumonia, bronchitis, and pleurisy 40 deaths were due; these deaths are 8 more than in the previous week, but 7 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 106; these are 30 fewer than in the previous week, and 37 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 137; these are 28 more than in the previous week, and 10 more than in the corresponding week of last year.

The mean temperature was 58°·0, being 0°·9 above that for the week immediately preceding, and 3°·1 above that for the corresponding week of 1904. The mean rainfall was 0·74 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 19, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Aug. 19, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	929	505	243	70·2	40·0	58·0	0·74
GLASGOW, . . .	12,681	809,986	63·874	9·35	444	242	98	70·2	43·8	58·4	0·62
EDINBURGH, . .	11,416	336,390	29·483	13·77	145	86	46	67·4	50·1	57·8	0·34
DUNDEE, . . .	4,162	164,269	39·469	11·90	107	44	11	69·4	46·4	58·5	0·52
ABERDEEN, . .	6,795	167,537	24·656	15·06	86	35	19	67·2	42·6	57·2	0·83
PAISLEY, . . .	3,538	85,604	24·196	15·20	51	42	42	69·9	45·3	59·0	1·03
LEITH,	2,044	81,664	39·862	11·84	42	26	9	68·8	48·8	58·5	0·34
GREENOCK, . .	1,440	70,253	48·787	10·70	46	21	8	67·2	47·5	57·1	1·70
PERTH,	2,122	34,214	16·123	18·62	8	9	10	67·0	40·0	57·2	0·56
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	928	567	243	70·5	36·5	54·9	0·98

Week ending Saturday, AUGUST 19, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 19, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.1	2.2	505	106	137	0	8	1	0	16	5	44	1	40	18	138	13	1
GLASGOW, .	15.6	2.6	242	57	55	0	3	1	0	5	3	28	0	26	11	61	9	1
EDINBURGH,	13.3	1.7	86	17	21	0	2	0	0	5	1	3	1	4	2	32	0	0
DUNDEE, . .	14.0	1.3	44	6	14	0	1	0	0	2	0	1	0	4	2	9	1	0
ABERDEEN, .	10.9	2.2	35	8	13	0	0	0	0	1	0	6	0	2	1	10	0	0
PAISLEY, . .	25.6	4.9	42	9	16	0	0	0	0	3	1	4	0	1	0	9	3	0
LEITH, . . .	16.6	1.3	26	6	8	0	0	0	0	0	0	2	0	2	0	9	0	0
GREENOCK, .	15.6	0.0	21	2	6	0	0	0	0	0	0	0	0	0	2	6	0	0
PERTH, . . .	13.7	3.0	9	1	4	0	2	0	0	0	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 20, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.1	2.8	567	143	127	0	7	4	1	16	0	66	0	47	21	139	22	1
GLASGOW, . .	19.2	3.9	294	82	52	0	3	1	0	11	0	44	0	24	13	67	13	1
EDINBURGH,	14.8	1.4	94	18	29	0	1	2	1	1	0	4	0	10	5	35	1	0
DUNDEE, . .	16.6	1.9	52	15	11	0	0	0	0	2	0	4	0	6	1	6	1	0
ABERDEEN, .	14.6	2.5	46	9	12	0	1	1	0	1	0	5	0	1	1	14	0	0
PAISLEY, . .	21.1	3.1	34	9	13	0	1	0	0	1	0	3	0	1	0	9	3	0
LEITH, . . .	7.8	3.2	12	5	4	0	0	0	0	0	0	5	0	0	0	1	1	0
GREENOCK, .	20.2	0.7	27	4	4	0	1	0	0	0	0	0	0	4	1	6	3	0
PERTH, . . .	12.3	1.5	8	1	2	0	0	0	0	0	0	1	0	1	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 26, 1905.

During the week ending 26th August 1905 there were registered in Eight of the Principal Towns the births of 947 living children, and the deaths of 471 persons. These births are equivalent to an annual birth-rate of 28·2 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 14·0 per thousand.

The death-rates for the three preceding weeks were 15·1, 13·8, and 14·8. The rate for this week is thus 1·1 less than that for the previous week, and 0·6 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 16·8, and lowest in Greenock, 11·1. In Dundee it was 15·9; in Paisley, 15·8; in Glasgow, 14·4; in Edinburgh, 13·5; in Leith, 13·4; and in Aberdeen, 11·5.

The principal epidemic diseases were the cause of 91 deaths; these are 17 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·7 per thousand. These deaths included 9 from measles, 2 from scarlet fever, 18 from hooping-cough, 1 from enteric fever, and 61 from diarrhoeas. There were no deaths from diphtheria. Deaths from measles and scarlet fever are each 1 more than in the previous week, from hooping-cough 2 more, and from diarrhoeas 17 more, while deaths from enteric fever are 4 fewer. The highest death-rate from these causes was in Glasgow, 3·5, and the lowest in Dundee, 1·3.

Deaths from pneumonia, bronchitis, and pleurisy numbered 44; these are 4 more than in the previous week, but 11 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 129; these are 23 more than in the previous week, but 5 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 104; these are 33 fewer than in the previous week, and 19 fewer than in the corresponding week of last year.

The mean temperature was 55°·9, being 2°·1 below that for the week immediately preceding, but 2°·2 above that for the corresponding week of 1904. The mean rainfall was 0·59 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 26, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending Aug. 26, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	947	471	202	72·0	39·0	55·9	0·59
GLASGOW, . . .	12,681	809,986	63·874	9·35	436	224	100	69·2	45·4	56·2	0·54
EDINBURGH, . .	11,416	336,390	29·483	13·77	147	87	51	66·6	46·1	55·3	0·87
DUNDEE,	4,162	164,269	39·469	11·90	113	50	14	67·6	43·7	56·0	0·31
ABERDEEN, . . .	6,795	167,537	24·656	15·06	96	37	20	67·4	44·0	54·2	0·56
PAISLEY,	3,538	85,604	24·196	15·20	34	26	3	72·0	46·8	57·5	0·66
LEITH,	2,044	81,664	39·862	11·84	62	21	3	68·8	47·8	57·6	0·58
GREENOCK, . . .	1,440	70,253	48·787	10·70	43	15	7	67·5	46·2	55·7	0·87
PERTH,	2,122	34,214	16·123	18·62	16	11	4	70·0	39·0	54·7	0·34
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	949	537	193	67·3	38·0	53·7	0·34

Week ending Saturday, AUGUST 26, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 26, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	14.0	2.7	471	129	104	0	9	2	0	18	1	61	0	44	22	132	15
GLASGOW, .	14.4	3.5	224	58	39	0	9	0	0	11	1	34	0	24	13	57	6
EDINBURGH,	13.5	2.0	87	24	20	0	0	2	0	1	0	10	0	7	3	37	4
DUNDEE, . .	15.9	1.3	50	14	13	0	0	0	0	0	0	4	0	4	1	12	0
ABERDEEN, .	11.5	1.9	37	14	11	0	0	0	0	1	0	5	0	2	3	8	3
PAISLEY, . .	15.8	3.0	26	6	5	0	0	0	0	3	0	2	0	2	0	9	0
LEITH, . . .	13.4	1.9	21	7	6	0	0	0	0	1	0	2	0	3	2	3	2
GREENOCK, .	11.1	3.0	15	3	4	0	0	0	0	0	0	4	0	1	0	5	0
PERTH, . . .	16.8	1.5	11	3	6	0	0	0	0	1	0	0	0	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 27, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.2	2.9	537	134	123	0	10	4	1	24	2	56	0	55	22	132	17
GLASGOW, .	17.5	3.9	267	71	43	0	2	3	0	17	1	37	0	25	12	64	10
EDINBURGH,	16.8	2.7	107	22	35	0	4	0	0	4	1	8	0	10	2	37	4
DUNDEE, . .	17.2	1.3	54	12	12	0	0	0	1	0	0	3	0	4	2	12	0
ABERDEEN, .	11.4	1.3	36	14	9	0	1	1	0	1	0	1	0	10	0	8	0
PAISLEY, . .	16.1	3.1	26	6	9	0	1	0	0	2	0	2	0	1	0	3	2
LEITH, . . .	11.0	1.3	17	2	7	0	0	0	0	0	0	2	0	1	1	2	0
GREENOCK, .	15.7	3.0	21	4	4	0	2	0	0	0	0	2	0	4	1	4	1
PERTH, . . .	13.8	1.5	9	2	4	0	0	0	0	0	0	1	0	0	4	2	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 2, 1905.

During the week ending 2nd September 1905 there were registered in Eight of the Principal Towns the births of 836 living children, and the deaths of 496 persons. These births are equivalent to an annual birth-rate of 24·9 per thousand of the estimated population, and these deaths to an annual death-rate of 14·8 per thousand.

The death-rates for the three preceding weeks were 14·0, 15·1, and 13·8. The death-rate for this week is thus 0·8 more than that for the previous week, and 0·5 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 17·2, and lowest in Leith, 10·2. In Glasgow, it was 15·7; in Edinburgh, 14·9; in Paisley, 14·6; in Greenock, 13·4; in Perth, 12·2; and in Aberdeen, 11·2.

The principal epidemic diseases during the week were the cause of 96 deaths; these are 5 more than in the previous week, and equivalent to an annual mortality from these causes of 2·9 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 6 from diphtheria, 14 from hooping-cough, 3 from enteric fever, 1 from typhus fever, and 63 from diarrhoeas. Deaths from measles are 2 fewer than in the previous week, from scarlet fever of the same number, from diphtheria 6 more, from hooping-cough 4 fewer, from enteric fever 2 more, from typhus fever 1 more, and from diarrhoeas 2 more. The death-rate from these causes in the towns ranged from 4·1 in Dundee, to 0·6 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 53; these are 9 more than in the previous week, but the same number as in the corresponding week of last year.

Deaths of children of less than one year old numbered 135; these are 6 more than in the previous week, but 8 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 100; these are 4 fewer than in the previous week, and 14 fewer than in the corresponding week of last year.

The mean temperature was 55°·7, being 0°·2 below that for the week immediately preceding, and 3°·4 below that for the corresponding week of 1904. The mean rainfall was 0·66 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 2, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Sept. 2, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	836	496	241	66·3	37·0	55·7	0·66
GLASGOW, . . .	12,681	809,986	63·874	9·35	424	244	128	63·4	47·4	56·5	0·42
EDINBURGH, . .	11,416	336,390	29·483	13·77	124	96	36	62·5	42·4	54·5	0·67
DUNDEE, . . .	4,162	164,269	39·469	11·90	81	54	21	65·7	38·4	55·2	0·54
ABERDEEN, . .	6,795	167,537	24·656	15·06	84	36	30	65·4	45·1	55·2	0·71
PAISLEY, . . .	3,538	85,604	24·196	15·20	40	24	0	66·3	43·1	57·0	0·65
LEITH,	2,044	81,664	39·862	11·84	36	16	9	65·9	45·4	56·2	1·06
GREENOCK, . .	1,440	70,253	48·787	10·70	33	18	11	63·5	43·5	55·7	0·82
PERTH,	2,122	34,214	16·123	18·62	14	8	6	65·0	37·0	55·5	0·41
Corresponding Week of 1904—Eight Towns.	44,198	1,726,236	39·057	11·96	927	530	266	78·9	40·0	59·1	1·13

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 9, 1905.

During the week ending Saturday 9th September 1905 there were registered in Eight of the Principal Towns the births of 893 living children, and the deaths of 469 persons. These births are equivalent to an annual birth-rate of 26·6 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 14·0 per thousand.

The death-rates for the three preceding weeks were 14·8, 14·0, and 15·1. The rate for this week is thus 0·8 less than that for the previous week, and 0·6 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 17·5, and lowest in Greenock, 10·4. In Paisley, it was 14·6; in Glasgow, 14·2; in Perth, 13·7; in Edinburgh, 13·5; in Leith, 13·4; and in Aberdeen, 12·1.

Deaths from the principal epidemic diseases numbered 69; this is 27 fewer than in the previous week, and equivalent to an annual mortality from these causes of 2·1 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 4 from diphtheria, 9 from hooping-cough, 5 from enteric fever, 1 from typhus fever, and 41 from diarrhoeas. Compared to the returns of the previous week deaths from measles, scarlet fever, and typhus fever are of the same number, from diphtheria 2 fewer, from hooping-cough 5 fewer, from enteric 2 more, while the deaths from diarrhoeas are 22 fewer. The death-rate from these causes ranged from 0·6 in Leith to 3·0 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 60; these are 7 more than in the previous week, and 2 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 120; these are 15 fewer than in the previous week, and 18 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 109; these are 9 more than in the previous week, but 26 fewer than in the corresponding week of last year.

The mean temperature was 56°·8, being 1°·1 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1904. The mean rainfall was 0·81 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 9, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Sept. 9, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	893	469	263	69·5	43·1	56·8	0·81
GLASGOW, . . .	12,681	809,986	63·874	9·35	440	220	113	66·2	47·0	57·0	1·06
EDINBURGH, .	11,416	336,390	29·483	13·77	154	87	71	64·7	43·1	55·8	0·32
DUNDEE, . . .	4,162	164,269	39·469	11·90	70	55	11	69·1	47·0	57·7	0·32
ABERDEEN, . .	6,795	167,537	24·656	15·06	100	39	39	69·2	46·2	57·0	0·36
PAISLEY, . . .	3,538	85,604	24·196	15·20	46	24	4	66·9	47·0	56·8	1·70
LEITH,	2,044	81,664	39·862	11·84	38	21	9	65·9	48·4	58·0	0·63
GREENOCK, . .	1,440	70,253	48·787	10·70	30	14	9	62·2	46·0	55·3	1·40
PERTH,	2,122	34,214	16·123	18·62	15	9	7	69·5	46·0	56·6	0·68
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	850	519	242	68·6	39·0	55·5	1·07

Week ending Saturday, SEPTEMBER 9, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 9, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14.0	2.1	469	120	109	0	7	2	4	9	6*	41	0	60	21	129	15	0
GLASGOW, .	14.2	2.3	220	61	38	0	6	0	3	5	5*	17	0	36	11	58	10	0
EDINBURGH,	13.5	2.3	87	18	25	0	1	1	1	3	1	8	0	9	4	27	4	0
DUNDEE, . .	17.5	1.0	55	12	17	0	0	0	0	0	0	3	0	8	3	22	0	0
ABERDEEN, .	12.1	2.2	39	13	11	0	0	0	0	0	0	7	0	1	0	4	1	0
PAISLEY, . .	14.6	3.0	24	8	5	0	0	0	0	1	0	4	0	2	0	6	0	0
LEITH, . . .	13.4	0.6	21	2	8	0	0	0	0	0	0	1	0	3	3	5	0	0
GREENOCK, .	10.4	0.7	14	3	2	0	0	1	0	0	0	0	0	1	0	4	0	0
PERTH, . . .	13.7	1.5	9	3	3	0	0	0	0	0	0	1	0	0	0	3	0	0

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 10, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	15.7	2.6	519	138	135	0	5	2	5	17	5	52	0	58	23	109	16	0		
GLASGOW, .	15.1	2.6	231	54	42	0	4	1	2	9	2	22	0	28	9	55	9	0		
EDINBURGH,	14.0	2.2	89	30	26	0	1	0	2	3	1	7	0	10	3	22	4	0		
DUNDEE, . .	18.5	3.5	58	18	19	0	0	0	0	2	0	9	0	6	3	9	1	0		
ABERDEEN, .	18.4	1.6	58	11	25	0	0	1	1	0	0	3	0	9	3	11	1	0		
PAISLEY, . .	18.6	5.6	30	14	6	0	0	0	0	1	1	7	0	1	1	4	1	0		
LEITH, . . .	9.7	0.6	15	4	6	0	0	0	0	0	1	0	0	0	1	5	0	0		
GREENOCK, .	18.7	4.5	25	6	7	0	0	0	0	2	0	4	0	3	2	1	0	0		
PERTH, . . .	20.0	0.0	13	1	4	0	0	0	0	0	0	0	0	1	1	2	0	0		

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 16, 1905.

During the week ending 16th September 1905 there were registered in Eight of the Principal Towns the births of 872 living children, and the deaths of 503 persons. The births are at the annual rate of 26·0 per thousand of the estimated population of these towns, and the deaths at the annual rate of 15·0 per thousand.

The death-rates for the three preceding weeks were 14·0, 14·8, and 14·0. The rate for this week is thus 1·0 above that for the week immediately preceding, and 0·7 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Glasgow and Leith, 16·6 per thousand, and lowest in Perth, 10·7 per thousand. The rate in Greenock was 15·6; in Edinburgh, 14·0; in Dundee, 13·3; in Aberdeen, 12·8; and in Paisley, 11·0.

The deaths from the principal epidemic diseases numbered 71; this is 2 more than in the previous week, and is equivalent to an annual mortality from these causes of 2·1 per thousand. Of these deaths 3 were due to measles, 5 to scarlet fever, 11 to diphtheria, 10 to whooping-cough, 3 to typhus, 7 to enteric fever, and 32 to diarrhoeal diseases. Deaths from measles are 4 fewer than in the previous week, from scarlet fever 3 more, from diphtheria 7 more, from whooping-cough 1 more, from typhus 2 more, from enteric fever 2 more, and from diarrhoeal diseases 9 fewer.

Pneumonia, bronchitis, and pleurisy accounted for 63 deaths; which is 3 more than in the previous week, and 9 more than in the corresponding week of 1904.

Deaths of children less than one year old numbered 108; this is 12 less than in the week immediately preceding, and 40 less than in the corresponding week of 1904. Deaths of persons over sixty years numbered 95, and were 14 less than in the previous week, and 26 less than in the corresponding week of last year.

The mean temperature was 52°·5, being 4°·3 below that for the week immediately preceding, and 1°·2 below that for the corresponding week of 1904. The mean rainfall was 0·23 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 16, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Sept. 16, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	872	503	245	66·0	34·0	52·5	0·23
GLASGOW, . . .	12,681	809,986	63·874	9·35	454	258	116	62·4	38·2	52·2	0·44
EDINBURGH, . .	11,416	336,390	29·483	13·77	132	90	54	62·2	43·7	52·4	0·17
DUNDEE, . . .	4,162	164,269	39·469	11·90	74	42	13	64·8	41·2	53·0	0·15
ABERDEEN, . .	6,795	167,537	24·656	15·06	87	41	20	63·6	36·0	50·8	0·15
PAISLEY, . . .	3,538	85,604	24·196	15·20	44	18	14	66·0	41·9	53·9	0·44
LEITH, . . .	2,044	81,664	39·862	11·84	34	26	7	64·0	45·9	54·7	0·18
GREENOCK, . .	1,440	70,253	48·787	10·70	35	21	15
PERTH, . . .	2,122	34,214	16·123	18·62	12	7	6	63·5	34·0	50·8	0·08
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	945	547	243	71·0	34·0	53·7	0·27

Week ending Saturday, SEPTEMBER 16, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 16, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.0	2.1	503	108	95	0	3	5	11	10	10	32	0	63	19	134	16	4
GLASGOW, . .	16.6	2.4	258	56	43	0	2	2	7	4	4*	19	0	40	11	65	8	4
EDINBURGH,	14.0	1.6	90	16	19	0	0	0	2	2	2	4	0	7	3	29	4	0
DUNDEE, . .	13.3	1.9	42	8	7	0	0	0	2	1	1†	2	0	6	0	13	0	0
ABERDEEN, .	12.8	1.6	41	10	11	0	0	1	0	0	1	3	0	6	1	11	3	0
PAISLEY, . .	11.0	2.4	18	5	4	0	1	0	0	1	1	1	0	1	1	5	0	0
LEITH, . . .	16.6	3.2	26	9	7	0	0	1	0	0	1	3	0	3	1	5	1	0
GREENOCK, .	15.6	2.2	21	3	4	0	0	1	0	2	0	0	0	0	2	4	0	0
PERTH, . . .	10.7	0.0	7	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0

* Two Typhus.

† Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 17, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.5	3.1	547	148	121	1	3	2	7	13	8	69	1	54	18	136	17	3
GLASGOW, .	17.8	3.6	272	80	50	1	2	0	2	6	2	42	0	22	10	64	10	3
EDINBURGH,	15.1	1.7	96	12	27	0	1	0	2	4	0	4	0	14	4	30	4	0
DUNDEE, . .	16.0	3.8	50	17	13	0	0	0	0	1	2	9	1	4	0	9	1	0
ABERDEEN, .	14.3	1.9	45	14	10	0	0	2	0	0	0	4	0	4	1	13	0	0
PAISLEY, . .	13.0	3.1	21	6	5	0	0	0	0	0	1	4	0	2	0	5	0	0
LEITH, . . .	17.5	3.2	27	8	8	0	0	0	0	1	1	3	0	2	3	5	0	0
GREENOCK, .	16.5	5.2	22	7	4	0	0	0	2	1	2	2	0	4	0	4	2	0
PERTH, . . .	21.5	3.1	14	4	4	0	0	0	1	0	0	1	0	2	0	6	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 23, 1905.

During the week ending 23rd September 1905 there were registered in Eight of the Principal Towns the births of 846 living children, and the deaths of 453 persons. The births are at the annual rate of 25·2 per thousand of the estimated population, and the deaths at the annual rate of 13·5 per thousand.

The death-rates for the three preceding weeks were 15·0, 14·0, and 14·8. The rate for the week is thus 1·5 below that for the week immediately preceding, and 1·1 below the mean rate of the three preceding weeks.

The death-rate for the week was highest in Perth, 16·8 per thousand, and lowest in Leith, 9·0 per thousand. The rate in Dundee was 14·6; in Glasgow, 14·2; in Edinburgh, 13·8; in Paisley and in Greenock, 13·4; and in Aberdeen, 10·0.

The deaths from the principal epidemic diseases numbered 59, being 12 fewer than in the preceding week, and equivalent to an annual mortality-rate from these causes of 1·8 per thousand. Of these deaths 2 were due to measles, 3 to scarlet fever, 3 to diphtheria, 8 to whooping-cough, 5 to enteric fever, and 38 to diarrhoeal diseases. Deaths from measles are 1 fewer than in the previous week, from scarlet fever 2 fewer, from diphtheria 8 fewer, from whooping-cough 2 fewer, from enteric fever 2 fewer, and from diarrhoeal diseases 6 more.

Pneumonia, bronchitis, and pleurisy caused 56 deaths, being 7 fewer than in the previous week, and 9 fewer than in the corresponding week of 1904.

Deaths of children less than one year old numbered 99; this is 9 fewer than in the previous week, and 23 fewer than in the corresponding week of 1904. Deaths of persons over sixty years numbered 124; this is 29 more than in the previous week, but 8 fewer than in the corresponding week of 1904.

The mean temperature was 52°·5, being the same as that for the previous week, but 0°·9 below that for the corresponding week of 1904. The mean rainfall was 0·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 23, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Sept. 23, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	846	453	234	67·0	30·0	52·5	0·03
GLASGOW, . . .	12,681	809,986	63·874	9·35	408	221	111	65·0	34·5	52·8	0·00
EDINBURGH, .	11,416	336,390	29·483	13·77	126	89	54	59·7	42·4	52·4	0·00
DUNDEE, . . .	4,162	164,269	39·469	11·90	73	46	16	65·4	36·4	52·3	0·04
ABERDEEN, . .	6,795	167,537	24·656	15·06	106	32	22	67·0	34·8	52·9	0·10
PAISLEY, . . .	3,538	85,604	24·196	15·20	41	22	6	65·1	35·0	53·4	0·02
LEITH,	2,044	81,664	39·862	11·84	41	14	8	62·7	39·9	53·7	0·01
GREENOCK, . .	1,440	70,253	48·787	10·70	36	18	12	60·2	41·0	51·9	0·06
PERTH,	2,122	34,214	16·123	18·62	15	11	5	64·0	30·0	50·6	0·00
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	883	529	260	71·7	35·5	53·4	0·05

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 30, 1905.

During the week ending 30th September 1905 there were registered in Eight of the Principal Towns the births of 864 living children, and the deaths of 487 persons. The births are at the annual rate of 25·8 per thousand of the estimated population of these towns, and the deaths at the annual rate of 14·5 per thousand.

The deaths for the three preceding weeks were 13·5, 15·0, and 14·0. The rate for this week is thus 1·0 above that for the week immediately preceding, and 0·3 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 17·8 per thousand, and lowest in Perth, 9·1 per thousand. The rate in Glasgow was 16·5; in Dundee, 15·9; in Edinburgh, 12·4; in Aberdeen, 11·5; in Leith, 10·9; and in Paisley, 10·4.

The deaths from the principal epidemic diseases numbered 56, which is 3 less than in the previous week, and is equivalent to an annual death-rate from these causes of 1·7 per thousand. Of these deaths 7 were due to measles, 2 to scarlet fever, 6 to diphtheria, 4 to hooping-cough, 1 to enteric fever, and 36 to diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 5 more, from scarlet fever 1 fewer, from diphtheria 3 more, from hooping-cough 4 fewer, from enteric 4 fewer, and from diarrhoeal diseases 2 fewer.

Pneumonia, bronchitis, and pleurisy caused 73 deaths, being 17 more than in the previous week, but 1 less than in the corresponding week of 1904.

Deaths of children less than one year old numbered 109; this is 10 more than in the previous week, but 46 less than in the corresponding week of 1904. Deaths of persons over sixty years numbered 117, and were 7 fewer than in the previous week, and 29 fewer than in the corresponding week of 1904.

The mean temperature was 50°·4, being 2°·1 below that for the week immediately preceding, and 0°·6 below that for the corresponding week of 1904. The mean rainfall was 0·49 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 30, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Sept. 30, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	864	487	246	64·8	32·6	50·4	0·49
GLASGOW, . . .	12,681	809,986	63·874	9·35	394	256	133	60·8	32·6	50·8	0·10
EDINBURGH, . .	11,416	336,390	29·483	13·77	161	80	50	53·7	39·7	48·9	0·69
DUNDEE, . . .	4,162	164,269	39·469	11·90	96	50	9	59·6	39·2	50·0	0·60
ABERDEEN, . . .	6,795	167,537	24·656	15·06	82	37	25	58·4	41·0	50·6	0·94
PAISLEY, . . .	3,538	85,604	24·196	15·20	27	17	9	64·8	39·9	51·8	0·07
LEITH,	2,044	81,664	39·862	11·84	42	17	6	56·4	42·7	51·4	0·79
GREENOCK, . . .	1,440	70,253	48·787	10·70	47	24	11	61·0	40·0	51·6	0·07
PERTH,	2,122	34,214	16·123	18·62	15	6	3	58·0	33·0	48·1	0·64
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	885	550	294	64·5	37·0	51·0	0·99

Week ending Saturday, SEPTEMBER 30, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 30, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.5	1.7	487	109	117	0	7	2	6	4	1	36	4	73	25	114	14	3
GLASGOW, .	16.5	2.1	256	56	57	0	5	1	3	2	0	21	0	40	13	65	10	2
EDINBURGH,	12.4	0.8	80	16	27	0	0	0	2	0	1	2	1	8	1	25	2	0
DUNDEE, . .	15.9	2.5	50	15	7	0	0	1	0	0	0	7	1	10	3	8	0	0
ABERDEEN, .	11.5	0.6	37	9	13	0	1	0	0	0	0	1	1	7	3	7	1	1
PAISLEY, . .	10.4	2.4	17	3	3	0	0	0	0	1	0	3	0	2	1	2	1	0
LEITH, . . .	10.9	1.3	17	4	3	0	0	0	0	1	0	1	0	4	1	2	0	0
GREENOCK, .	17.8	1.5	24	6	5	0	1	0	0	0	0	1	1	2	3	2	0	0
PERTH, . . .	9.1	1.5	6	0	2	0	0	0	1	0	0	0	0	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, October 1, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.6	3.1	550	155	146	*1	1	4	4	23	11	58	1	74	20	135	12	1
GLASGOW, .	16.3	3.3	249	72	57	*1	0	3	0	15	3	28	1	32	12	61	7	1
EDINBURGH,	14.8	2.4	94	24	31	0	0	0	1	5	0	9	0	11	1	24	4	0
DUNDEE, . .	18.8	3.5	59	22	14	0	0	0	1	1	0	9	0	5	3	17	1	0
ABERDEEN, .	15.6	1.9	49	8	19	0	1	0	1	0	0	4	0	7	1	9	0	0
PAISLEY, . .	13.6	3.1	22	6	8	0	0	1	0	0	1	3	0	5	0	4	0	0
LEITH, . . .	18.8	3.2	29	12	6	0	0	0	0	1	0	4	0	7	1	5	0	0
GREENOCK, .	26.2	6.7	35	8	7	0	0	0	1	0	7	1	0	7	2	10	0	0
PERTH, . . .	20.0	1.5	13	3	4	0	0	0	0	1	0	0	0	0	0	5	0	0

* Chicken-pox.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

o. 40. WEEK ENDING SATURDAY, OCTOBER 7, 1905.

During the week ending 7th October 1905 there were registered in Eight of the Principal Towns the births of 959 living children, and the deaths of 499 persons. The births are at the annual rate of 28·6 per thousand of the estimated population of these towns, and the deaths at the annual rate of 14·9 per thousand.

The death-rates for the three preceding weeks were 14·5, 13·5, and 15·0. The rate for this week is thus 0·4 above that for the week immediately preceding, and 0·6 above the mean rate for the three preceding weeks.

The highest death-rate for the week was recorded in Aberdeen, 18·1 per thousand, and the lowest in Paisley, 9·1 per thousand. The rate in Dundee was 17·5; in Edinburgh, 15·2; in Glasgow, 15·1; in Perth, 12·2; in Greenock, 11·1; and in Leith, 10·2.

The deaths from the principal epidemic diseases numbered 58, which is 2 more than in the previous week, and is equivalent to an annual death-rate from these causes of 1·7 per thousand. Of these deaths 7 were due to measles, 2 to scarlet fever, 3 to diphtheria, 4 to whooping-cough, 5 to enteric fever, and 37 to diarrhoeal diseases. The deaths from measles, from scarlet fever, and from whooping-cough are the same as the number for the previous week, those from diphtheria are 3 fewer, from enteric fever 4 more, and from diarrhoeal diseases 1 more.

Pneumonia, bronchitis, and pleurisy accounted for 65 deaths, which is 8 fewer than in the preceding week, and 6 fewer than in the corresponding week of last year.

Deaths of infants under one year of age numbered 101; this is 8 below the number for the previous week, and 21 below that for the corresponding week of 1904. Deaths of persons aged over sixty years numbered 134, and were 17 more than in the previous week, and 17 more than in the corresponding week of 1904.

The mean temperature was 46°·9, being 3°·5 below that for the week immediately preceding, and 1°·9 below that for the corresponding week of 1904. The mean rainfall was 0·77 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 7, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Oct. 7, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	959	499	286	59·8	32·5	46·9	0·77
GLASGOW, . . .	12,681	809,986	63·874	9·35	464	234	140	59·8	33·6	47·7	1·03
EDINBURGH, . .	11,416	336,390	29·483	13·77	138	98	60	56·6	37·2	46·2	0·46
DUNDEE, . . .	4,162	164,269	39·469	11·90	95	55	30	57·6	34·5	46·1	0·41
ABERDEEN, . .	6,795	167,537	24·656	15·06	104	58	23	59·1	37·0	45·6	0·75
PAISLEY, . . .	3,538	85,604	24·196	15·20	35	15	8	58·9	34·9	48·8	1·25
LEITH,	2,044	81,664	39·862	11·84	56	16	14	57·9	39·5	48·6	0·53
GREENOCK, . .	1,440	70,253	48·787	10·70	44	15	9	55·0	35·5	46·8	1·63
PERTH,	2,122	34,214	16·123	18·62	23	8	2	57·0	32·5	45·6	0·10
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	911	501	279	63·7	35·0	48·8	0·64

Week ending Saturday, OCTOBER 7, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 7, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	14.9	1.7	499	101	134	0	7	2	3	4	5	37	0	65	30	147	17	5
GLASGOW, .	15.1	1.9	234	51	48	0	7	2	1	2	0	18	0	32	12	75	6	3
EDINBURGH,	15.2	1.6	98	13	35	0	0	0	2	1	0	7	0	10	9	33	6	0
DUNDEE, . .	17.5	1.9	55	7	18	0	0	0	0	0	1	5	0	10	4	18	0	1
ABERDEEN, .	18.1	1.6	58	18	17	0	0	0	0	0	0	5	0	3	2	12	3	1
PAISLEY, . .	9.1	1.2	15	2	6	0	0	0	0	0	2	0	0	3	2	4	1	0
LEITH, . . .	10.2	1.9	16	3	4	0	0	0	0	1	1	1	0	2	0	4	0	0
GREENOCK, .	11.1	0.7	15	5	2	0	0	0	0	0	1	0	0	3	1	0	1	0
PERTH, . . .	12.2	1.5	8	2	4	0	0	0	0	0	0	1	0	2	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 8, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.1	2.1	501	122	117	0	3	1	5	20	6	36	2	71	26	111	13	1
GLASGOW, .	15.2	2.0	233	51	50	0	1	1	1	10	0	18	1	34	15	56	3	0
EDINBURGH,	12.7	1.7	81	19	22	0	0	0	0	2	1	8	0	12	2	15	7	0
DUNDEE, . .	20.4	4.1	64	18	17	0	0	0	3	2	0	8	0	7	5	16	1	1
ABERDEEN, .	12.4	1.0	39	10	9	0	1	0	0	2	0	0	0	4	2	7	1	0
PAISLEY, . .	17.4	4.3	28	4	9	0	1	0	0	4	0	2	0	3	0	7	0	0
LEITH, . . .	13.0	0.0	20	10	1	0	0	0	0	0	0	0	0	4	1	1	1	0
GREENOCK, .	20.2	3.7	27	7	6	0	0	0	1	0	4	0	1	6	1	8	0	0
PERTH, . . .	13.8	1.5	9	3	3	0	0	0	0	0	1	0	0	1	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 14, 1905.

During the week ending 14th October 1905 there were registered in Eight of the Principal Towns the births of 899 living children, and the deaths of 547 persons. The births are equivalent to an annual rate of 26·8 per thousand of the estimated population, and the deaths to an annual rate of 16·3 per thousand.

The death-rates for the three preceding weeks were 14·9, 14·5, and 13·5. The rate for this week is thus 1·4 above that for the week immediately preceding, and 2·0 above the mean rate for the three preceding weeks.

The highest death-rate for the week was in Greenock, 18·6 per thousand, and the lowest in Perth, 10·7 per thousand. In Edinburgh and in Paisley the rate was 17·1; in Glasgow, 16·7; in Dundee, 15·9; in Aberdeen, 14·3; and in Leith, 14·1.

The seven principal epidemic diseases accounted for 55 deaths, which is 3 less than the number for the previous week; the equivalent annual death-rate is 1·6 per thousand. Of these deaths 10 were due to measles, 1 to scarlet fever, 8 each to diphtheria and whooping-cough, 5 to enteric fever, and 23 to diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 3 more, from scarlet fever 1 fewer, from diphtheria 5 more, from whooping-cough 4 more, from enteric fever of the same number, and from diarrhoea 14 fewer.

Deaths from pneumonia, bronchitis, and pleurisy numbered 104, which is 39 more than in the previous week, and 30 more than in the corresponding week of 1904.

Deaths of infants under one year of age numbered 129; this is 28 more than in the previous week, and 6 more than in the corresponding week of last year. Deaths of persons aged sixty years and upwards numbered 144, which is 10 above the number for the previous week, and 25 above that for the corresponding week of 1904.

The mean temperature was 50°·5, being 3°·6 above that for the week immediately preceding, and 4°·3 above that for the corresponding week of 1904. The mean rainfall was 0·52 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 14, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Oct. 14, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	899	547	255	65·7	33·7	50·5	0·52
GLASGOW, . . .	12,681	809,986	63·874	9·35	446	259	108	62·0	36·2	51·1	0·43
EDINBURGH, .	11,416	336,390	29·483	13·77	149	110	43	60·9	34·0	51·2	0·77
DUNDEE, . . .	4,162	164,269	39·469	11·90	81	50	64	60·9	33·7	50·0	0·25
ABERDEEN, . .	6,795	167,537	24·656	15·06	102	46	23	60·0	34·2	50·0	0·28
PAISLEY, . . .	3,538	85,604	24·196	15·20	33	28	6	65·7	36·0	51·9	0·57
LEITH,	2,044	81,664	39·862	11·84	44	22	5	63·6	37·9	50·7	0·92
GREENOCK, . .	1,440	70,253	48·787	10·70	30	25	3	58·0	34·5	49·2	0·68
PERTH,	2,122	34,214	16·123	18·62	14	7	3	63·0	35·0	49·7	0·30
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	970	522	273	59·6	26·0	46·2	0·13

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 14, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 14, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.3	1.6	547	129	144	0	10	1	8	8	5	23	2	104	20	123	22	1
GLASGOW, .	16.7	1.9	259	67	53	0	8	1	2	4	1	13	1	55	13	57	14	1
EDINBURGH,	17.1	1.4	110	25	32	0	0	0	2	2	0	5	1	19	2	29	5	0
DUNDEE, . .	15.9	1.9	50	11	13	0	2	0	1	1	1	1	0	4	1	13	1	0
ABERDEEN, .	14.3	1.2	46	15	20	0	0	0	1	0	0	3	0	8	1	14	0	0
PAISLEY, . .	17.1	1.8	28	3	6	0	0	0	1	0	2	0	0	10	0	3	1	0
LEITH, . . .	14.1	1.3	22	4	6	0	0	0	0	1	0	1	0	3	2	4	0	0
GREENOCK, .	18.6	1.5	25	3	11	0	0	0	1	0	1	0	0	4	0	2	1	0
PERTH, . . .	10.7	0.0	7	1	3	0	0	0	0	0	0	0	0	1	1	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 15, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.8	2.3	522	123	119	0	5	4	8	21	6	31	2	74	20	136	20	5
GLASGOW, .	16.6	2.4	254	60	48	0	3	2	2	12	2	15	1	40	10	75	11	5
EDINBURGH,	13.4	2.0	85	17	30	0	0	1	3	5	0	4	0	10	1	26	6	0
DUNDEE, . .	14.7	1.9	46	9	10	0	0	0	1	0	1	4	1	4	5	10	1	0
ABERDEEN, .	15.3	2.2	48	13	13	0	2	1	0	1	0	3	0	2	1	8	0	0
PAISLEY, . .	16.1	2.5	26	6	6	0	0	0	0	2	0	2	0	5	0	5	1	0
LEITH, . . .	18.8	1.3	29	10	6	0	0	0	0	0	0	2	0	10	2	4	1	0
GREENOCK, .	19.4	3.7	26	7	3	0	0	0	1	1	2	1	0	3	1	5	0	0
PERTH, . . .	12.3	3.1	8	1	3	0	0	0	1	0	1	0	0	0	0	3	0	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 21, 1905.

During the week ending 21st October 1905 there were registered in Eight of the Principal Towns the births of 945 living children, and the deaths of 545 persons. The births are equivalent to an annual rate of 28·2 per thousand of the estimated population, and the deaths to an annual rate of 16·3 per thousand.

The death-rates for the three preceding weeks were 16·3, 14·9, and 14·5. The rate is thus the same as the rate for the week immediately preceding, but 1·1 more than the mean of the rates of the three preceding weeks.

The death-rate for the week was highest in Perth, 22·9, and lowest in Aberdeen, 9·3. In Glasgow it was 18·4; in Dundee, 18·1; in Greenock, 15·6; in Edinburgh, 15·3; in Paisley, 11·6; and in Leith, 11·5.

The seven principal epidemic diseases accounted for 75 deaths, which is 20 more than the number for the previous week; the equivalent annual death-rate is 2·2 per thousand. Of these deaths 22 were due to measles, of which 19 occurred in Glasgow, 7 to scarlet fever, 7 to diphtheria, 8 to whooping-cough, 1 each to enteric fever and typhus fever, and 29 to diarrhoeal diseases. Compared with the numbers for the previous week, deaths from measles are 12 more, from scarlet fever 6 more, from diphtheria 1 fewer, from whooping-cough of the same number, from enteric fever 4 fewer, from typhus fever 1 more, and from diarrhoeal diseases 6 more.

Deaths from pneumonia, bronchitis, and pleurisy numbered 105, which is 1 more than in the previous week, and 14 more than in the corresponding week of last year.

Deaths of infants under one year of age numbered 116; this is 13 fewer than in the previous week, and 37 fewer than in the corresponding week of last year. Deaths of persons aged sixty years and upwards numbered 136; this is 8 fewer than in the previous week, but 27 more than in the corresponding week of last year.

The mean temperature was 39°·4, being 11°·1 below that for the week immediately preceding, and 11°·7 below that for the corresponding week of 1904. The mean rainfall was 0·15 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 21, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Oct. 21, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	945	545	188	58·5	21·0	39·4	0·15
GLASGOW, . . .	12,681	809,986	63·874	9·35	462	286	90	55·2	22·8	38·6	0·08
EDINBURGH, . .	11,416	336,390	29·483	13·77	149	99	53	52·7	31·1	39·3	0·10
DUNDEE, . . .	4,162	164,269	39·469	11·90	89	57	13	53·8	27·2	39·4	0·13
ABERDEEN, . .	6,795	167,537	24·656	15·06	93	30	18	47·0	33·1	39·0	0·58
PAISLEY, . . .	3,538	85,604	24·196	15·20	52	19	5	53·1	26·8	40·3	0·05
LEITH,	2,044	81,664	39·862	11·84	48	18	2	48·8	33·0	40·4	0·11
GREENOCK, . .	1,440	70,253	48·787	10·70	38	21	3	58·5	30·0	40·3	0·02
PERTH,	2,122	34,214	16·123	18·62	14	15	4	56·0	21·0	38·1	0·12
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	950	547	218	61·9	34·0	51·1	0·32

Week ending Saturday, OCTOBER 21, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 21, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.3	2.2	545	116	136	0	22	7	7	8	2	29	3	105	17	159	12	3
GLASGOW, .	18.4	3.0	286	63	50	0	19	2	4	4	2*	16	2	55	11	91	6	2
EDINBURGH,	15.3	1.2	99	19	38	0	0	1	1	2	0	4	1	21	2	31	4	0
DUNDEE, . .	18.1	1.6	57	14	11	0	2	0	1	1	0	1	0	12	2	16	0	0
ABERDEEN, .	9.3	0.9	30	7	13	0	0	0	0	1	0	2	0	3	1	5	0	0
PAISLEY, . .	11.6	0.6	19	3	9	0	0	0	0	0	0	1	0	3	0	2	2	0
LEITH, . . .	11.5	1.3	18	8	4	0	0	0	0	0	0	2	0	4	0	2	0	1
GREENOCK, .	15.6	4.5	21	2	7	0	0	4	0	0	0	2	0	4	0	7	0	0
PERTH, . . .	22.9	4.6	15	0	4	0	1	0	1	0	0	1	0	3	1	5	0	0

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 22, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	16.5	2.1	547	153	109	0	8	4	8	17	7*	26	4	91	18	144	11	0
GLASGOW, .	16.9	3.0	258	77	40	0	3	1	5	15	5*	17	2	43	8	69	5	0
EDINBURGH,	15.7	0.9	100	33	25	0	0	1	3	0	0	2	0	17	1	30	5	0
DUNDEE, . .	16.6	1.6	52	15	10	0	0	0	0	1	0	4	1	13	1	10	0	0
ABERDEEN, .	16.5	2.2	52	12	10	0	5	2	0	0	0	0	0	6	2	10	0	0
PAISLEY, . .	18.0	1.2	29	7	7	0	0	0	0	1	0	1	1	2	1	11	1	0
LEITH, . . .	20.1	1.3	31	8	6	0	0	0	0	0	0	2	0	9	3	8	0	0
GREENOCK, .	13.5	1.5	18	1	8	0	0	0	0	0	2	0	0	1	1	4	0	0
PERTH, . . .	10.8	0.0	7	0	3	0	0	0	0	0	0	0	0	0	1	2	0	0

* One Typhus, others Enteric.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43.

WEEK ENDING SATURDAY, OCTOBER 28, 1905.

During the week ending 28th October 1905 there were registered in Eight of the Principal Towns the births of 889 living children, and the deaths of 626 persons. The births are at the annual rate of 26·5 per thousand of the estimated population, and the deaths at the annual rate of 18·7 per thousand.

The death-rates for the three preceding weeks were 16·3, 16·3, and 14·9. The rate for this week is thus 2·4 above that for the week immediately preceding, and 2·9 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Paisley, 26·2 per thousand, and lowest in Leith, 14·1 per thousand. In Dundee it was 22·9; in Greenock, 21·5; in Perth, 19·8; in Glasgow, 18·6; in Edinburgh, 17·5; and in Aberdeen, 14·3.

Deaths from the seven principal epidemic diseases numbered 54, which is 21 less than the number for the previous week; the equivalent annual death-rate is 1·6 per thousand. Of these deaths 19 were due to measles, 6 to diphtheria, 9 to hooping-cough, 3 to enteric fever, and 17 to diarrhoeal diseases. The deaths from measles are 3 fewer than in the previous week, from diphtheria 1 fewer, from hooping-cough 1 more, from enteric fever 2 more, and from diarrhoeal diseases 12 fewer.

Pneumonia, bronchitis, and pleurisy accounted for 149 deaths, which is 44 more than in the previous week, and 42 more than in the corresponding week of 1904.

Deaths of infants under one year of age numbered 125, and were 9 more than the number for the previous week, but 10 fewer than that for the corresponding week of 1904. Deaths of persons aged sixty years and upwards numbered 168, which is 22 more than the number for the week immediately preceding, and 42 more than that for the corresponding week of last year.

The mean temperature was 42°·5, being 3°·1 above that for the week immediately preceding, but 6°·0 below that for the corresponding week of 1904. The mean rainfall was 0·63 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 28, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Oct. 28, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	889	626	209	54·1	21·5	42·5	0·63
GLASGOW,	12,681	809,986	63·874	9·35	403	288	103	53·4	21·5	41·2	0·48
EDINBURGH, . .	11,416	336,390	29·483	13·77	152	113	43	49·8	32·7	42·6	0·13
DUNDEE,	4,162	164,269	39·469	11·90	88	72	6	50·8	31·3	42·2	0·19
ABERDEEN, . . .	6,795	167,537	24·656	15·06	106	46	27	51·0	31·6	42·5	0·81
PAISLEY,	3,538	85,604	24·196	15·20	48	43	11	54·1	29·2	43·9	0·89
LEITH,	2,044	81,664	39·862	11·84	41	22	7	52·2	36·9	44·5	0·19
GREENOCK, . . .	1,440	70,253	48·787	10·70	36	29	6	52·0	32·0	42·6	2·12
PERTH,	2,122	34,214	16·123	18·62	15	13	6	53·5	23·0	40·1	0·27
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	951	554	199	58·5	33·0	48·5	0·12

Week ending Saturday, OCTOBER 28, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 28, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.7	1.6	626	125	168	0	19	0	6	9	3	17	3	149	27	160	21	3
GLASGOW, .	18.6	1.9	288	53	68	0	13	0	2	6	1	7	1	78	12	75	7	0
EDINBURGH,	17.5	0.9	113	25	35	0	0	0	1	1	0	4	1	25	3	33	10	1
DUNDEE, . .	22.9	2.5	72	13	19	0	5	0	2	0	1	0	0	11	4	15	0	1
ABERDEEN, .	14.3	1.2	46	9	14	0	0	0	1	0	1	2	0	11	1	20	0	0
PAISLEY, . .	26.2	1.2	43	10	10	0	1	0	0	1	0	0	0	11	2	7	3	0
LEITH, . . .	14.1	1.9	22	5	6	0	0	0	0	0	0	3	0	5	0	4	0	0
GREENOCK, .	21.5	1.5	29	10	8	0	0	0	0	1	0	1	1	6	2	1	1	1
PERTH, . . .	19.8	0.0	13	0	8	0	0	0	0	0	0	0	0	2	3	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 29, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.7	1.9	554	135	126	*1	6	2	4	16	5	30	1	107	28	142	21	0
GLASGOW, .	16.1	2.0	247	68	50	0	1	1	1	8	2	17	0	56	11	62	9	0
EDINBURGH,	16.8	1.4	107	22	37	0	0	0	1	3	1	4	0	20	4	41	5	0
DUNDEE, . .	15.6	1.6	49	10	10	0	0	0	1	1	0	3	0	6	2	13	2	0
ABERDEEN, .	17.2	3.2	54	12	12	0	5	1	1	1	0	2	0	3	5	11	3	0
PAISLEY, . .	23.0	1.9	37	9	9	*1	0	0	0	1	0	1	1	6	3	8	2	0
LEITH, . . .	19.4	1.3	30	11	3	0	0	0	0	0	0	2	0	10	1	3	0	0
GREENOCK, .	16.5	3.7	22	3	4	0	0	0	0	2	2	1	0	5	1	4	0	0
PERTH, . . .	12.3	0.0	8	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0

* Chicken-pox.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44.

WEEK ENDING SATURDAY, NOVEMBER 4, 1905.

During the week ending 4th November 1905 there were registered in Eight of the Principal Towns the births of 836 living children, and the deaths of 591 persons. The births correspond to an annual birth-rate of 24·9 per thousand of the estimated population, and the deaths to an annual rate of mortality of 17·6 per thousand.

The death-rates for the three preceding weeks were 18·7, 16·3, and 16·3. The rate for this week is thus 1·1 below that for the previous week, but 0·5 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 23·8, and lowest in Perth, 9·1. In Dundee it was 19·7; in Glasgow 19·3; in Paisley, 17·7; in Edinburgh, 15·2; in Leith, 14·7; and in Aberdeen, 12·8.

The deaths from the seven principal epidemic diseases numbered 56, which is 2 more than the number for the preceding week; the equivalent annual death-rate from these causes is 1·7 per thousand. These deaths include 1 each from chicken-pox and scarlet fever; 19 from measles; 6 from diphtheria; 8 from hooping-cough; 4 from enteric fever; and 17 from diarrhoeal diseases. The number of deaths from measles, from diphtheria, and from diarrhoeal diseases is the same as in the previous week, from scarlet fever and from enteric fever, 1 more, and from hooping-cough 1 less.

Pneumonia, bronchitis, and pleurisy caused 124 deaths, which is 25 less than the number for the previous week, but 5 more than that for the corresponding week of 1904.

Deaths of infants under one year of age numbered 123, which is 2 less than in the previous week, and 28 less than in the corresponding week of 1904. Deaths of persons over sixty years numbered 162, and were 6 less than in the previous week, but 10 more than in the corresponding week of last year.

The mean temperature was 44°·9, being 2°·4 above that for the week immediately preceding, but 3°·4 below that for the corresponding week of 1904. The mean rainfall was 1·55 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 4, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending Nov. 4, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	836	591	254	54·6	32·5	44·9	1·55
GLASGOW, . . .	12,681	809,986	63·874	9·35	415	300	156	53·6	38·0	44·9	0·46
EDINBURGH, .	11,416	336,390	29·483	13·77	112	98	39	50·5	39·4	44·3	2·05
DUNDEE, . . .	4,162	164,269	39·469	11·90	75	62	13	49·6	39·0	44·4	1·98
ABERDEEN, . .	6,795	167,537	24·656	15·06	102	41	16	53·0	37·0	46·1	2·00
PAISLEY, . . .	3,538	85,604	24·196	15·20	43	29	11	53·0	39·0	45·7	0·73
LEITH,	2,044	81,664	39·862	11·84	35	23	7	54·6	38·4	45·6	2·02
GREENOCK, . .	1,440	70,253	48·787	10·70	42	32	10	52·0	37·5	45·0	0·87
PERTH,	2,122	34,214	16·123	18·62	12	6	2	51·0	32·5	43·3	2·30
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	881	588	298	60·3	35·0	48·3	0·13

Week ending Saturday, NOVEMBER 4, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 4, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl-demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.6	1.7	591	123	162	*1	19	1	6	8	4	17	3	124	28	144	21	3
GLASGOW, .	19.3	1.7	300	67	79	*1	8	0	1	5	1	10	1	73	16	74	12	2
EDINBURGH,	15.2	0.8	98	12	30	0	0	0	2	0	0	3	1	16	7	30	6	0
DUNDEE, . .	19.7	3.8	62	12	21	0	5	0	2	1	2	2	0	6	0	14	1	0
ABERDEEN, .	12.8	0.3	41	14	10	0	0	0	0	0	0	1	0	9	2	8	0	1
PAISLEY, . .	17.7	1.8	29	7	9	0	1	0	0	1	0	1	1	6	0	6	1	0
LEITH, . . .	14.7	1.3	23	6	6	0	0	0	1	0	1	0	0	7	3	5	0	0
GREENOCK, .	23.8	5.2	32	5	6	0	5	1	0	1	0	0	0	7	0	5	1	0
PERTH, . . .	9.1	0.0	6	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 5, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl-demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.8	1.8	588	151	152	*1	9	1	8	17	2	21	0	119	21	127	16	0
GLASGOW, .	18.6	1.7	284	74	62	0	0	0	3	12	1	10	0	60	14	70	7	0
EDINBURGH,	15.7	2.0	100	27	24	*1	0	1	2	4	0	5	0	21	2	28	8	0
DUNDEE, . .	14.4	1.3	45	13	15	0	2	0	0	0	0	2	0	9	1	9	0	0
ABERDEEN, .	20.0	3.8	63	18	19	0	7	0	1	0	0	4	0	7	2	8	0	0
PAISLEY, . .	21.1	0.6	34	6	11	0	0	0	1	0	0	0	0	7	1	7	1	0
LEITH, . . .	13.6	1.3	21	3	5	0	0	0	1	1	0	0	0	7	1	2	0	0
GREENOCK, .	21.7	0.7	29	8	9	0	0	0	0	0	1	0	0	6	0	1	0	0
PERTH, . . .	18.5	0.0	12	2	7	0	0	0	0	0	0	0	0	2	0	2	0	0

* Chicken-pox.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45.

WEEK ENDING SATURDAY, NOVEMBER 11, 1905.

During the week ending 11th November 1905 there were registered in Eight of the Principal Towns the births of 877 living children, and the deaths of 587 persons. The births are equal to an annual birth-rate of 26·2 per thousand of the estimated population, and the deaths to an annual rate of mortality of 17·5 per thousand.

The death-rates for the three preceding weeks were 17·6, 18·7, and 16·3. The rate for this week is thus 0·1 below that for the week immediately preceding, but the same as the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 23·8, and lowest in Perth, 7·6. In Dundee the rate was 21·9; in Glasgow, 19·3; in Paisley, 15·8; in Edinburgh, 14·0; in Aberdeen, 13·7; and in Leith, 13·4.

The seven principal epidemic diseases accounted for 61 deaths, which is 5 more than the number for the preceding week, and is equal to a death-rate of 1·8 per thousand of the population. These deaths include 28 from measles; 3 from scarlet fever; 4 from diphtheria; 7 from whooping-cough; 1 from enteric fever; and 18 from diarrhoeal diseases. The number of deaths from measles is 9 more than in the preceding week, from scarlet fever 2 more, from diphtheria 2 fewer, from whooping-cough 1 fewer, from enteric fever 3 fewer, and from diarrhoeal diseases 1 more. The death-rate from these diseases was highest in Greenock, 7·4 per thousand.

The deaths attributed to pneumonia, bronchitis, and pleurisy numbered 151, which is 27 more than for the previous week, and 18 more than that for the corresponding week of last year.

Deaths of infants under one year of age numbered 128, and were 5 above the number for the preceding week, but 25 below that for the corresponding week of 1904. The deaths of persons aged sixty years and upwards, 156 in number, were 6 less than in the previous week, but 25 more than in the corresponding week of last year.

The mean temperature was 42°·8, being 2°·1 below that for the week immediately preceding, but 1°·8 above that for the corresponding week of 1904. The mean rainfall was 1·10 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 11, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Nov. 11, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	877	587	215	51·2	26·0	42·8	1·10
GLASGOW, . . .	12,681	809,986	63·874	9·35	456	300	118	51·2	31·5	43·8	0·86
EDINBURGH, .	11,416	336,390	29·483	13·77	129	90	38	48·5	33·9	42·2	0·63
DUNDEE, . . .	4,162	164,269	39·469	11·90	83	69	11	47·8	28·6	41·8	1·14
ABERDEEN, . .	6,795	167,537	24·656	15·06	84	44	13	49·0	30·5	41·9	1·06
PAISLEY, . . .	3,538	85,604	24·196	15·20	40	26	10	50·9	33·1	44·4	1·26
LEITH,	2,044	81,664	39·862	11·84	39	21	6	49·6	34·8	44·1	0·65
GREENOCK, . .	1,440	70,253	48·787	10·70	33	32	16	51·0	32·5	42·6	2·35
PERTH,	2,122	34,214	16·123	18·62	13	5	3	50·0	26·0	41·4	0·82
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	880	578	192	54·8	26·0	41·0	0·95

Week ending Saturday, NOVEMBER 11, 1905.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, November 11, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	17·5	1·8	587	128	156	0	28	3	4	7	1	18	1	151	29	139	19	4
GLASGOW, .	19·3	1·8	300	68	75	0	15	0	3	4	1	5	1	88	14	74	8	3
EDINBURGH,	14·0	1·4	90	16	30	0	1	0	1	0	0	7	0	22	7	25	5	0
DUNDEE, . .	21·9	2·9	69	13	21	0	5	1	0	2	0	1	0	13	5	17	2	0
ABERDEEN, .	13·7	0·6	44	11	17	0	0	0	0	0	0	2	0	8	2	12	1	1
PAISLEY, . .	15·8	1·2	26	4	4	0	1	0	0	0	0	1	0	6	0	3	1	0
LEITH, . . .	13·4	0·6	21	7	3	0	0	0	0	1	0	0	0	6	1	3	0	0
GREENOCK, .	23·8	7·4	32	8	5	0	6	2	0	0	0	2	0	8	0	3	2	0
PERTH, . . .	7·6	0·0	5	1	1	0	0	0	0	0	0	0	0	0	0	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, November 12, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	17·5	1·8	578	153	131	*1	8	1	3	20	0	27	3	133	23	118	16	1
GLASGOW, .	19·7	2·7	302	93	52	*1	6	1	1	14	0	18	1	79	9	62	9	1
EDINBURGH,	17·3	1·4	110	25	29	0	0	0	1	4	0	4	0	18	7	24	6	0
DUNDEE, . .	16·3	1·3	51	8	14	0	0	0	0	1	0	3	1	9	3	10	0	0
ABERDEEN, .	13·7	1·0	43	10	18	0	2	0	1	0	0	0	0	9	1	9	1	0
PAISLEY, . .	14·3	1·2	23	9	2	0	0	0	0	0	0	2	0	5	1	4	0	0
LEITH, . . .	16·9	0·6	26	4	9	0	0	0	0	1	0	0	0	6	1	6	0	0
GREENOCK, .	12·0	0·0	16	4	5	0	0	0	0	0	0	0	1	6	0	1	0	0
PERTH, . . .	10·8	0·0	7	0	2	0	0	0	0	0	0	0	0	1	1	2	0	0

* Chicken-pox.

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 18, 1905.

During the week ending 18th November 1905 there were registered in Eight of the Principal Towns the births of 852 living children, and the deaths of 588 persons. The births are equivalent to an annual birth-rate of 25·4 per thousand, and the deaths to an annual death-rate of 17·5 per thousand.

The death-rates for the three preceding weeks were 17·5, 17·6, and 18·7. The rate for this week is thus the same as that for the previous week, but 0·4 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 22·3, and lowest in Paisley and Leith, 12·8. The rate in Dundee was 19·4; in Edinburgh, 19·1; in Glasgow, 17·7; in Perth, 16·8; and in Aberdeen, 14·6.

The seven principal epidemic diseases accounted for 64 deaths, which is 3 more than the number for the previous week; the equivalent annual death-rate from these causes is 1·9 per thousand of the population. Of these deaths, 34 were due to measles; 3 to scarlet fever; 4 to diphtheria; 2 each to whooping-cough and enteric fever; and 19 to diarrhoeal diseases. The number of deaths from measles is 6 more than in the preceding week, from scarlet fever and diphtheria of the same number, from whooping-cough 5 fewer, and from enteric fever and diarrhoea each 1 more.

The deaths from pneumonia, bronchitis, and pleurisy numbered 127, being 24 less than the number for the previous week, and 23 less than that for the corresponding week of 1904.

Deaths of infants under one year old numbered 127, which is 1 less than the number for the previous week, and 29 less than that for the corresponding week of last year. Deaths of persons aged sixty years and upwards, numbered 152, this is 4 less than the number for the previous week, and 2 less than that for the corresponding week of 1904.

The mean temperature was 37°·7, being 5°·1 below that for the week immediately preceding, and 9°·7 below that for the corresponding week of 1904. The mean rainfall was 0·64 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 18, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Nov. 18, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	852	588	190	50·0	18·0	37·7	0·64
GLASGOW,* . .	12,681	809,986	63·874	9·35	442	275	94	48·4	23·0	37·3	0·20
EDINBURGH, . .	11,416	336,390	29·483	13·77	140	123	35	46·6	26·8	37·9	0·69
DUNDEE, . . .	4,162	164,269	39·469	11·90	58	61	16	47·7	23·8	37·3	1·03
ABERDEEN, . .	6,795	167,537	24·656	15·06	81	47	25	45·0	23·2	37·5	1·23
PAISLEY, . . .	3,538	85,604	24·196	15·20	45	21	5	48·0	24·9	38·7	0·08
LEITH,	2,044	81,664	39·862	11·84	41	20	7	47·2	24·1	37·9	0·76
GREENOCK, . .	1,440	70,253	48·787	10·70	37	30	3	49·0	26·0	39·4	0·05
PERTH,	2,122	34,214	16·123	18·62	8	11	5	50·0	18·0	35·7	1·10
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	890	571	184	58·4	32·0	47·4	0·13

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

* The police burgh of Kinning Park was annexed to the City of Glasgow on 7th instant. This change will be given effect to for statistical purposes on 1st January next.
N.—240—11/1905. 15660.

[TURN OVER.]

Week ending Saturday, NOVEMBER 18, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 18, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.5	1.9	588	127	152	0	34	3	4	2	2	19	3	127	28	145	19
GLASGOW, .	17.7	2.3	275	65	51	0	25	0	3	1	0	6	1	76	9	57	6
EDINBURGH,	19.1	1.1	123	29	39	0	0	0	1	1	1	4	1	23	12	39	10
DUNDEE, . .	19.4	2.2	61	9	19	0	4	1	0	0	0	2	0	8	1	18	0
ABERDEEN, .	14.6	1.6	47	12	14	0	0	0	0	0	0	5	0	10	0	13	2
PAISLEY, . .	12.8	1.8	21	4	7	0	2	0	0	0	0	1	0	4	2	5	1
LEITH, . . .	12.8	1.3	20	4	7	0	0	2	0	0	0	0	1	3	1	6	0
GREENOCK, .	22.3	3.0	30	4	10	0	3	0	0	0	0	1	0	3	2	5	0
PERTH, . . .	16.8	1.5	11	0	5	0	0	0	0	0	1	0	0	0	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 19, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.3	1.4	571	156	154	0	5	1	2	19	1	19	4	150	14	121	26
GLASGOW, .	18.4	1.7	282	86	66	0	3	0	0	14	0	9	3	84	7	53	10
EDINBURGH,	18.4	1.1	117	24	39	0	0	1	1	1	0	4	1	25	3	36	11
DUNDEE, . .	17.5	1.9	55	18	11	0	0	0	0	2	0	4	0	16	2	16	0
ABERDEEN, .	14.6	1.0	46	10	18	0	1	0	0	1	0	1	0	6	1	5	2
PAISLEY, . .	17.4	1.9	28	7	4	0	0	0	0	1	1	1	0	8	1	5	3
LEITH, . . .	11.0	0.6	17	6	6	0	1	0	0	0	0	0	0	6	0	1	0
GREENOCK, .	12.0	0.7	16	3	6	0	0	0	1	0	0	0	0	4	0	1	0
PERTH, . . .	15.4	0.0	10	2	4	0	0	0	0	0	0	0	0	1	0	4	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

o. 47. WEEK ENDING SATURDAY, NOVEMBER 25, 1905.

During the week ending 25th November 1905 there were registered in Eight of the Principal Towns the births of 876 living children, and the deaths of 735 persons. The births are equivalent to an annual birth-rate of 26·1 per thousand of the estimated population of these towns, and the deaths are equivalent to an annual rate of mortality of 21·9 per thousand.

The death-rates for the three preceding weeks were 17·5, 17·5, and 17·6. The rate for this week is thus 4·4 above that for the previous week, and 4·4 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 29·7, and lowest in Perth, 12·2. In Dundee the rate was 24·1; in Glasgow, 23·6; in Paisley, 23·2; in Leith, 23·0; in Aberdeen, 18·4; and in Edinburgh, 17·4.

The deaths from the seven principal epidemic diseases numbered 84, or 20 more than in the previous week, and are equivalent to an annual death-rate of 2·5 per thousand of the population. Of these deaths, 48 were due to measles, 1 to scarlet fever, 8 to diphtheria, 10 to whooping-cough, 1 to enteric fever, 2 to typhus fever, and 14 to diarrhoeal diseases. The number of deaths from measles is 14 more than in the previous week, from scarlet fever 2 less, from diphtheria 4 more, from whooping-cough 8 more, from enteric fever 1 less, and from diarrhoeal diseases 5 less.

Pneumonia, bronchitis, and pleurisy caused 157 deaths, which is 30 more than in the previous week, but 15 fewer than in the corresponding week of 1904.

The 41 deaths in Glasgow from violence include those of 31 men returned as having died from suffocation, as the result of a fire in a model lodging-house.

Deaths of children under one year of age numbered 163, which is 36 more than the number for the previous week, and 16 more than that for the corresponding week of 1904. Deaths of persons aged sixty years and upwards, numbered 177; this is 25 more than the number for the previous week, and 49 more than that for the corresponding week of 1904.

The mean temperature was 39°·0, being 1°·3 above that for the week immediately preceding, and 6°·9 above that for the corresponding week of 1904. The mean rainfall was 0·72 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 25, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Proximity in Yards.	Registered during the Week ending Nov. 25, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	876	735	199	54·7	15·0	39·0	0·72
GLASGOW, . . .	12,681	809,986	63·874	9·35	460	366	91	53·8	19·0	39·8	0·87
EDINBURGH, . .	11,416	336,390	29·483	13·77	142	112	41	53·2	24·0	40·2	0·16
DUNDEE,	4,162	164,269	39·469	11·90	74	76	16	50·7	19·2	37·6	0·23
ABERDEEN, . . .	6,795	167,537	24·656	15·06	72	59	20	52·2	20·5	36·9	0·08
PAISLEY,	3,538	85,604	24·196	15·20	32	38	9	52·6	21·2	40·7	1·33
LEITH,	2,044	81,664	39·862	11·84	45	36	6	54·7	26·9	41·9	0·22
GREENOCK, . . .	1,440	70,253	48·787	10·70	42	40	11	53·0	21·5	39·0	2·47
PERTH,	2,122	34,214	16·123	18·62	9	8	5	54·0	15·0	35·6	0·37
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	882	594	215	44·5	12·0	32·1	0·30

Week ending Saturday, NOVEMBER 25, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 25, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.9	2.5	735	163	177	0	48	1	8	10	3	14	2	157	56	153	20	7
GLASGOW, .	23.6	2.8	366	90	79	0	23	0	5	6	1	8	0	90	41	73	12	5
EDINBURGH,	17.4	0.8	112	26	30	0	0	0	4	1	*1	2	1	18	5	28	7	0
DUNDEE, . .	24.1	4.4	76	16	27	0	12	0	1	1	0	0	0	15	4	13	0	1
ABERDEEN, .	18.4	1.2	59	11	19	0	0	0	1	0	0	3	0	12	2	13	0	0
PAISLEY, . .	23.2	0.6	38	6	8	0	0	0	0	0	0	1	0	6	1	12	1	1
LEITH, . . .	23.0	1.9	36	6	8	0	0	1	0	1	*1	0	1	7	0	10	0	0
GREENOCK, .	29.7	10.4	40	6	5	0	13	0	0	1	0	0	0	8	3	1	0	0
PERTH, . . .	12.2	0.0	8	2	1	0	0	0	0	0	0	0	0	1	0	3	0	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 26, 1904

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.0	1.8	594	147	128	0	8	1	9	21	3	18	2	172	15	135	20	2
GLASGOW, .	20.1	2.5	308	84	59	0	1	1	5	18	2	11	1	99	9	73	9	2
EDINBURGH,	15.4	0.6	98	12	23	0	1	0	3	0	0	0	0	28	2	32	5	0
DUNDEE, . .	20.7	1.6	65	19	19	0	0	0	0	1	0	4	0	18	1	12	1	0
ABERDEEN, .	13.7	2.9	43	8	10	0	5	0	0	2	1	1	0	7	2	6	3	0
PAISLEY, . .	15.5	0.6	25	6	6	0	0	0	1	0	0	0	0	5	0	7	0	0
LEITH, . . .	11.0	1.3	17	7	5	0	1	0	0	0	0	1	0	3	0	2	0	0
GREENOCK, .	20.9	0.0	28	10	5	0	0	0	0	0	0	0	1	9	1	1	2	0
PERTH, . . .	15.4	1.5	10	1	1	0	0	0	0	0	0	1	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, DECEMBER 2, 1905.

During the week ending 2nd December 1905 there were registered in Eight of the Principal Towns the births of 871 living children, and the deaths of 628 persons. The births are equivalent to an annual birth-rate of 26·0 per thousand of the estimated population of these towns, and the deaths to an annual mortality-rate of 18·7 per thousand.

The death-rates for the three preceding weeks were 21·9, 17·5, and 17·5. The rate for this week is thus 3·2 below that for the previous week, and 0·3 below the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 25·7 per thousand, and lowest in Paisley, 12·8 per thousand. In Greenock the rate was 24·5; in Glasgow, 20·8; in Aberdeen, 16·2; in Leith, 14·1; in Perth, 13·7; and in Edinburgh, 13·5.

The seven principal epidemic diseases caused 61 deaths, which is 23 less than the number for the previous week, and is equivalent to an annual death-rate of 1·8 per thousand of the estimated population. Of these deaths, 33 were due to measles, 3 to scarlet fever, 5 to diphtheria, 6 to whooping-cough, and 14 to diarrhoeal diseases. The number of deaths from measles is 15 less than in the previous week, from scarlet fever 2 more, from diphtheria 3 less, from whooping-cough 4 less, and from diarrhoeal diseases of the same number.

Pneumonia, bronchitis, and pleurisy caused 146 deaths, which is 11 less than the number for the previous week, and 43 less than that for the corresponding week of 1904.

Deaths of infants under one year of age numbered 134. This is 29 less than the number in the previous week, and 35 less than that in the corresponding week of 1904. Deaths of persons aged sixty years and upwards, numbered 151, which is 26 less than the number for the previous week, and 3 less than that for the corresponding week of last year.

The mean temperature was 41°·3, being 2°·3 above that for the week immediately preceding, and 0°·8 above that for the corresponding week of 1904. The mean rainfall was 0·82 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 2, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Dec. 2, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	871	628	277	53·8	21·0	41·3	0·82
GLASGOW, . .	12,681	809,986	63·874	9·35	452	323	118	53·8	25·8	42·2	0·48
EDINBURGH, .	11,416	336,390	29·483	13·77	118	87	48	51·5	33·2	41·2	0·58
DUNDEE, . . .	4,162	164,269	39·469	11·90	86	81	34	50·7	28·7	39·9	0·94
ABERDEEN, . .	6,795	167,537	24·656	15·06	75	52	27	53·0	28·4	41·1	1·28
PAISLEY, . . .	3,538	85,604	24·196	15·20	48	21	10	53·0	28·0	42·5	1·43
LEITH,	2,044	81,664	39·862	11·84	44	22	17	53·5	33·5	43·1	0·51
GREENOCK, . .	1,440	70,253	48·787	10·70	36	33	14
PERTH,	2,122	34,214	16·123	18·62	12	9	9	53·0	21·0	39·4	0·49
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	874	702	325	51·7	16·0	40·5	0·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending **Saturday, DECEMBER 2, 1905.**

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 2, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·7	1·8	628	134	151	0	33	3	5	6	0	14	2	146	19	143	23	3
GLASGOW, .	20·8	1·8	323	74	63	0	16	0	4	3	0	5	2	94	8	68	12	2
EDINBURGH,	13·5	0·8	87	12	27	0	0	0	1	2	0	2	0	16	3	31	4	0
DUNDEE, . .	25·7	5·7	81	16	19	0	11	2	0	1	0	4	0	14	4	11	1	0
ABERDEEN, .	16·2	0·9	52	17	18	0	0	0	0	0	0	3	0	9	0	12	2	1
PAISLEY, . .	12·8	1·2	21	1	7	0	2	0	0	0	0	0	0	4	0	3	1	0
LEITH, . . .	14·1	0·0	22	5	5	0	0	0	0	0	0	0	0	5	2	9	0	0
GREENOCK, .	24·5	3·7	33	9	6	0	4	1	0	0	0	0	0	4	1	4	3	0
PERTH, . . .	13·7	0·0	9	0	6	0	0	0	0	0	0	0	0	0	1	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 3, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·2	2·1	702	169	154	0	16	1	6	34	4	10	1	189	22	154	21	5
GLASGOW, .	23·9	2·4	365	98	60	0	2	0	4	25	3	3	0	120	15	84	11	4
EDINBURGH,	15·6	1·3	99	19	34	0	0	0	0	7	0	1	0	15	1	29	7	0
DUNDEE, . .	22·7	1·3	71	18	24	0	0	0	1	1	0	2	0	27	1	16	0	0
ABERDEEN, .	20·0	4·8	63	13	16	0	11	1	0	1	0	2	0	8	1	4	0	0
PAISLEY, . .	24·8	0·6	40	11	7	0	0	0	0	0	0	1	0	11	3	5	1	1
LEITH, . . .	18·1	2·6	28	6	4	0	3	0	0	0	0	1	0	4	0	6	1	0
GREENOCK, .	16·5	0·7	22	4	5	0	0	0	0	0	1	0	1	4	1	4	1	0
PERTH, . . .	21·5	1·5	14	0	4	0	0	0	1	0	0	0	0	0	0	6	0	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49.

WEEK ENDING SATURDAY, DECEMBER 9, 1905.

During the week ending 9th December 1905 there were registered in Eight of the Principal Towns the births of 828 living children, and the deaths of 666 persons. These births are equivalent to an annual birth-rate of 24·7 per thousand of the estimated population of these towns, and these deaths to a death-rate of 19·9 per thousand.

The death-rates for the three preceding weeks were 18·7, 21·9, and 17·5. The death-rate for this week is thus 1·2 higher than that of the previous week, and 0·5 more than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 33·4, and lowest in Perth, 12·2. In Dundee it was 25·1; in Glasgow, 19·4; in Edinburgh, 19·2; in Leith, 18·6; in Aberdeen, 16·8; and in Paisley, 15·8.

Deaths from the seven principal epidemic diseases numbered 77; this is 16 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·3 per thousand. Of these deaths 45 were due to measles, 7 to scarlet fever, 5 to diphtheria, 8 to hooping-cough, 1 to typhus fever, and 11 to diarrhœas. Deaths from measles are 12 more than in the previous week, from scarlet fever 4 more, from hooping-cough 2 more, while those from diphtheria are of the same number, and from diarrhœas 3 fewer.

Deaths from pneumonia, bronchitis, and pleurisy numbered 125, which is 21 fewer than in the previous week, and 78 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 151, which is 17 more than in the previous week, but 10 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 164, which is 13 more than in the previous week, but 5 fewer than in the corresponding week of last year.

The mean temperature was 45°·4, being 4°·1 above that for the week immediately preceding, and 8°·5 above that for the corresponding week of 1904. The mean rainfall was 0·98 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 9, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1906.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Dec, 9, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	828	666	275	54·5	35·0	45·4	0·98
GLASGOW, . .	12,681	809,986	63·874	9·35	407	301	121	53·1	36·4	45·6	1·31
EDINBURGH, .	11,416	336,390	29·483	13·77	116	124	65	53·1	35·2	45·4	0·53
DUNDEE, . . .	4,162	164,269	39·469	11·90	88	79	18	51·1	37·0	44·3	0·39
ABERDEEN, . .	6,795	167,537	24·656	15·06	88	54	30	52·0	35·2	44·4	0·06
PAISLEY, . . .	3,538	85,604	24·196	15·20	36	26	11	51·9	39·0	46·0	1·53
LEITH,	2,044	81,664	39·862	11·84	39	29	10	54·5	38·0	46·3	0·51
GREENOCK, . .	1,440	70,253	48·787	10·70	40	45	11	54·0	37·0	46·4	2·57
PERTH,	2,122	34,214	16·123	18·62	14	8	9	53·5	35·0	44·7	0·95
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	869	653	279	56·8	19·0	36·9	0·96

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 9, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	19.9	2.3	666	151	164	0	45	7	5	8	1*	11	1	125	31	175
GLASGOW, .	19.4	2.0	301	71	60	0	20	1	2	3	1*	4	0	71	17	84
EDINBURGH,	19.2	0.6	124	22	42	0	0	0	1	1	0	2	0	18	4	43
DUNDEE, . .	25.1	6.4	79	16	17	0	15	0	1	4	0	0	0	9	2	11
ABERDEEN, .	16.8	0.0	54	17	13	0	0	0	0	0	0	0	1	11	2	16
PAISLEY, . .	15.8	1.2	26	6	6	0	1	1	0	0	0	0	0	6	2	5
LEITH, . . .	18.6	0.6	29	6	11	0	0	0	0	0	0	1	0	5	3	9
GREENOCK, .	33.4	13.4	45	12	10	0	9	4	1	0	0	4	0	5	0	7
PERTH, . . .	12.2	1.5	8	1	5	0	0	1	0	0	0	0	0	0	1	0

* Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 10, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	19.7	2.1	653	161	169	0	10	1	3	38	1	15	1	203	22	138
GLASGOW, .	23.1	2.7	354	97	74	0	2	0	2	32	0	6	1	121	11	75
EDINBURGH,	16.3	0.9	104	15	35	0	0	0	0	3	0	3	0	24	2	32
DUNDEE, . .	17.5	1.6	55	13	14	0	0	0	0	2	0	3	0	19	1	9
ABERDEEN, .	18.8	3.2	59	9	23	0	7	1	0	0	0	2	0	16	2	9
PAISLEY, . .	19.2	0.6	31	10	7	0	0	0	0	0	1	0	0	12	4	6
LEITH, . . .	13.0	1.3	20	8	6	0	1	0	0	0	0	1	0	6	0	1
GREENOCK, .	16.5	0.7	22	8	6	0	0	0	1	0	0	0	0	4	2	4
PERTH, . . .	12.3	1.5	8	1	4	0	0	0	0	1	0	0	0	1	0	2

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 16, 1905.

During the week ending 16th December 1905 there were registered in Eight of the Principal Towns the births of 952 living children, and the deaths of 609 persons. These births are equivalent to an annual birth-rate of 28·4 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 18·2 per thousand.

The death-rates for the three preceding weeks were 19·9, 18·7, and 21·9. The rate for this week is thus 1·7 less than that for the previous week, and 2·0 less than the mean of the rates for the last three weeks.

The highest death-rate for the week was registered in Greenock, 23·8, and the lowest in Leith, 14·1. In Dundee it was 21·0; in Paisley, 19·5; in Glasgow, 18·4; in Perth, 18·3; in Edinburgh, 16·9; and in Aberdeen, 15·6.

Deaths in these towns from the seven principal epidemic diseases numbered 64; these are 13 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths included 31 from measles, 4 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, 2 from enteric fever, and 18 from diarrhoeas. Deaths from measles are 14 fewer than in the previous week, from scarlet fever 3 fewer, from diphtheria 2 fewer, and from whooping-cough 2 fewer, while deaths from diarrhoeas are 7 more, and from enteric fever 2 more.

Deaths from pneumonia, bronchitis, and pleurisy numbered 113; these are 12 fewer than in the previous week, and 93 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 121; these are 30 fewer than in the previous week, and 36 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 154; these are 10 fewer than in the previous week, and 23 fewer than in the corresponding week of last year.

The mean temperature was 43°·2, being 2°·2 below that for the week immediately preceding, but 4°·3 above that for the corresponding week of 1904. The mean rainfall was 0·17 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 16, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox. imity in Yards.	Registered during the Week ending Dec. 16, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	952	609	228	52·8	25·2	43·2	0·17
GLASGOW, . .	12,681	809,986	63·874	9·35	490	286	90	52·8	30·2	44·9	0·13
EDINBURGH, .	11,416	336,390	29·483	13·77	136	109	66	48·0	34·9	43·3	0·05
DUNDEE, . . .	4,162	164,269	39·469	11·90	87	66	20	48·8	31·4	41·9	0·18
ABERDEEN, . .	6,795	167,537	24·656	15·06	86	50	27	51·0	25·2	40·3	0·31
PAISLEY, . . .	3,538	85,604	24·196	15·20	44	32	3	49·8	31·0	44·7	0·18
LEITH,	2,044	81,664	39·862	11·84	41	22	11	49·7	36·1	45·2	0·10
GREENOCK, . .	1,440	70,253	48·787	10·70	44	32	6	50·0	31·5	43·3	0·36
PERTH,	2,122	34,214	16·123	18·62	24	12	5	50·0	26·5	42·4	0·06
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	890	747	209	57·3	11·0	38·9	1·59

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 16, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 16, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	18.2	1.9	609	121	154	0	31	4	3	6	2	18	4	113	24	151	23	3
GLASGOW, .	18.4	1.8	286	50	53	0	15	0	1	2	1	9	3	63	12	79	12	3
EDINBURGH,	16.9	0.5	109	16	42	0	1	0	1	0	0	1	0	12	8	34	7	0
DUNDEE, . .	21.0	4.1	66	17	15	0	11	1	0	1	0	0	0	13	2	13	0	0
ABERDEEN, .	15.6	1.9	50	19	17	0	0	0	1	1	0	4	0	7	0	8	1	0
PAISLEY, . .	19.5	2.4	32	7	6	0	1	0	0	0	1	2	1	6	1	5	2	0
LEITH, . . .	14.1	1.3	22	3	11	0	0	0	0	1	0	1	0	4	1	5	1	0
GREENOCK, .	23.8	5.9	32	4	7	0	3	3	0	1	0	1	0	5	0	4	0	0
PERTH, . . .	18.3	0.0	12	5	3	0	0	0	0	0	0	0	0	3	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 17, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.6	2.4	747	157	177	0	17	2	7	32	6	16	0	206	23	165	13	1
GLASGOW, .	26.6	2.9	407	97	80	0	3	1	5	26	4	6	0	129	12	86	7	1
EDINBURGH,	17.1	0.9	109	13	31	0	1	0	0	3	0	2	0	17	6	33	3	0
DUNDEE, . .	17.9	1.9	56	12	16	0	0	0	1	0	1	4	0	21	1	14	0	0
ABERDEEN, .	19.7	4.5	62	14	16	0	10	1	1	0	0	2	0	10	1	14	0	0
PAISLEY, . .	24.8	0.6	40	9	12	0	0	0	0	1	0	0	0	18	0	5	2	0
LEITH, . . .	19.4	2.6	30	6	8	0	3	0	0	0	0	1	0	5	1	4	0	0
GREENOCK, .	23.9	2.2	32	5	8	0	0	0	0	1	1	1	0	5	2	4	1	0
PERTH, . . .	16.9	1.5	11	1	6	0	0	0	0	1	0	0	0	1	0	5	0	0

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 23, 1905.

During the week ending 23rd December 1905 there were registered in Eight of the Principal Towns the births of 903 children, and the deaths of 582 persons. These births are equivalent to an annual birth-rate of 26·9 per thousand of the estimated population of these towns, and these deaths to a death-rate of 17·4 per thousand.

The death-rates for the three preceding weeks were 18·2, 19·9, and 18·7. The death-rate for this week is thus 0·8 less than that for the previous week, and 1·5 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 26·4, and lowest in Perth, 13·7. In Greenock it was 25·3; in Aberdeen, 19·3; in Paisley, 17·7; in Leith, 17·3; in Glasgow, 15·5; and in Edinburgh, 15·0.

Deaths in these towns from the seven principal epidemic diseases numbered 83; these are 19 more than in the previous week, and equivalent to an annual mortality from these causes of 2·5 per thousand. These deaths include 43 from measles, 1 from scarlet fever, 11 from diphtheria, 9 from hooping-cough, 3 from enteric fever, 1 from typhus fever, and 15 from diarrhoeas. Deaths from measles are 12 more than in the previous week, from scarlet fever 3 fewer, from diphtheria 8 more, from hooping-cough 3 more, from enteric fever 1 more, and from diarrhoeas 3 fewer.

Deaths from pneumonia, bronchitis, and pleurisy numbered 130; these are 17 more than in the previous week, but 42 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 147; these are 26 more than in the previous week, but 2 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 132; these are 22 fewer than in the previous week, and 72 fewer than in the corresponding week of last year.

The mean temperature was 44°·1, being 0°·9 above that for the week immediately preceding, and 5°·4 above that for the corresponding week of 1904. The mean rainfall was 0·48 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 23, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Dec. 23, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	903	582	244	52·5	32·2	44·1	0·48
GLASGOW, . .	12,681	809,986	63·874	9·35	467	241	117	51·8	37·4	44·7	0·30
EDINBURGH, .	11,416	336,390	29·483	13·77	119	97	55	50·7	37·7	43·8	0·03
DUNDEE, . . .	4,162	164,269	39·469	11·90	75	83	14	50·3	37·0	43·0	0·21
ABERDEEN, . .	6,795	167,537	24·656	15·06	96	62	20	48·0	32·2	42·5	0·29
PAISLEY, . . .	3,538	85,604	24·196	15·20	38	29	11	50·4	39·9	45·1	0·63
LEITH,	2,044	81,664	39·862	11·84	54	27	8	52·5	36·9	45·0	0·06
GREENOCK, . .	1,440	70,253	48·787	10·70	38	34	9	52·0	37·0	44·0	2·09
PERTH,	2,122	34,214	16·123	18·62	16	9	10	52·0	36·0	44·3	0·22
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	992	700	260	54·0	27·5	38·7	0·04

Week ending Saturday, DECEMBER 23, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 23, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.4	2.5	582	147	132	0	43	1	11	9	4*	15	0	130	23	142	16
GLASGOW, .	15.5	2.6	241	57	33	0	25	1	6	1	2*	6	0	44	15	69	5
EDINBURGH,	15.0	1.2	97	31	28	0	2	0	3	1	0	2	0	19	2	31	6
DUNDEE, . .	26.4	4.8	83	18	22	0	7	0	1	4	1	2	0	23	1	6	0
ABERDEEN, .	19.3	0.6	62	17	24	0	0	0	0	0	0	2	0	14	2	16	1
PAISLEY, . .	17.7	3.0	29	6	8	0	3	0	0	1	1	0	0	10	0	8	1
LEITH, . . .	17.3	1.3	27	7	8	0	0	0	0	2	0	0	0	7	1	5	1
GREENOCK, .	25.3	6.7	34	9	6	0	6	0	0	0	0	3	0	11	1	2	2
PERTH, . . .	13.7	1.5	9	2	3	0	0	0	1	0	0	0	0	2	1	5	0

* One Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 24, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.2	2.8	700	149	204	*1	19	2	5	31	8	25	2	172	23	149	26
GLASGOW, .	23.7	3.5	363	82	87	0	7	0	2	24	8	13	0	94	12	69	14
EDINBURGH,	17.0	1.1	108	15	43	0	1	1	1	2	0	2	0	18	6	31	10
DUNDEE, . .	22.3	1.9	70	16	23	*1	0	0	0	1	0	4	1	18	3	19	0
ABERDEEN, .	22.9	4.8	72	16	18	0	9	1	1	1	0	3	0	17	1	12	1
PAISLEY, . .	15.6	0.6	25	3	9	0	0	0	0	1	0	0	0	8	1	6	0
LEITH, . . .	13.6	3.2	21	3	8	0	2	0	0	1	0	2	0	6	0	6	0
GREENOCK, .	19.4	0.0	26	10	8	0	0	0	0	0	0	0	1	8	0	1	1
PERTH, . . .	23.1	4.6	15	4	8	0	0	0	1	1	0	1	0	3	0	5	0

* Chicken-pox.

WEEKLY RETURN OF BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 30, 1905.

During the week ending 30th December 1905 there were registered in Eight of the Principal Towns the births of 929 living children, and the deaths of 609 persons. These births are equivalent to an annual birth-rate of 27·7 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 18·2 per thousand.

The death-rates for the three preceding weeks were 17·4, 18·2, and 19·9. The death-rate for this week is thus 0·8 more than that of the previous week, but 0·3 less than the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 22·9, and lowest in Paisley, 15·2. In Aberdeen it was 19·3; in Greenock, 19·3; in Glasgow, 18·5; in Perth, 16·8; in Edinburgh, 15·8; and in Leith, 15·4.

Deaths in these towns from the principal epidemic diseases numbered 65; these are 18 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 25 from measles, 3 from scarlet fever, 12 from diphtheria, 7 from whooping-cough, 4 from enteric fever, and 14 from diarrhoeas. Compared to the returns of the previous week, deaths from measles are 18 fewer, from whooping-cough 2 fewer, and from diarrhoeas 1 fewer, while those from scarlet fever are 2 more, from diphtheria and enteric fever each 1 more. The death-rate from these epidemic diseases for the week was highest in Greenock, 5·2; and lowest in Perth, 0.

Deaths from pneumonia, bronchitis, and pleurisy numbered 99; these are 31 fewer than in the previous week, and 83 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 96; these are 51 fewer than in the previous week, and 71 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 174; these are 42 more than in the previous week, and 5 more than in the corresponding week of last year.

The mean temperature was 38°·8, being 5°·3 below that for the week immediately preceding, and 1°·2 below that for the corresponding week of 1904. The mean rainfall was 0·64 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 30, 1905, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1905.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Dec. 30, 1905.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,749,917	39·593	11·88	929	609	549	58·6	27·0	38·8	0·64
GLASGOW, . .	12,681	809,986	63·874	9·35	442	287	237	58·6	27·8	40·0	0·34
EDINBURGH, .	11,416	336,390	29·483	13·77	155	102	119	48·5	27·0	38·0	0·65
DUNDEE, . . .	4,162	164,269	39·469	11·90	90	72	37	44·4	32·1	38·1	0·49
ABERDEEN, . .	6,795	167,537	24·656	15·06	81	62	85	45·0	28·0	39·1	0·23
PAISLEY, . . .	3,538	85,604	24·196	15·20	60	25	15	48·9	29·3	39·3	1·06
LEITH,	2,044	81,664	39·862	11·84	42	24	15	50·1	30·9	39·0	0·77
GREENOCK, . .	1,440	70,253	48·787	10·70	43	26	37	49·0	30·0	39·2	0·83
PERTH,	2,122	34,214	16·123	18·62	16	11	4	44·0	27·0	37·4	0·73
Corresponding Week of 1904 — Eight Towns.	44,198	1,726,236	39·057	11·96	868	715	572	56·0	24·5	40·0	0·34

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 30, 1905.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 30, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.2	1.9	609	96	174	0	25	3	12	7	4	14	0	99	42	169	18
GLASGOW, .	18.5	2.0	287	36	69	0	15	1	5	3	2	5	0	43	27	84	10
EDINBURGH,	15.8	0.9	102	17	38	0	0	1	1	1	0	3	0	12	3	31	3
DUNDEE, . .	22.9	4.1	72	19	20	0	6	0	2	2	0	3	0	14	3	20	0
ABERDEEN, .	19.3	0.6	62	14	23	0	0	0	0	1	0	1	0	11	3	17	1
PAISLEY, . .	15.2	3.0	25	3	7	0	1	0	1	0	2	1	0	4	2	5	3
LEITH, . . .	15.4	0.6	24	1	8	0	0	0	1	0	0	0	0	4	3	5	0
GREENOCK, .	19.3	5.2	26	5	6	0	3	1	2	0	0	1	0	9	0	4	0
PERTH, . . .	16.8	0.0	11	1	3	0	0	0	0	0	0	0	0	2	1	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 31, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.6	2.4	715	167	169	0	20	2	2	40	2	12	2	182	16	157	29
GLASGOW, .	24.2	2.7	370	91	70	0	4	2	0	29	1	6	2	112	8	78	17
EDINBURGH,	19.3	1.3	123	27	33	0	1	0	1	4	0	2	0	24	1	30	5
DUNDEE, . .	15.3	0.3	48	11	14	0	0	0	0	0	0	1	0	3	0	8	1
ABERDEEN, .	25.4	6.0	80	17	26	0	15	0	0	0	1	3	0	19	4	18	2
PAISLEY, . .	18.0	1.2	29	7	12	0	0	0	1	1	0	0	0	9	0	9	0
LEITH, . . .	16.2	1.3	25	8	3	0	0	0	0	2	0	0	0	3	2	9	1
GREENOCK, .	16.5	0.7	22	3	8	0	0	0	0	1	0	0	0	9	0	3	2
PERTH, . . .	27.7	4.6	18	3	3	0	0	0	0	3	0	0	0	3	1	2	1